

Comments Report

[Print](#)

TSS Survey	Agency	Bureau	Question	Comment
R_06AvNrUu4RVbFJL	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Very good building and workspace!
R_08NaC32YjVXEbS1	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_08NaC32YjVXEbS1	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor
R_08NaC32YjVXEbS1	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_0HUQiKKH0RVcVdT	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building is starting to show some wear. Panels are falling off the walls, we were supposed to get the hydraulics fixed on our overhead cabinets months ago and no one came or didn't come to either of the offices I have occupied in the last 12 months. It seems like the whole building could use a touch up.
R_0IB0sScWKh0Axax	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Size and non-functioning light
R_0IB0sScWKh0Axax	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Non-functioning light, reported and never replaced
R_0IB0sScWKh0Axax	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_0IB0sScWKh0Aax	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_0IB0sScWKh0Aax	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_0kbO1tKhJV613hL	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Doors don't align and so can't be locked in a number of stalls in various women's rooms.
R_0kbO1tKhJV613hL	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Always, always too cold... I wear a sweater yearround
R_0kbO1tKhJV613hL	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Ventilation
R_0kbO1tKhJV613hL	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the air quality in your building?	air quality bothers eyes at times
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_10BkFI4RoxbdggK	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_10DygZwiBOsO5Cd	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_10HleTmMVN8V5u2	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	lack of natural light in many areas
R_10HleTmMVN8V5u2	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
<u>R_10HleTmMVN8V5u2</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor
<u>R_10HleTmMVN8V5u2</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_10MdoGxJq5yDUDs</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The paper towel dispenser in W33-120 is often empty for 2 to 3 days before paper towels are provided. This creates a safety problem (no way to clean up minor spills) and a health issue.
<u>R_10N32A2ia3Nu0YV</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There is an extreme shortage of meeting space and an overabundance of "comfort" space - open seating areas, pantry locations with tables and chairs for snacking, etc. Some reconfiguration to get a more appropriate balance of useable space would be desirable. \\It would be nice to have icemakers in all the pantry areas, rather than to have to go to other floors for such conveniences.\\The lobby area used to have a small coffee cart that was quite convenient and a good money maker for the cafeteria service. That convenience was removed in May when the President visited the building and has not been returned. Restoring availability of coffee in the West Wing of the building would be much appreciated.
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Lighting in common hallways; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_10oBIZ0X4hQ2DeL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	dust
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_10pEoKBIqvJSJuU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)

TSS Survey	Agency	Bureau	Question	Comment
R_10pkZXEY6gQg0HB	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The temperature on my floor (8) is always perfect! Many offices are overly cold, and ours is never too hot nor too cold. \Please make sure the cleaning staff are recycling. We have seen staff put recycling in trash bins.
R_10TnaRgis2TkMCh	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Other
R_10TnaRgis2TkMCh	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_10TnaRgis2TkMCh	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation
R_10TnaRgis2TkMCh	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_111KHQPLMKwI8iT	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	No privacy, small partitions, too quiet
R_111KHQPLMKwI8iT	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Ventilation
R_111KHQPLMKwI8iT	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1172dfeJmNZFpxm	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Ventilation
R_11cLxmmowtmoRm	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	AC not working

TSS Survey	Agency	Bureau	Question	Comment
<u>R_11cLxmmowtmoRm</u>	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	AC in my office does not work.
<u>R_11cLxmmowtmoRm</u>	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_11jdo0nHdkHvudg</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	would like a standing and sitting desk but seems like alot of hoops to jump through to obtain
<u>R_11jdo0nHdkHvudg</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	we should have moveable desks and more indoor greenery to help with air quality
<u>R_11jdo0nHdkHvudg</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_11jdo0nHdkHvudg</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_11jDYOwbmSivBV5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
<u>R_11jDYOwbmSivBV5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_11jDYOwbmSivBV5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_11YEQEAlpYHh6Xm</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_122SLXP8JVhvXmC</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	noise from common areas and atrium
<u>R_122SLXP8JVhvXmC</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_12KI2bqBhubdiZe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_12KI2bqBhubdiZe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_12KI2bqBhubdiZe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_12L6kFo3xQtg3Sf</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	my cubicle is always too warm. Most of the building is fine,
<u>R_12L6kFo3xQtg3Sf</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_12lo383D2plQwD3</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There seems to be a move to change the cubicle system that we currently have to a new, no partition smaller desk area with no adjacent storage but with a locker system that you must leave your desk to get your belongings. No coat closet. Looks like a sweat shop that will not allow an individual to have any privacy when working. This type of work environment is totally unacceptable!

TSS Survey	Agency	Bureau	Question	Comment
R_12lo383D2plQwD3	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_12lo383D2plQwD3	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_12LsdipM8xBJKzE	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Available lights are not adjustable and cause eye strain in current location.
R_12LsdipM8xBJKzE	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from the Pantry/Kitchen is amplified. Too much open workspace allows for conversations to be heard in each quarter of the building.
R_12LsdipM8xBJKzE	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	We frequently lack necessities like paper towels in the kitchen. They closed the office that handles workspace issues and did not inform us. Rumor has it you have to call the loading dock. The open workspace is killing productivity. The density of cubes and contractor "surfboards" is extreme. Employees have to wear headphones all day or get up and walk around to avoid other individuals' conversations. Some staff depend on the wifi to work in unused conference rooms or quiet common areas. Cubes need to be broken up more often by enclosed offices to improve productivity.
R_12LsdipM8xBJKzE	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Drafty
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Atrium noise
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Other

TSS Survey	Agency	Bureau	Question	Comment
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Other
R_12zPWdVp7cq3TDw	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1BSkaeYMtUV9A55	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1BY588SzSo4uqar	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	No natural light. Building was designed to let light in but USDOT built offices along the outer walls.
R_1BY588SzSo4uqar	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Cleaning crew and security staff are great. Cafeteria depends on disposables - building constructed without ability to wash cafeteria dishes / utensils. We should compost the compostable containers. Trash / recycling containers should be located next to each other everywhere, preferably in a combined receptacle with clear signage. \We have too few bike racks in close proximity to the building outside.\Would prefer natural light at my desk.\LOVE that we have a mixed use building right on top of transit = awesome, way to go, GSA! Like the location near the riverfront.
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	cleaning doen during busy times
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	fine
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It appears that over the past several months that there is less upkeep and attention to cleanliness in the common areas (carpeting, bathrooms) paper supplies in kitchens, kitchen faucets not working, etc.

TSS Survey	Agency	Bureau	Question	Comment
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1C7J9C6RDSmKOfl	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	too small
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	air quality
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Odor; Ventilation
R_1C9Llo11tze7dgy	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1Cap95VHyF4v3NN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Inadequate signage; Lighting in common hallways; Lighting in common stairwells
<u>R_1Cap95VHyF4v3NN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Ventilation
<u>R_1Cap95VHyF4v3NN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of carpets; Other
<u>R_1Cap95VHyF4v3NN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_1CluF1NfLjgPlj9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1CpFCMArioaxsW6</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	noise from coworkers
<u>R_1CpFCMArioaxsW6</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_1CsbheAK8SDWFRP</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am dismayed that they have removed the coffee kiosk in the West Building - not sure why - but very dis-appointing....
<u>R_1CsbheAK8SDWFRP</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1d0Lixcoqo4uD78</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1DA1d1ddKIsim5k</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation
<u>R_1dALp3m2xIC773G</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	poor stall design and quantity
<u>R_1dALp3m2xIC773G</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	no natural light nearby

TSS Survey	Agency	Bureau	Question	Comment
R_1dALp3m2xIC773G	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_1dALp3m2xIC773G	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_1dALp3m2xIC773G	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_1dALp3m2xIC773G	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1DB7p4JAQ9XmoVR	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Desk orientation
R_1DB7p4JAQ9XmoVR	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1diw0rsnx05QmKt	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Having the opportunity to have a standing desk would be great!
R_1diw0rsnx05QmKt	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_1diw0rsnx05QmKt	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1diw0rsnx05QmKt	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1diw0rsnx05QmKt	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1DNHnhKZioBn4nh	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	NOISE LEVELS
R_1DNHnhKZioBn4nh	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_1DNHnhKZioBn4nh	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1DNHnhKZioBn4nh	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1dnKGBaJodq79Bi	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	thank you
R_1dnKGBaJodq79Bi	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
R_1dnKGBaJodq79Bi	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1dnKGBaJodq79Bi	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1dnz4PFWHLqBuhM</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Meeting spaces to host conferences is at a premium. Having more secure offices for classified discussions would be useful - specifically thinking of private senior offices that can meet GSA standards for up to Secret level.
<u>R_1dnz4PFWHLqBuhM</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_1dnz4PFWHLqBuhM</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_1DPfkVxXr7nW1Ua</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Not having access to natural light
<u>R_1DPfkVxXr7nW1Ua</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1DSy6pXp1hUB9yk</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_1DSy6pXp1hUB9yk</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_1DSy6pXp1hUB9yk</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1DSy6pXp1hUB9yk</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_1DSy6pXp1hUB9yk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1dtLvoXIL37nrep	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I work at DOT HQ 1200 New Jersey Ave SE, Washington, DC 20590. The building has cellular repeater antennas (Distributed Antenna System or DAS) throughout the building to provide public connectivity otherwise there is no cellular reception inside the building. Currently the only cellular carrier on the DAS (and therefore available in the building) is Verizon. Many people in the building, including myself, are in a situation where ubiquitous and constant connectivity is imperative. In my case I have a toddler and an infant in daycare as well as an elderly parent for whom I care. I must have connectivity wherever I am and at all times to attend to these needs. This need is not optional for me and many others. It is not fair to those of us in this situation that we have no choice but to use Verizon as our cellular service provider. This forces us to pay Verizon's rates and use only phones that function on their service. Other service providers such as T-Mobile and AT&T offer both more competitive rates as well as greater flexibility of hardware that can be used such as GSM only phones. This can be a significant cost differential and a needless financial burden. The need for additional cellular service providers available on the building wide Distributed Antenna System is clearly warranted as ubiquitous connectivity is no longer a luxury but rather a necessity.
R_1du97qjhz9KqD3	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1DuvyaMuYTahxNk	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1DuvyaMuYTahxNk	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Noise
R_1DwGduSvHoznHF1	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I use to telework more frequently during the week when I had access to a telework center. Have been very dissatisfied with the telework program since the shut down of the telework centers in early 2010. The telework center was my most productive place to work. Since their closure the quality of life has declined!!
R_1dyLOkJbuGVKpvt	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	too cold in summer, too hot in winter

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1dyLOkJbuGVKPvt</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	1. Please keep the building temp at 70+ in summer. 60s is too cold and wasteful. 2. Also, please address the insufficient light levels in the conference rooms. The bulbs may be old but they are way too low to be useful. E-84-106 (?) conference room is terrible. 3. Finally, there are few working monitors in the West Building conference center. The Oklahoma room in particular had a lot of issues.
<u>R_1dyLOkJbuGVKPvt</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1dyLOkJbuGVKPvt</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_1dzcrutJrcFqzuA</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_1dzcrutJrcFqzuA</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_1E6E7DuqXgjfJdy.</u>	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	none
<u>R_1E6E7DuqXgjfJdy.</u>	Department of Transportation	General Counsel	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_1E6E7DuqXgjfJdy.</u>	Department of Transportation	General Counsel	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
<u>R_1E6E7DuqXgjfJdy.</u>	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms

TSS Survey	Agency	Bureau	Question	Comment
R_1E6E7DuqXgjfJdy	Department of Transportation	General Counsel	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_1E6E7DuqXgjfJdy	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too hot
R_1E6E7DuqXgjfJdy	Department of Transportation	General Counsel	How satisfied are you with the air quality in your building?	Odor
R_1E6E7DuqXgjfJdy	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1E6E7DuqXgjfJdy	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	HVAC volume
R_1eDHCOb6L9vIswJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_1eDHCOb6L9vIswJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1eDHCOb6L9vIswJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1eDHCOb6L9vIswJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1eRGwDN3WtDV1Lr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Lack of airflow.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1eRGwdN3WtDV1Lr</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
<u>R_1eRGwdN3WtDV1Lr</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_1eRGwdN3WtDV1Lr</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_1eRGwdN3WtDV1Lr</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_1eS5kmxHt37s8EM</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
<u>R_1eS5kmxHt37s8EM</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_1eS5kmxHt37s8EM</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_1eS5kmxHt37s8EM</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_1exBSTjBLzamNmO</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	incredibly dry air
<u>R_1exBSTjBLzamNmO</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_1exBSTjBLzamNmO	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1exBSTjBLzamNmO	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1ey2qQF8dcMIlbD	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
R_1ez1OKfHUNbegB2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_1ez1OKfHUNbegB2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1ez1OKfHUNbegB2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Other
R_1ez1OKfHUNbegB2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with your personal workspace?	It gets stuffy
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with the air quality in your building?	Ventilation
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1f0EKrhoulXr5Mbo	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1f19GfBjxiD60eH	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	WE SHOULD BE ABLE TO HAVE ADJUSTIBLE WORK STATIONS AND SLIDE PARTIONS FOR MORE PRIVACY.
R_1f19GfBjxiD60eH	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_1f19GfBjxiD60eH	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1fa38wZR1rg4tIL	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Construction in building's common areas
R_1FaFFWty9uMGohW	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1fdWJIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	There are not enough toilets. The faucets and soap dispensers seldom work. The countertop around the sinks is always wet - does not drain. Poor design and cheap fixtures.

TSS Survey	Agency	Bureau	Question	Comment
R_1fdWJIIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	cubicles are noisy. Telephone conversations from neighboring units are overwhelming.
R_1fdWJIIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building and location are nice. The building design is basically good. Unfortunately, corners were cut in some areas - the number of restroom facilities (you need to wander around to find an unoccupied toilet), the quality of restroom fixtures (faucets don't work, soap dispensers don't work, toilets don't flush, water pools around the sinks, etc.) - and the quality of the furniture (inexpensive furniture with plastic trim looks worn and shabby very quickly).
R_1fdWJIIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_1fdWJIIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1fdWJIIWpnaaq5H	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1FEz6TQh2nE5aPf	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The carpets do not seemed to be vaccummed as often as they should. The new carpet is not as sturdy as the previous carpet - the edges already seemed to be pulling up on the edges. When we reported that there was a way for people to exit the building without swiping their badge, they did not seem concerned since there was no way to get into the building without showing a badge but we had concerns about not having accurate headcount or names of people actually in the building in case of emergency.
R_1FFR6eEz05KqTiF	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	most dissatisfied with the luncheonettes/break rooms. paper towel dispensers are always empty and never refilled for days. sink space is mildew since faucets are always breaking down. also, back area of sink needs to be caulked because always getting wet.
R_1FFR6eEz05KqTiF	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1FFR6eEz05KqTiF	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1FFR6eEz05KqTiF	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1FFyFKSnd4pRvnp	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like to move to a more private work space as I work on documents requiring methodical planning.
R_1FFyFKSnd4pRvnp	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1FFyFKSnd4pRvnp	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	The way the cube is configured
R_1FnzXJj3syvKDpa	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	This is a great building with great esthetics. The people that provide the support services are exceptional
R_1FnzXJj3syvKDpa	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1gAelrFydY2POvs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_1gAelrFydY2POvs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1gAelrFydY2POvs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_1gAelrFydY2POvs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Capacity
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Old furniture of poor quality
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	furniture is of poor quality and poorly maintained; acoustics are poor- noisy work environment that is distracting; organizational resistance to telework makes being in the office that much less pleasant
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1gFRZuj4GCXpo0i	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	The Starrbucks bulit into the corner of our building

TSS Survey	Agency	Bureau	Question	Comment
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	tilets take 6-8flushes to fully flush
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	I cough, sneeze and have shortness of breath frequestnly when in the buliding but do not do so at home or shen I am outside of the building
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	We are able to hear all conversations around us, even when others speak at the lowest tone possible. Sound diffusors would help;
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I have experienced shortness of breath at times, frequent coughing spells from irritated airways and sneezing when I am at my desk in the bu9lding. I do not have these issues when I work from home or when I am outside of the building. It feels like there is something in the air we breath that irritates my airways.
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_1gnIK48aKE2rULo	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_1GPa4oKOaSBQhXb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Faucets not working
R_1GPa4oKOaSBQhXb	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Please note that I recently moved into a single person office and some of my responses are reflective of a cubicle.
R_1GPa4oKOaSBQhXb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_1GPa4oKOaSBQhXb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1GPa4oKOaSBQhXb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1gpbi52a0e8ht6r	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Must have gone to a cheaper supplier for the paper towels as they will not dispense without tearing and shreading.
R_1gpbi52a0e8ht6r	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The carpet in my office was dirty and stained when I moved in on October 2, 2016. I requested carpet cleaning several times and it wasn't performed. I stopped pursuing because I couldn't get action.
R_1gpbi52a0e8ht6r	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_1gpbi52a0e8ht6r	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1gpbi52a0e8ht6r	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1gtqvqQ5ESG6bXS	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_1gtqvqQ5ESG6bXS	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1GTsmUvxP2ZV1Ya	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The carpets are not vacuumed unless I call and even then no one shows up until after 6PM. my cube has not been vacuumed for at least more than a year, I sometimes sweep it and leave what I sweep at the outside of my cube and even then, that's not vacuumed for days.
R_1gvdOhbw90ndpBJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	lighting is adequate
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Odor; Ventilation
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1GWaknnPDcJssZj	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1hAuXLhJaTJCIVG	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1hLOLFiLHp0C0Dz	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	bathrooms typically have non-operating sink faucets, non-operating soap dispensers, and are prone to having pooling water on the countertops.
R_1hMF4wBQdgOUUlj	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Get rid of the catering contractor, they are way over priced and the quality has also declined.
R_1hMF4wBQdgOUUlj	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1hMF4wBQdgOUUlj	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1hMzAjTNf6GmcMM	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The building is new and well managed. The interior courtyard on the West side needs seating and gathering areas for visitors. We had this initially but crews have removed it. It's helpful meeting and chatting space. GSA should also arrange access to the loft of the west building. Currently, the building owners has an ops center there. It could easily be reconstructed into a cafÃ© or safe lunch space with incredible views, while migrating the ops center nearby or to another area. This would add immeasurably to tenant satisfaction and productivity. The best space in the building is an indoor ops center for the landlord! The government is paying the bills and deserves the best space.
R_1hMzAjTNf6GmcMM	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_1hRRp5aQNnVPy4F	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Toilets not vented properly
R_1hRRp5aQNnVPy4F	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Too cold in winter

TSS Survey	Agency	Bureau	Question	Comment
R_1hRRp5aQNnVPy4F	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Speed bumps in garage are too high for wheelchair minivans, causing them to bottom out. Insufficient bike racks.
R_1hRRp5aQNnVPy4F	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_1hRRp5aQNnVPy4F	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1hyeKt74AqMMzp6	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The doors in the bathroom are not secure. Sometimes you can see in between them. Doors have been hard to open after entering a stale.
R_1hyeKt74AqMMzp6	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Odor; Ventilation
R_1hyeKt74AqMMzp6	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1hzKqy1cKdB3VVm	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The toilet seats in the restroom were replaced and the new ones do not fit the bowls properly (they are too small). Also, there is almost always a pungent odor of urine in the women's restroom in the west building, 8th floor, west side.
R_1hzKqy1cKdB3VVm	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Odor
R_1i2o7SXgcH5tNz5	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Wiring under the desk

TSS Survey	Agency	Bureau	Question	Comment
R_1i2o7SXgcH5tNz5	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
R_1i2o7SXgcH5tNz5	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_1i2o7SXgcH5tNz5	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_1i6mNDkxhvx2MmX	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
R_1i7f66Wba4Rajlp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Some people are not considerate working in cubicles and are too loud!
R_1i7f66Wba4Rajlp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_1i7f66Wba4Rajlp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1i9eKdEy45QQoAq	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1ie254C4IzNbg93	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	faucet water temperature either too hot or too cold

TSS Survey	Agency	Bureau	Question	Comment
R_1ie254C4IzNbg93	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In general, the building management doing a good job maintaining the place.
R_1ie254C4IzNbg93	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_1lYr96ViYF8gWv	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	not built for privacy of customers
R_1lYr96ViYF8gWv	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_1lYr96ViYF8gWv	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1j9UVXA2PsKVGjB	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Unable to use the stairs to go from Ground Floor to Second Floor. Many people use the Emergency Exits to go from the Second Floor to the Ground Floor. Elevator Doors close too slowly in accordance with industry standards. Water for Hand Washing in Restrooms is too cold in accordance with the building code. Faucets in Restrooms do not work consistently. Paper Towels often fall on the floor or in the trash. Able people often use Disabled Door Operators, wasting energy. There are no revolving doors. Garage Payment needs to be automated and paperless. Not sure building organization manages small conference rooms, but the large conference center in the west building seems to be constantly booked. Exterior of the building on ground floor is inconsistent with changing neighborhood -- there needs to be retail and dining along the exterior of the buildings that face along M Street SE and Tingey Street SE.
R_1jcPUNWsT3VJm7F	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Other
R_1JCT4eNsfDpzTdq	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Dirty carpet

TSS Survey	Agency	Bureau	Question	Comment
R_1JCT4eNsfDpzTdq	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	cold air blows on me
R_1JCT4eNsfDpzTdq	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Plumbing issues (e.g., restrooms, water fountains leaking)
R_1JCT4eNsfDpzTdq	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_1jcyMjx0l5ClwzB	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1jebw8oB8Cyxkvx	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	zero privacy, noise
R_1jebw8oB8Cyxkvx	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	To easy the rush hour traffic, the building should have a mean for people from the 2nd floor to get to the ground floor instead of waiting for the elevator for just one floor. It saves energy and encourage exercises.
R_1jebw8oB8Cyxkvx	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1jebw8oB8Cyxkvx	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1JFwZYkGBCvdGpu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Odor

TSS Survey	Agency	Bureau	Question	Comment
R_1JFwZYkGBCvdGpu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1JFwZYkGBCvdGpu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_1JFwZYkGBCvdGpu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1jGHZiMkLK6vawk	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	This is a beautiful building with quick service when there is an issue. Grateful for the positive working environment.
R_1jlm5xjgluK7QbL	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	.
R_1jiYQYYrOiqzZ4U	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1jiYQYYrOiqzZ4U	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1jj6n6MbskKnCHx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cubicles are a bad idea and are extremely disruptive. Offices are a much better option.
R_1jj6n6MbskKnCHx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Working in a cubicle, as most DOT employees do, is extremely disruptive. Employees are forced to hear everything that is happening and being discussed across the floor. Similarly, it makes taking conference calls and being able to discuss work matters in your personal workspace nearly impossible without being disruptive to others. Add to that the lack of availability of conference space in my agency (PHMSA), and it is extremely difficult to collaborate with others effectively and have peace and quiet in my own workspace. Offices are a much better idea.

TSS Survey	Agency	Bureau	Question	Comment
R_1jj6n6MbskKnCHx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1jj6n6MbskKnCHx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1jxxCN11SCek6RM	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1jxxCN11SCek6RM	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1JWUeVQomZUGHwy.	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	sink faucets not working
R_1JWUeVQomZUGHwy.	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	flourescent bulbs can give headache
R_1JWUeVQomZUGHwy.	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_1JWUeVQomZUGHwy.	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1x2JZD9FjlxTBI	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	needs shelving near sinks, so items don't get wet

TSS Survey	Agency	Bureau	Question	Comment
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I wish there was a way to close off the entrance to my cubicle. The agency removed the partitions and now the sounds from others are amplified. For example, it's very difficult to have a conference call due to the excessive noise. Additionally, now I'm unable to sit quietly and have lunch at my desk without being interrupted.
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_1Ke8E4FbOe40M1M	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1Kj5c9ao7IXbCpR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like stair access from ground level to upper levels - must use elevators currently. Need to change badge in/out configuration for those using the parking garage. I badge in to get into the garage, then exit the secure area after leaving the garage elevators, and then need to badge in again to enter the building. It is similar when badging out. This can be streamline by reconfiguring the badging stations to/from garage.
R_1Kj5c9ao7IXbCpR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Pest control management
R_1Kj5c9ao7IXbCpR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Odor
R_1kNaTsKYorSFUBm	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1kNaTsKYoRSFUBm	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
R_1kNaTsKYoRSFUBm	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Other
R_1kNaTsKYoRSFUBm	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1KqZaCkHKblyujM	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Other
R_1lag0ETKj5B2D19	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1laGDEXgDLz1T6k	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Some overhead bins slam shut
R_1laGDEXgDLz1T6k	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Regarding security, I keep my metro card and my work ID in the same card holder. Coming in, the machine can read my ID. Going out, I have to separate the 2 cards. It's really annoying, especially when my hands are full. Perhaps the sensitivity of the machines could be turned up?
R_1laGDEXgDLz1T6k	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1lb1UIUjkw4EmT	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	The floor under the urinal is discussing

TSS Survey	Agency	Bureau	Question	Comment
R_1lb1UIUjkw4EmT	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_1lb1UIUjkw4EmT	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1lfMHuMc5ohwrE4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Loud whistling sound perhaps from pipes
R_1lfMHuMc5ohwrE4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1lgJgztXruDguPq	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	There are not enough toilets
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	The way my work space is set up lacks functionality. I actually cannot use the outlets because how they set up the desk.
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Sometimes the air is stale.
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Sound travels really well in this building. Plus the lack of personal offices permits the sounds to bounce all over the office.
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1LjkWcsdZCJY5hN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1Lkwgod2tDO0dHJ	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Keep up the good work.
R_1lIVc09sw9j10j4	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from common areas
R_1lIVc09sw9j10j4	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_1lIVc09sw9j10j4	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1LTK0wsAFi5LEeB	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	get irritable eyes inside the building
R_1LTK0wsAFi5LEeB	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The walls are thin, so can hear people in adjacent offices.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1LTK0wsAFi5LEeB</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_1LTK0wsAFi5LEeB</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_1LU7EIIWvISbhGe</u>	Department of Transportation	Assistant Secretary for Budget and Programs, Chief Financial Officer	Q26. Please provide any additional comments concerning your overall satisfaction.	AT&T cell coverage is awful throughout building. In a modern building, tenants should have access to most cellular networks no matter the provider. I knowingly make personal long distance calls that from my desk phone since my personal AT&T cell phone has no service.
<u>R_1LU7EIIWvISbhGe</u>	Department of Transportation	Assistant Secretary for Budget and Programs, Chief Financial Officer	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_1LXKouTGlcBloHS</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_1M4EimRaZ476P23</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_1M4EimRaZ476P23</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_1mlqZbaWhfdMyPZ</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Except for common areas, building is too hot.
<u>R_1mlqZbaWhfdMyPZ</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
R_1mlqZbaWhfdMyPZ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	No effort to conserve power by adjusting A/C setting
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Flow of outside air unknown
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Lack of privacy
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	1) The layout of offices in our building prevents window access except for employees in perimeter offices, i.e., there are few if any shared outside windows, for natural light and views outside.\2) Some exit routes during emergency drills are circuitous and pass through long hallways with some narrow passages. This could be extremely hazardous in a real emergency.\3) Regarding HVAC temperature, the building interior during warm weather is cooler than needed (although not uncomfortable, it often is cooler inside in summer than in winter.) Significant electric power could be conserved by using a slightly higher A/C setting.\4) Acoustics of the building atrium, where group events are usually held, are extremely poor. They probably could be improved merely by installing partial carpeting, textile wall surfaces, etc.\5) In our previous office building, the restrooms were successfully retrofitted with flushless urinals, saving a lot of water. Why aren't those used in our current building?\6) Layout of traffic flow in garage is poorly executed.\7) There is no stairwell access at the lobby level, so there is no way to avoid using the elevators (if there is a security concern about allowing access from the lobby into the stairwell, that shouldn't prevent exiting out from the stairwell into the lobby.)\Thanks for considering these comments.
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1MKgO35CILVeinq	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1mKtpudP3MCnCGj</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are not enough meeting rooms for our meetings. Also, there are no common areas for people to go and have some privacy to make personal calls on their cell phone. Previously had one room that could be reserved and now it has been taken away and is being used as an office. Also, in case of an active shooter, there is no where to hide if you are in a cubicle. We are sitting ducks. The doors can not be barricade in the bathrooms and pantries. If we needed to hide, there is no place available for those in cubicles.
<u>R_1mKtpudP3MCnCGj</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1mKtpudP3MCnCGj</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_1mKtpudP3MCnCGj</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1MKWYWA0WpQ51fR</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_1MKWYWA0WpQ51fR</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_1MMRgJwbnCGh1Tr</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_1mnhZWmm08mBja9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	condition of the sidewalks
<u>R_1mnhZWmm08mBja9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	sometimes smells like sewage

TSS Survey	Agency	Bureau	Question	Comment
R_1mnhZWmm08mBja9	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	the restroom cleanliness is not the fault of the crew. We have a hoverer. That said, the stalls are getting quite worn out, the sinks regularly drip on the floor, and the paper towel dispensers don't easily dispense. When the sewage smell comes, a crew comes to investigate, but it comes back a few weeks later. Overall, it's a nice building, but the bathrooms really need an overhauled approach.
R_1mnhZWmm08mBja9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1mnhZWmm08mBja9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_1mnhZWmm08mBja9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1MS3sc7GdUZScNn	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Building and workspace is safe and secure with pleasant atmosphere.
R_1MSSCrWfpO2pWCW	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_1MSSCrWfpO2pWCW	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1mtuHi9oTV9NTSu	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building could really use more bike parking- both exterior and interior- as the racks are frequently full. \Pedestrian movement is hampered by shrubbery and other landscaping at the southern perimeter bollards between the East and West buildings. It's a squeeze during lunch time and at other high traffic times. You get a sense as a pedestrian around the building that whoever designed it did not consider pedestrian flow at all; it was not designed for people movement and it makes you feel like you are not expected to be there. ROW along M Street is another example where there is a huge amount of space, but it is filled up with a mish mash of landscaping so that 3 people can't walk comfortably side-by-side, and even single pedestrians need to weave between various lanes of light posts and tree boxes if anyone is approaching in the opposite direction.
R_1mWbBtqxkpsB2Jr	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1mWbBtqxkpsB2Jr	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	size of workspace
R_1MWkLoRXeM8aop0	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	pedestrian control during events at Nationals Stadium
R_1MWkLoRXeM8aop0	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cabinet door gas struts don't work and doors slam shut. Sound travels easily between cubes - loud.
R_1MWkLoRXeM8aop0	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_1MWkLoRXeM8aop0	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1mxTj3oiEJNNpan	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Location

TSS Survey	Agency	Bureau	Question	Comment
R_1mxTj3oiEJNNpan	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Walls do not go up to the ceiling.
R_1mxTj3oiEJNNpan	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1mxTj3oiEJNNpan	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_1mxTj3oiEJNNpan	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1mxVGg9jI0uBBUR	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	stong sewer gas odor
R_1mxVGg9jI0uBBUR	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The facilities are satisfactory; however, there are strong sewer gas odors in certain areas; the problem has persisted for several years. It comes and goes...
R_1mxVGg9jI0uBBUR	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_1mxVGg9jI0uBBUR	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor

TSS Survey	Agency	Bureau	Question	Comment
R_1n2BCqXwbtb6PKE	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	For the women's bathrooms maybe consider a different cleaning agent. There is always a lingering odor regardless of which one I choose to use. Care should be given to doors/doorways. Many of them squeak and may be disruptive. Main doors to some of the Administrators' conference rooms are chipping/wearing away and no one know how to repair or color in the damages. Also, no one knows what needs to be done to properly maintain the administrators' large conference rooms. There are many scratches and we are told to simply use a wet paper towel which does not remove the scratches.
R_1n2BCqXwbtb6PKE	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1n2BCqXwbtb6PKE	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1n2r2bggxcq8Yht	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1N4TJ6fVNrdk43q	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cubicle storage is broken/dangerous
R_1N4TJ6fVNrdk43q	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	HVAC rattles doors nearby
R_1N4TJ6fVNrdk43q	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Last year, the carpets were replaced and the walls were supposed to be painted. Most of the walls were NOT painted. The contractors who replaced the carpet also damaged many of our lateral file cabinets. Many of the dampener struts that hold open the overhead cubicle storage cabinets have failed and the heavy cabinet doors will not stay open and may fall on your head while accessing the interior.
R_1N4TJ6fVNrdk43q	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_1NCjggZ8JqB2C48	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_1NeormLILXfo5B4	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Lots of paper towels wasted in the women's bathroom on 4W in the West Bldg. - The bin does not hold them correctly so they often get jammed. Consider moving to a dispenser that automatically advances a paper towel instead of an old-fashioned manual one that doesn't work well.
R_1NesmKJ8vLzNDbX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
R_1NesmKJ8vLzNDbX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_1NesmKJ8vLzNDbX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1NesmKJ8vLzNDbX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1NesmKJ8vLzNDbX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1NetOe0YNw6xz6m	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Malfunctioning cabinets haven't been fixed in months

TSS Survey	Agency	Bureau	Question	Comment
R_1NetOe0YNw6xz6m	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Condition of carpets
R_1NetOe0YNw6xz6m	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1NetOe0YNw6xz6m	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1NetOe0YNw6xz6m	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1NfVBfbDASe9sAX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1NfVBfbDASe9sAX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_1NfVBfbDASe9sAX	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1NgAQTw9gxt95Si	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	There is a broken transportation exhibit that wasn't fixed right away
R_1NgAQTw9gxt95Si	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Toilets require multiple flushing in order for the water to be absolutely free of waste/paper
R_1NkvBZaLh89RbuH	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Office is extremely warm. Sometimes in the summer it's 77 degrees in our office. We have called maintenance and it is still hot in the office.

TSS Survey	Agency	Bureau	Question	Comment
R_1NkvBZaLh89RbuH	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	stand alone office is too hot.
R_1nTOd0hFsCr3aDE	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I like it here
R_1nTOd0hFsCr3aDE	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_1nTOd0hFsCr3aDE	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_1nTOd0hFsCr3aDE	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1nU4jrOEaq7kzSj	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	Three concerns:\1) There's no thermostat in my personal office, which is heated by direct sunlight (as opposed to the cooler common area where the thermostat is). This honestly demands that I use a personal fan, which may be an inefficient use of power.\2) There is no clear channel for communicating with the cleaning crew; even personal encounters are challenging sometimes due to language barrier. I have a special cloth ergonomic chair that is more than 12 years old - it needs to be vacuumed and cleaned!\3) Restrooms - I've noticed that the "auto flush" feature on some of the toilets is very sensitively calibrated. The slightest movement (talking about women here) makes the toilets flush prematurely/repeatedly. I am CERTAIN that we are consuming significantly more water than necessary in the Ladies' rooms! \Thanks for asking.
R_1nU4jrOEaq7kzSj	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1nW3u7WTzJs6ZVE	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Bike parking and services are not acceptable. Need more bike parking and at least an air pump that will inflate BOTH types of bike tires that use either a Presta valve or Schrader valve stem Right now we have nothing. And we work for the DOT. We should be setting the bar, not wanting.

TSS Survey	Agency	Bureau	Question	Comment
R_1nW3u7WTzJs6ZVE	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	lack of natural sunlight
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	noise from nearby conference room and groups chit-chatting in hallway
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Lighting in common hallways; Pest control management
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1NxiHuXCQONzrDB	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1Nzv1sv4iy6U6sV	Department of Transportation	Office of the Chief Information Officer	Q26. Please provide any additional comments concerning your overall satisfaction.	The only complaint I have is that there is insufficient cooling and ventilation in my personal workspace.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1ODHcbOCqyT0Rg0</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	too small and noisy
<u>R_1ODHcbOCqyT0Rg0</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	on a main thoro people w/ loud conversations walking by
<u>R_1ODHcbOCqyT0Rg0</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1odwO0pxi5knJ4P</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_1odwO0pxi5knJ4P</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
<u>R_1odwO0pxi5knJ4P</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Other
<u>R_1odwO0pxi5knJ4P</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_1odwO0pxi5knJ4P</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1oeCgAevk2xZ2N</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1oHnp7ULhrqTa8k	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Men's bathrooms have inserts in the urinals that seem to absorb the gross smell of urine. The bathrooms now smell like a camp latrine at best. Rather absurd in the 21st century to not be able to get this right.
R_1oHnp7ULhrqTa8k	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Odor
R_1oHnp7ULhrqTa8k	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1oirlZepxlqKrFt	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	awesome ears, Howard
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	no counter space
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	HAVAC
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_1ojPrQAeqmcyQWg	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1ojr1Bb2j0mMDw9	Department of Transportation	Assistant Secretary for Aviation and International Affairs	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	The secondhand smoke is in the designated areas, but alot of people walk around the building to get their exercise / walk to lunch. I can't walk those ways because the smoke burns my eyes - are the trees (which I love) holding the smoke in?
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	I think the batteries in the faucets need to be changed more often. Sometimes I have to try three sinks before I find one that puts out enough water to get the soap off my hands.
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Somehow the team even notices when bulbs are out, and they fix them quickly.
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	This is a very nice building, and the team does a great job keeping it up. We are very fortunate to have such a nice facility. My comments are minor and simply intended to help the team keep our building great. They are not intended to be criticisms. I appreciate everything the team does to make our work environment comfortable so we can focus on our mission instead of worrying about things I've seen at other Federal facilities like building's structural integrity or insect infestations. Thank you.
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_1OMQ8y1Q73R9Zak	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1OMQ8y1Q73R9Zak</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
<u>R_1ooTkUweB9PQYK3</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Ventilation
<u>R_1ooTkUweB9PQYK3</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1op7SRkbLG30KfR</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Great Facility!!!
<u>R_1otDxxv2w3xdRI3</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Great work D.O.T
<u>R_1OTTl8427IX9Zy8</u>	Department of Transportation	Assistant Secretary for Budget and Programs, Chief Financial Officer	How satisfied are you with the appearance of the restrooms?	The faucets sit too far back therefore the sink area is always wet. There are no hooks or shelves for you to place a pen and paper while washing your hands.
<u>R_1OTTl8427IX9Zy8</u>	Department of Transportation	Assistant Secretary for Budget and Programs, Chief Financial Officer	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Smokers need a covered space
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	No windows, can't control temperature

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Can't control the temperature
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	NO windows
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Smokers need to have an enclosed weather protected space on the property. Landscapers trash plants that are in good condition, just to make more money on the contract. Building needs to have windows that open to get fresh air. DOT needs to take over the parking garage.
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_1OVw3dlrP9P8NQ8</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_1Oy203waVOGEx7o</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	distractions due to open cube

TSS Survey	Agency	Bureau	Question	Comment
R_1Oy203waVOGEx7o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	an open cube lends itself to noise and distractions
R_1Oy203waVOGEx7o	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am very satisfied with the building and exterior. My work space is a nice size but the cube - even with partitions - lends itself to noise, distractions and loss of personal space. When I have work that needs undivided attention, I do that on my telework day.
R_1Oy203waVOGEx7o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_1Oy203waVOGEx7o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1Oy203waVOGEx7o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping; Secondhand smoke at entrances
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Inadequate signage
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1ozf8xKJ01lpRLW	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1P7dcQ6PyBVHi7s	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	There isn't enough natural light.
R_1P7dcQ6PyBVHi7s	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1P7dcQ6PyBVHi7s	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1PbLrTuWs8xnOa9	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_1PbLrTuWs8xnOa9	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_1PbLrTuWs8xnOa9	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_1PbLrTuWs8xnOa9	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	lack of bike parking outside the entrances
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	lack of places to sit
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	my room is often over 74 degrees; too warm while rooms near me are often much colder
<u>R_1PbLrTuWs8xnOa9</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	my office is always too hot; other offices are quite cold. Consistency would be preferred
<u>R_1PdI7GIOWhY2cfe</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Showers in gym locker room are not well maintained. \It would be nice to have seating in West Atrium again when space is not being used for an event.\Would like to have a means to walk down the stairs on a regular basis to exit the building without having to use an elevator.
<u>R_1pJpKlZPxyrglwF</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My staff works in cubicles and it is very noisy. Also, the kitchens have no freezers so there is a problem bringing in things to microwave.
<u>R_1pJpKlZPxyrglwF</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_1pJpKlZPxyrglwF	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1pJuIUKKBcCY8LC	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from the atrium during events. and there are many events.
R_1pJuIUKKBcCY8LC	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
R_1pJuIUKKBcCY8LC	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1pJuIUKKBcCY8LC	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_1PSjf4BtYmNzQjE	Department of Transportation	Office of Civil Rights	How satisfied are you with your personal workspace?	unable to control temperature
R_1PSjf4BtYmNzQjE	Department of Transportation	Office of Civil Rights	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_1PXydHXVLH4fhX5	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like the partitions to go up a little higher to reduce outside noise and would like a mobile partition to cover the front of my open workstation for privacy when I am on a teleconference or meeting with team members.
R_1py6JlXlMCK3ygV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Outside walls, ehite areas, are really dirty
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Sucking in too much humidity and in the spring you dont filter for pollen
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Work on getting rid of the birds. Birds and nests are still on the metal beams in the larger P2 garage near the entrance to the West Building
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1pyCRpranyl9YgE	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1pyuHzcWyFHhlpd	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Shared Multifunction Printers are extremely loud
R_1pyuHzcWyFHhlpd	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	sound and HVAC issues
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	modem or other equipment is loud
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Ventilation
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_1Q0DG0tPp4iY8hX	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_1Q0ImNEqNSxc8Bm	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The entrance doors to the building are heavy and awkward to open. Wait time for elevators can be longer than expected, it is like some of them are out of service. Water in bathroom sinks needs to be warmer and needs to stay on longer.
R_1qf9hEKDDumgDjV	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with your personal workspace?	high noise levels, distractions

TSS Survey	Agency	Bureau	Question	Comment
R_1qf9hEKDDumgDjV	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	noise from events held in atrium
R_1qf9hEKDDumgDjV	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	Some workspaces in my area recently have been outfitted with standing desks. This has greatly increased the noise from adjacent workspaces as voices are no longer muffled by the fabric-covered workstation walls which were designed for sound-absorbing purposes.
R_1qf9hEKDDumgDjV	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1Qfio2TuMtUe8TH	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like to have reinstituted FREE parking in the Washington D.C. DOT garage, on workdays, from 3 PM - 6 AM (this was the policy PRIOR to September 2015.)
R_1QFo5ZXFU4oMNMp	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	air vents are directly on my neck and shoulders
R_1QFo5ZXFU4oMNMp	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In general terms, the building is nice. There is a frequent sewage odor in the restrooms and sometimes when you enter the building. The sinks in the restroom would backup every night and it took a long time to resolve the issue. At times, the toilets leak which causes an odor. The kitchen sink constantly leaks, the pipes underneath and the faucet. Facilities management kept patching the faucet when it needed replacing. Security personnel is outstanding; they are very professional, cordial and helpful. The Housekeeping staff is outstanding. It would be helpful if the restrooms were refreshed twice during the day vs. once.
R_1QFo5ZXFU4oMNMp	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_1QFo5ZXFU4oMNMp	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1QFo5ZXFU4oMNmP</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_1qh6wy9ldBefhNS</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Elevator Operations
<u>R_1qh6wy9ldBefhNS</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	cubes don't work for webinars - too much noise!
<u>R_1qh6wy9ldBefhNS</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Elevators are slow to arrive and sometimes stop at 5-8 floors. The building is not well maintained at all. Empty soap containers, poor emergency evacuation plans and use of routing, no first floor to 2nd floor access by stairs and the lack of space for meetings. Finally doing a webinar from a cube causes too much noise and we can hear everything said from other cubes around us. It feels like a people farm. Some floors allow more space per work area than others which is not right. The overhead compartment lids slam shut and only once in 10 years has someone came around to fix them. Holes in walls take a year or more to get fixed. Nobody walks around and sees or ever asks about the building and what can be fixed or improved on. This morning the paper towel machine in the kitchen was empty again, it's empty most days. The walk around transportation history used to have nice paved things about our history and what the building owner did when most of them failed after 5-8 years was replace them with gray blocks. Boy that is nice. Do they ever trim the trees - some droop down where you have to duck to go under them.
<u>R_1qh6wy9ldBefhNS</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Construction in building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_1qh6wy9ldBefhNS</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
<u>R_1QJVhF15WYurOGv</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_1QJY7epUhyHswvT</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	total lack of privacy and space
<u>R_1QJY7epUhyHswvT</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	-2146826259
<u>R_1QJY7epUhyHswvT</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_1QJY7epUhyHswvT</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_1QIVSz7CsKSZxdD</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	lack of sound and visual privacy
<u>R_1QIVSz7CsKSZxdD</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	promises of being able to see natural light were broken
<u>R_1QIVSz7CsKSZxdD</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	no walls or door for quiet/privacy when needed
<u>R_1QIVSz7CsKSZxdD</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Our old building had personal office spaces with full walls and doors for most employees. In our current building, most employees are in cubicles with distracting sounds and inability to have privacy for meetings, conference calls, and occasional private personal matters.
<u>R_1r01Zcx5hnyl5CU</u>	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_1r01Zcx5hnyl5CU	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Difficult to get burnt out lighting in personal workspace replaced
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Dealing with confidential information is difficult in an open working environment when anyone can walk by at any time.
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in building's common areas
R_1r20a5EQffKpFOf	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_1r7DVU2M7F0VYu5	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_1rftqs1AhUkywJa	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)

TSS Survey	Agency	Bureau	Question	Comment
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Need a waste basket near the door, so users can use a paper towel to open then easily discard it. Or install an arm handle so we don't need to use a hand to open door.
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Noise - need a 1 foot or more vertical glass extension and a sliding glass door to block out other's conversations, and keep my teleconferences within my cube to avoid disturbing others. Several Division offices have installed these.
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	On warm days, building is a bit too hot, but better too warm than to freeze us out.
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Sometimes it smells a little like car exhaust; makes me wonder about health implications.
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I'm generally satisfied with the building; it is nice and clean with a bright, open central area. My biggest complaint is no stairway from the first to second floor; this is unacceptable as it forces everyone to take the elevator that reduces health benefits and uses much more energy. The building should be retrofitted so that just inside the elevators, use a corner of each open foyer to place an open stairwell to the 2nd floor landing.
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_1rllxa8QOisCTAW	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1rONfcP5L8up9L2	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Conference rooms are not maintained. Conference Room communication equipment is frequently not working. wish there was a way to use the stairways from the ground floor.
R_1rONfcP5L8up9L2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas

TSS Survey	Agency	Bureau	Question	Comment
R_1rONfcP5L8up9L2	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Too noisy
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Too hot, dry in the winter
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	little natural light
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building looks great on the outside. However, the interior work spaces seem like an old style factory. It is hard to work in the cubes due to noise issues.
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_1rPlggf4nk5EliK	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_1rvKnELQtTwKcR3	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_20pWz5SWBBYQIz7	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My workstation is very dusty. I don't have any problems with sneezing and stuffiness until I come in here. I'm also always so cold, year round. I keep sweaters and a blanket.

TSS Survey	Agency	Bureau	Question	Comment
R_20pWz5SWBBYQIz7	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_20pWz5SWBBYQIz7	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_20ZIWyZ2PT7ip5q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Natural light from windows have been relegated to cubicle hallways and offices, instead of allowed to pass to the interior of work spaces.
R_20ZIWyZ2PT7ip5q	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In our area, the layout is terrible, wastes space and does not allow natural light to filter inward. Cubicles should be placed along outside walls with minimal hallways, instead of having dead-end cubicle hallways everywhere.
R_20ZIWyZ2PT7ip5q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Odor; Ventilation
R_20ZIWyZ2PT7ip5q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_20ZIWyZ2PT7ip5q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	no natural light
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	air conditoning makes it cold in summer and heat makes it stuffy in winter

TSS Survey	Agency	Bureau	Question	Comment
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Dislike cubicle space with no natural light.
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_20ZlgSCn8Jn1dwE	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_210SKellp6h8bAl	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It would be helpful to have sinks available in the lactation rooms
R_210SKellp6h8bAl	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_211g1piENQI3dSf	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The replacement of water faucets in the bathrooms are a safety improvement! Now the water stays in the sink instead of on the counter and then spilling to the floor. Thank you.
R_215nNDRxpPXHUSa	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Pest control management

TSS Survey	Agency	Bureau	Question	Comment
<u>R_216OaJI5NKws0k1</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My work station with partitions provides privacy and I do not want to work in an open work space.
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	some hallways are pretty dark. Some workspaces are really dark.
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Some cleanliness and noise issues are not the building, they are the occupants. I don't know that we are the most courteous tenants.
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Ventilation
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_21azB83XERRB82D</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_21FKufbfYhtAaVA</u>	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	No windows.
<u>R_21FKufbfYhtAaVA</u>	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Not enough natural light.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_21FKufbfYhtAaVA</u>	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The only issue I have is that there is not enough natural lighting in my area. Other than that, this building is wonderful.
<u>R_21FKufbfYhtAaVA</u>	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_21HQ1o2kDsWjwL</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	As with previous Tenant Satisfaction Surveys my only real complaint remains the ventilation in my office which seems to be almost non-existent. This may be due to the fact the air intake/return vent is located a mere 3 feet from the air outflow vent into the office thus creating a situation where the air flows from the outflow vent and across the ceiling and back into the return vent resulting in no appreciable airflow into the office space.
<u>R_21HQ1o2kDsWjwL</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_21tfGPqXldPhq28</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_21tfGPqXldPhq28</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_21uFHZTmm6AcE4b</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_21uFHZTmm6AcE4b</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	location of paper towels

TSS Survey	Agency	Bureau	Question	Comment
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	always too cold
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor
<u>R_21zE5YggEFA3Ab1</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_22AgliVYLtJFMHT</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_22G4uXkl8ONVwiS</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
<u>R_22G4uXkl8ONVwiS</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
<u>R_22G4uXkl8ONVwiS</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_22G4uXkI8ONVwiS	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_22PsDOBoFVaBtQ6	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	paper towels are overstuffed. faucets are not placed conveniently, automatic flushing works 95% of the time
R_22PsDOBoFVaBtQ6	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	the one time I tried to alert the building to a toilet overflow issue I did not have the bathroom number so I tried to describe the location of the bathroom in question. It didn't work.
R_22PsDOBoFVaBtQ6	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_22WSGbXORj5u5pY	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Space management
R_230T1C9xZf3gDBL	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	congregated outside nearby conference room
R_230T1C9xZf3gDBL	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I gave a negative rating regarding restroom cleanliness and supply availability. I want to emphasize that this is not a complaint about the custodial staff as I think they are doing the best job they can. There is just a high volume of people using the facilities.
R_230T1C9xZf3gDBL	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes
R_230T1C9xZf3gDBL	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_237dlzlshUIWzBI</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with your personal workspace?	Other
<u>R_237dlzlshUIWzBI</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_237dlzlshUIWzBI</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_239OEYINmvC5TTV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	noise from co-workers
<u>R_239OEYINmvC5TTV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	employees talking too loudly
<u>R_239OEYINmvC5TTV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_239OEYINmvC5TTV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_23adj1TW4qott9M</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	JBG needs to do maintenance to the common areas outside of the DOT HQ facility. There are numerous loose stones that can cause someone to stumble and seriously hurt themselves if they are not paying attention. Additionally, parking is becoming a serious issue. The parking lots outside of the HQ facility are closing down, causing a tremendous overflow to the inside HQ garage. This should have been taken into account when we were moved to the Navy yard area. The plans to revitalize the area were obviously available. Additionally, there is extremely poor crowd control and traffic control during the National's home games. There are so many people using the common walk space that it sometimes takes you 15 to 20 minutes to get out of the parking garage and go around the block. I find it ironic that I work at DOT and we can't do traffic control around our building. What a joke! This is unacceptable and again, should have been taken into consideration. Perhaps being more proactive instead of reactive would be beneficial to all.

TSS Survey	Agency	Bureau	Question	Comment
R_23adj1TW4qott9M	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_23adj1TW4qott9M	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_23f6cWjpYDPcub3	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	temperature - extremely cold due to vent overhead
R_23f6cWjpYDPcub3	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My cube space is EXTREMELY cold! I have requested, on a number of occasions, to have the vent directly over my head to be redirected. NOTHING HAS BEEN DONE. My body aches, most days, when I go home from the direct, cold air blowing constantly on my body and shoulders, in particular. \A dusting of the cube space would be nice - at least once monthly. I have a layer of dust that accumulates quite quickly, that I must clean. I have to leave a note to have my space vacuumed. \Maintenance does an excellent job with emptying trash and keeping the kitchen appliances in working order.\Would like to have an ice machine in each kitchen. Removing the refrigerators with freezers and ice makers was a mistake. I would like to see them returned to the kitchen spaces.
R_23f6cWjpYDPcub3	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_23f6cWjpYDPcub3	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_23f6cWjpYDPcub3	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_23fpUojH4ST0B5U	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_23fr0eoolOxjhex	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_23fr0eoolOxjhex	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_23fr0eoolOxjhex	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_23fr0eoolOxjhex	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_23fWTOIHRT8N408	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	meetings within cube with other people etc.
R_23fWTOIHRT8N408	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I enjoy the privacy of the above selected workstation, to readjust as it is now invites more sickness due to cold weather changes etc.(coughing, sneezing) etc., distractions of movement of others etc. even more noise etc. and lessen space to accommodate your usage of required equipment being \used now everyday. etc. (ex: the above overhead cabinetry)
R_23fWTOIHRT8N408	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_23RR7kCTtk6iR3	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_24bJ7YmJ7TAWQuW	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building is well kept and clean

TSS Survey	Agency	Bureau	Question	Comment
R_24bJ7YmJ7TAWQuW	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_24IV2IZSU0J9HBK	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	stealing of personal items like phone charger
R_24IV2IZSU0J9HBK	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Odor; Ventilation
R_24jEFxboWxixEp8	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_24jEFxboWxixEp8	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_24jvHkyyR4aAQMM	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Privacy
R_24jvHkyyR4aAQMM	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Prefer natural light
R_24jvHkyyR4aAQMM	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_24jvHkyyR4aAQMM	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_24jvHkyyR4aAQMM	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_24oqiP5rAn6Gnmc	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_24oqiP5rAn6Gnmc	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the air quality in your building?	Ventilation
R_24oqiP5rAn6Gnmc	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_24pbqzYviodpuV1	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Insufficient space, lack of door.
R_24pbqzYviodpuV1	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Based on my job function and equipment I work with, it would be ideal to have a door. For the most part the space is comfortable. I do experience a lot of exterior noise, from construction, vehicular traffic and air traffic. In addition, some of my neighbors can be noisy, both immediate neighbors and some who are some distance away. This makes concentrating extremely difficult. In addition, the ability to close a door will afford me some privacy and noise abatement as I work. This is more a matter of accommodation, not convenience. Otherwise I am mostly satisfied.
R_24pbqzYviodpuV1	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_24pbqzYviodpuV1	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_24q2iP71XUexIXk	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Not enough natural light in my personal workspace
R_24q2iP71XUexIXk	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Generally, extremely satisfied with workspace. Two suggestions: 1. clean/paint stall walls in women's room bathroom on 2nd floor in west building near west elevators. 2. Repair the broken sidewalk under the flags at the corner of NJ Ave SE and M streets. Thanks for asking!

TSS Survey	Agency	Bureau	Question	Comment
R_24q2iP71XUexIXk	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_24uROpnxNvTJjuK	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_25HGTWBO9NLlpin	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	1. Women's bathroom, toilets do not flush efficiently, Sink water faucets do not work nor provide hot water, only cold. 2. Ice and water machines need to be cleaned to remove the white residue from the catch trays. 3. The pantry's are a joke, garbage disposals do not work properly or not at all, the pipes that connect the sinks are inadequate and need to be replaced, dishwashers are not sanitary and most do not work, why did you take away the freezer compartment in the refrigerators-that was an absolute mistake, the fridge filters are not changed on regularly basis, I suggest you take out the dishwashers that no one uses and give us back the fridge w/freezer. Your installed coffee making systems are a big hassle and don't work, the hot water nozzle has this white stuff stuck on it, gross!. Why do you think most folks have Keurigs! We should be allowed to have a toaster in the pantry as long as it is properly maintained and unplug after each use. The carpets need to be shampoo and vacuum more frequently. Once more thing, the cafeteria is highly un-functional, the prices are too high the additional costs for condiments is crazy, the food is inconsistent with taste and appeal, the biscuits are hard, the hash browns are terrible, the oatmeal is like glue. The sausages have a enough grease on them to float. The ham slices are very salty. The cake slices are terribly over priced for the product you receive. Moving on to the garage, their is standing water that seems to appear every time there is a hard rain, also there are dozens of leaking pipes that leak stuff down on folks cars, and, I saw the other day a display sign at the first stop sign in the garage that indicated radar was being enforced in the garage, I don't have words for this idea, all I can say is you have money to install radar but can't fix the water problems in the garage?
R_25HGTWBO9NLlpin	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_25HGTWBO9NLlpin	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_262VT61r903wN0A	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall the building is maintained very well, by the tenants and staff.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Office does not allow privacy
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Secondhand smoke at entrances
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Condition of carpets
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Other
<u>R_269nuOiRHB7sV89</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_26mTSylOe0KOpG6</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_26mzD9QoJUqbtDM</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Type of light

TSS Survey	Agency	Bureau	Question	Comment
R_26mzD9QoJUqbtDM	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Outstanding Issues: Stains on carpets do not get cleaned; water fountains are sometimes clogged; concession stand in West Building is out of place (we have a cafeteria already and snack store); more paper towels are needed in break rooms; sanitizers would be nice in bathrooms and break rooms. Positive Points: Nice building, nice location, polite security staff, polite cafeteria staff.
R_26mzD9QoJUqbtDM	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_26mzD9QoJUqbtDM	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_26mzD9QoJUqbtDM	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_277iqEYOQSZwgN4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	I work in a cubicle so noise is expected.
R_277iqEYOQSZwgN4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_277iqEYOQSZwgN4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_277iqEYOQSZwgN4	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_279kk9busd2HYq0	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor

TSS Survey	Agency	Bureau	Question	Comment
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	dog poop, pee or being approached by other's dogs
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	air flow
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	bad air flow
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	others gathering at workspace
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_27a70PGYJrxplDr</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_27CKzVwNAe95ehE</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
<u>R_27CKzVwNAe95ehE</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_27CKzVwNAe95ehE</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_27CKzVwNAe95ehE</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas

TSS Survey	Agency	Bureau	Question	Comment
R_27CKzVwNAe95ehE	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	air quality
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The humidity level in the winter time is very low.
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_27gjHbsltctbwi1	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_27QefT5pZsUkhOl	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	let employee know in advance activities scheduled for the Atrium; \improve the reservation process for the conference center.

TSS Survey	Agency	Bureau	Question	Comment
R_27QefT5pZsUkhOI	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_27QefT5pZsUkhOI	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_27rFZFmpY6d3Tlr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Poor lighting
R_27rFZFmpY6d3Tlr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Whining sound
R_27rFZFmpY6d3Tlr	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I heard that they are considering moving to a more open work space by removing partitions. This is a terrible idea. It leads to less productivity and a lot more aggravation and it is not conducive to get working done. We barely get any privacy as it is, and it really just makes everyone miserable because there are always people who are too loud, have too many personal conversations, etc.
R_27rFZFmpY6d3Tlr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace; Other
R_27rFZFmpY6d3Tlr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_27rn4p3vIKtVsno	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Noise
R_27rn4p3vIKtVsno	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Some meeting rooms too cold, others too warm
R_27rn4p3vIKtVsno	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Wish I had more natural lighting, without getting too warm

TSS Survey	Agency	Bureau	Question	Comment
<u>R_27rn4p3vIKtVsno</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Voices from nearby cubicles in nearby walkways
<u>R_27rn4p3vIKtVsno</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_27rn4p3vIKtVsno</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_27rn4p3vIKtVsno</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_27vWxOqstuKNds</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	n/a
<u>R_27WpuolCIsCnQRP</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Too small a space
<u>R_27WpuolCIsCnQRP</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_27yxc9aiXdEaSF4</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	80% of the time there is no paper towel in the kitchen. Previous coffee makers had hot water lines but the replacements came without them. Hot water lines are left coiled over the countertop. Many (yes many) times, some janitor(s) put the toilet paper rolls in wrong way. When one roll is pulled, the other also unwinds. Many times I see a pile of toilet paper on the floor. This only started to happen since last year.
<u>R_27yxc9aiXdEaSF4</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)

TSS Survey	Agency	Bureau	Question	Comment
R_28UiZGEaOe2O4tU	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Partitions only prevent people to see. The partitions barely block the noise level.
R_28UiZGEaOe2O4tU	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_28UmTGVh0tECqWi	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am satisfied with my cubicle as long as I am the only person occupying it. I do not want a workstation with partitions that most people can see over when seated.
R_28UmTGVh0tECqWi	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_28UmTGVh0tECqWi	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming); Other
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_29b5Ftr0g8xhMJ8	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Poor circulation in the afternoon (it gets very hot)
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Inadequate signage; Plumbing issues (e.g., restrooms, water fountains leaking)
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_29g08lbi32z3HQk	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_29h3vZehRVqJa2O	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Very nice building and place to work
R_29h3vZehRVqJa2O	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_2a8NE3hRan1Nbel	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with your personal workspace?	Temperature
R_2a8NE3hRan1Nbel	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with the temperature in your building?	Building is too cold
R_2aaTpXJoFVYdv2l	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_2aaTpXJoFVYdv2l	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2aFbjhsaSKivl3X	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_2agekRHbRdDeNSp	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Noise level, no ergonomic seating, set up not ergonomic, walls - cube separators are cloth - these are never vacuumed, or cleaned - dust and debris gather on the fabric walls - increased allergies
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	air not clean - fabric on cube walls never vacuumed or cleaned - has 10 years of dust & debris - individual air cleaners not allowed - as result, people suffer from allergies, coughs, watery eyes, - air in building not clean
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	poor quality of artificial light - natural light in atrium A((thanks Micheal Graves)
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	sound carries, fabric walls do not dampen noise, no doors! to lock out noise. very stressful, loud, bellowing talkers, management with private offices yell across rooms,- but they can close their doors. Noise suppressing headphones do not solve problem, ear plugs do not work, There was no thought given to type of work people do and level of quiet needed to complete professional work, and open cubes, with no escape pod - no quiet space for people to work productively on important programs.
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There is no auditorium in the building. large meetings and programs are held in the atrium which lacks baffling - as a result - sound bounces off the hard surfaces on full height of interior, and programs/ speakers are unintelligible. The garbled noise seeps into all floors and is disruptive to those employees in agencies not involved in an atrium program. Previously DOT employees when at the 7th & D SW building, would use the very large FAA auditorium in FAA building at 7th & Independence. The lack of auditorium for buildings of current size (Navy Yard new DOT building) is stunning. Atrium is not an appropriate substitute for an actual auditorium.
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Odor; Ventilation
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2at8ST4lQKmNK4R</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2AYjTHnDdOUD3j2</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	More frequent cleaning of the toilet seats would be appreciated. Or simply provide wet-wipes and we'll do it ourselves.
<u>R_2AYjTHnDdOUD3j2</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2AYjTHnDdOUD3j2</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2AZ4O1NSp3eWoke</u>	Department of Transportation	Assistant Secretary for Aviation and International Affairs	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall I am satisfied with the building, a few suggestions for continued improvement: The restroom faucets are too short for the sinks and water runs all over the counters, the water fountains should have one on each floor converted to a water bottle filler (the ice/water machines smell and the water is cloudy), vacuuming is infrequent and no attention is paid to under desks and corner.
<u>R_2b2G07xwuacpa1F</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Temparture
<u>R_2b2G07xwuacpa1F</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Conference Rooms
<u>R_2b2G07xwuacpa1F</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I believe that facilities should make a better effort to control the level of air coming out of the vent in my personal workspace.
<u>R_2b2G07xwuacpa1F</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_2b2G07xwuacpa1F	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2B9jzSmegWQpZPZ	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	sinks don't work well
R_2B9jzSmegWQpZPZ	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	cubes are never ideal
R_2BA2sh6ksmbLm2g	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	cubicle walls torn
R_2BA2sh6ksmbLm2g	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from atrium, elevator, restroom, kitchen
R_2BA2sh6ksmbLm2g	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_2BA2sh6ksmbLm2g	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Inadequate signage
R_2Bn6l8nLdcemdjO	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	No walls to ceiling due to venting
R_2Bn6l8nLdcemdjO	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	flourescent lighting is difficult to work in

TSS Survey	Agency	Bureau	Question	Comment
R_2Bn6l8nLdcemdjQ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	not enough privacy, too noisy
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	always get itchy eyes and start sneezing when I enter the building
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There have been multiple sightings of roaches throughout the area for extended periods of time and the air quality is horrible. I'm always sneezing and have allergic reactions when I come to the office.
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2BrDmD9nitM5etU	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2Bu0shlaOzl75qD	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	A few times in the past, I have contacted the facilities management in reference to the cleanliness and dirty floors as well as bad odors in the female bathrooms on a couple of floors (2nd, 8th and 9th floors), West building. The floors are not mopped on a daily basis, then the floors become sticky and the restrooms have a very nasty odor of urine.

TSS Survey	Agency	Bureau	Question	Comment
R_2Bx5KpfRq1QXRvF	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	no natural light
R_2Bx5KpfRq1QXRvF	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_2BycyJG9wcXylKz	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Air Quality - it smells bad and is dusty. I'm sneezing most mornings.
R_2BycyJG9wcXylKz	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	During renovation the thermostat was removed. The area air is quite warm and stagnant. It smells bad too.
R_2BycyJG9wcXylKz	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Espically after a long weeeekend, the air smells bad. Doesn't get better when the office space is too hot.
R_2BycyJG9wcXylKz	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I am very comfortable with building security.\The bathrooms are clean and well stocked.\The cleaning staff does a great job vacuuming and dusting.\The air quality is a problem. Occasionally, there are bad odors. \First thing in the morning, there is something in the air that causes many of us to sneeze. By lunch, we're not sneezing.\My work space is very warm and has been warm for years. I've contacted our facility reps and it's still warm. The facility reps understand that the work space is hot, but nothing has improved - it remains hot.
R_2c0TXb5HaXKR0uR	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Contract security staff is not professionally-trained to use common sense at the x-ray machine and is not helpful to visitors; JBG policy for posting/hanging objects is not well known; Cafeteria cashier staff are impolite and unhelpful; ability to reserve Conference Center rooms is extremely limited; IT, including phones and cabling for use of laptops in conference rooms is limited, often missing compatible connectors/cables; exterior area for smokers impinges upon non smokers; very little green space available outside the brick & paver behemoth known as DOT HQ; still great confusion over the policy for parking of whether I need to obtain a ticket, or whether my daily pass/mirror tag is acceptable; little to no enforcement of signs/placards in garage for van parking, head-in only, etc.\Elevators are slow, and inability to walk to Level-1, Ground could be remedied through a turnstile or security door.
R_2c0TXb5HaXKR0uR	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_2c7RDsslrZOq13K	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	lighting
R_2c7RDsslrZOq13K	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I really miss having a freezer available for use - I would use it every day if it were here. Now I am keeping my fingers crossed that I don't get sick by bringing in frozen meals that can't stay frozen. Our microwave was recently replaced and it is more difficult to use - and we were not provided instruction manuals. I do like that water stations are now available.
R_2c7RDsslrZOq13K	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	crumbling sidewalks
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	noise, lack of privacy, storage space
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	noise from atrium events
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The lack of meeting space and total lack of privacy in the sea of cubicles often make it difficult to concentrate and work efficiently. This building was not designed with the needs of the workers in mind. Worst building I have ever worked in!
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_2c8x5ifPaBspVhi	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2c8x5ifPaBspVhi</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2c8x5ifPaBspVhi</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2c8x5ifPaBspVhi</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2cbbPL1Hb5TSTRR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_2cbbPL1Hb5TSTRR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2cBHUwUNVtBKVX0</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I am extremely dissatisfied with the wireless service throughout the building. It is most often non-existent at my workspace and sketchy throughout the floor. This renders my work-issued laptop almost useless as a planned wireless and portable device.
<u>R_2cBHUwUNVtBKVX0</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2cBHUwUNVtBKVX0</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2cBHUwUNVtBKVX0</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2CCEFSXczxgCnjY</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the air quality in your building?	Air Quality

TSS Survey	Agency	Bureau	Question	Comment
R_2celgpTAJKxXLa0	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	The cafeteria is awful. Very high prices, very poor customer service and a cashier who has been stealing from customers for years.
R_2celgpTAJKxXLa0	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2celgpTAJKxXLa0	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2CIEMhGxGwd5527	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2CIEMhGxGwd5527	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2cp7T0WZB88PhXG	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Cafeteria vendor could be better- the food is pretty mediocre. It would be great to have quiet spaces for those of us are in communal work environments to use when we need to focus on something.
R_2cp7T0WZB88PhXG	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent; Building is too hot
R_2cp7T0WZB88PhXG	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2cp7T0WZB88PhXG	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_2CPOkcT68zeDP95	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	lack of picnic tables
R_2CPOkcT68zeDP95	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Land of the prairie dogs
R_2CPOkcT68zeDP95	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2cqHXmNNcF7Giej	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	no chairs 2 put on hosiery
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	not a office
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	not a office
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_2CqtxCHjiPVL8bs	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2cu6idNDrnA0IR4	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The 6th floor of 1200 New Jersey Avenue building restrooms are rarely cleaned. There has been feces left on toilet seats for multiple days. I've called the number to get the bathroom cleaned, and the service company just takes out the trash and wipes down the sinks. If you have to use the restroom on the sixth floor as a federal employee you have to go to another floor in order to find a clean restroom.
R_2cu6idNDrnA0IR4	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_2cu6idNDrnA0IR4	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2cu6idNDrnA0IR4	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Toilets are rarely cleaned.
R_2cu6idNDrnA0IR4	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Location and Organization of personnel depending on assigned office.
R_2D1BUWaliF53FhT	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Inadequate signage; Lighting in common hallways

TSS Survey	Agency	Bureau	Question	Comment
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_2dEBp7eeCG1vkGZ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2dFTTGG3zvDhgDU	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_2dFTTGG3zvDhgDU	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2DSaHPkmnokaSXL	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
R_2dsAqLsuHCoybxx	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Friendly atmosphere
R_2dv8DFWommp975	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Open area, lack of space

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2dv8DFWommp975</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_2dXhu6nBDF3Ns8j</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	I have a cubicle and not an office
<u>R_2dXhu6nBDF3Ns8j</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Other
<u>R_2dXhu6nBDF3Ns8j</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Other
<u>R_2dXhu6nBDF3Ns8j</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2dXw6wq1lei7RkF</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	I don't care
<u>R_2dXw6wq1lei7RkF</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	No walls in my office
<u>R_2dXw6wq1lei7RkF</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	No walls
<u>R_2dXw6wq1lei7RkF</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are no walls and everyone adjacent to me can hear everything I'm doing. I have no privacy in my office, and I'm one of the lucky few who has an office with a door. Also, I have a pending EEO complaint against the security contractor for DOT who repeatedly and intentionally discriminated against me on the basis of sex.

TSS Survey	Agency	Bureau	Question	Comment
R_2dXw6wq1lei7RkF	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2DYKKzQRm7r6r7G	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_2DYWTOEzapQY683	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Light, space, keyboard height, etc.
R_2DYWTOEzapQY683	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2DYWTOEzapQY683	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2DYWTOEzapQY683	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2DYWTOEzapQY683	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2DZXCK28BPXrjyV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise could be coming from hot/cold piping (or a toilet flushing). A few times everyday we get a loud high pitch noise on the 2nd floor side by E22-210
R_2E5bfwaywANtOI	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2E5bfwaywANtOI	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2E5bfwaywANtTOi	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	mess screen on my windows, makes seeing outside very difficult
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	please remove the mess on the windows
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Ventilation
R_2EB7nMxm06BLjWp	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2EGB9g8XcDZmvKB	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Proximity of amenities
R_2EGB9g8XcDZmvKB	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
R_2EGpwYTQRC8S9ss	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2EHmXZQeKRUE586	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	instances of use of scent diffusers
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Other
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor
R_2Ei2jFyiCzeJCPR	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2eR5SU1zNHPTqfV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2eR5SU1zNHPTqfV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2eR5SU1zNHPTqfV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_2eR5SU1zNHPTqfV</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The shower stalls in the gym need repair (tile/grout) and do not appear clean.
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_2eRotUbIYZKqRNS</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Water splashing on counters and floors due to faucet design
<u>R_2EuGYJksSwBKpjI</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	I've noticed several loose and cracked pavement stones, exterior appearance not as important as interior conditions

TSS Survey	Agency	Bureau	Question	Comment
R_2EuGYJksSwBKpjI	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	poor ventilation, long walk to a water fountain,
R_2EuGYJksSwBKpjI	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	lobby area is usually comfortable, but the lack of circulation in our office space causes the air to be warm and stale.
R_2EuGYJksSwBKpjI	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The water pressure in the restroom sinks is very low and is often cold. From my office the restrooms are close, however the water fountains are one the other side of the building. Although we had the air quality checked in our office there is not much if any circulation or ventilation, so if a coworker is sick or coughing soon someone else in the office will be also. I don't think this is a coincidence. There is usually strong odors lingering in the garage, smelling more like garbage than car exhaust.
R_2EuGYJksSwBKpjI	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2EuGYJksSwBKpjI	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2f1bUXpdhEfQkMG	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Ventilation
R_2f1bUXpdhEfQkMG	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_2f1bUXpdhEfQkMG	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2f36XyIXe7yIL9X	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	wish work space could be little more private. especially doing break or lunch time, just to relax.

TSS Survey	Agency	Bureau	Question	Comment
R_2f36XylXe7ytL9X	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_2f36XylXe7ytL9X	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2f36XylXe7ytL9X	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2f36XylXe7ytL9X	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2f3zOZnq0ARA2Xw	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The office facilities are excellent, including support services on campus. The telework center that was added recently is a great resource. My only desire is that more resources and spaces were allocated to the fitness facilities. They are fairly high traffic, with great staff. However, they could stand to benefit from more space and a recapitalization of equipment.
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Far too warm in the winter-we are wearing heavier clothes so needs to be cooler than 74 degrees!
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The bathrooms on the 4th floor are a mess. Constant leaking of the sinks creates a mess and there is water on the floor almost all the time- very dangerous. Toilet seats were replaced with seats that don't fit the toilets.
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Floors are slippery and wet most of the day
R_2fD0UjpzmARwpRN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Very dusty
R_2fiEjOMOEUFr1VR	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I use noise canceling headphones for noise from adjacent offices. Would be nice to have a printer in my cube for occasional few pages I print out for meetings.
R_2fiEjOMOEUFr1VR	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2fln3h6pomPwCcS	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	It is almost impossible to book a conference room and there is no dedicated common work area for our team. We regularly provide and participate in webinar trainings. We also work collaboratively; having all of us work in cubicles with no dedicated team room is insufficient and inappropriate for our needs.
R_2fln3h6pomPwCcS	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2fjHGGuh14QldgQ	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2fjHGGuh14QldgQ	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_2fjHGGuh14QldgQ	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2fq8YiJGp7dLlwg	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Insufficient number of toilets
R_2OHWn5W8PH9zYC5	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The periodic sewage odor wafting throughout the workspace can be overwhelming on some days. This raises concerns regarding the air quality--whether inhalation of the air during these times is healthy for employees that work within these workspaces.
R_2OHWn5W8PH9zYC5	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_2OHWn5W8PH9zYC5	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2ONevY4zC9IsUTU	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	No windows
R_2OOQ2kvnj2xcrm4	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2OPCpg6e4iEX6Qa	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_2OPCpg6e4iEX6Qa	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets

TSS Survey	Agency	Bureau	Question	Comment
R_2OT326NHsQaCjaj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	It's impossible to wash hands without getting water on counter and floor. Faucets seem to be too short.
R_2OT326NHsQaCjaj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	It would be energy efficient if we could control thermostats. Wearing sweaters in summer is ridiculous, using fans in winter....
R_2OT326NHsQaCjaj	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Security officers are courteous. However, the service is too limited for them to assist if there are PIV card issues before 7:00 am Also, I'm not confident they could control personnel from leaving or entering a building in the event of a shelter in place and the doors need to remain closed.
R_2OT326NHsQaCjaj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_2OT326NHsQaCjaj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2OYJMX1FZInd8f7	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	cubicles are not very conducive to efficient working environment.
R_2OYJMX1FZInd8f7	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Other
R_2OYJMX1FZInd8f7	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2P0srOO1LIBeIF5	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Excessive noise from events held in building atrium

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2P0srOO1LIbElF5</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2PAVmD2kZLLWksH</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Positioned wrong and small.
<u>R_2PAVmD2kZLLWksH</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Building shakes.

TSS Survey	Agency	Bureau	Question	Comment
R_2PAVmD2kZLLWksH	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are freezers and the paper in the pantry always run out.
R_2PAVmD2kZLLWksH	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2PAVmD2kZLLWksH	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2PAVmD2kZLLWksH	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2PpRBpuCldikcE	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2pQqCJfwE0VEw53	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2pQqCJfwE0VEw53	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with your personal workspace?	color are cold and univiting
R_2pRaDk5CbO4H2M1	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the amount of light in your workspace?	wrong type of lighting in workspace
R_2pSiVfTCYBqtnNa	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	None
R_2pSt9um3BZWmZIQ	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Noise levels in the open atmosphere
R_2pSt9um3BZWmZIQ	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from folks transitting
R_2pSt9um3BZWmZIQ	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Sound baffles hanging from the ceiling would reduce the noise and distractions. It is near impossible to have a telephone call with all the background noise.
R_2pSt9um3BZWmZIQ	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	The space is inadequate.

TSS Survey	Agency	Bureau	Question	Comment
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from Atrium.
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building is designed to look nice on a superficial basis. It's not designed for work.
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2q4Owl3Br9mXuJl	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	lack of counter & coat racks exterior to the stalls - in the anteroom areas
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Mondays are esp. "off" temp (i.e. hot, muggie on Mondays); also, ventilation & AC is poor when office doors are close - which is necessary due to meetings, conference calls, and noise.
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	AC in offices due to lack of controls for each office. If the thermostat is in an office of someone who is by nature chilly, others suffer.
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	The lighting is too bright and creates a glare on work station surfaces, conference tables etc. and is exacerbated by bounce glare from white documents. The downlights in the conference rooms are especially harsh. The situation causes me to have migraines and dry eye. My doctor suggested sun glasses -that is not conducive to "team environments". I have had some of the light bulbs in my office removed. I have a window office, and depend on natural light. Task lighting is too harsh.

TSS Survey	Agency	Bureau	Question	Comment
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are a number of very professional, alert, courteous security officers at the building (non-FPS); officers who have been there for some time and they are terrific. I trust them and their commitment and dedication to their jobs as professionals - and I like them. I would say most are past military. They present an air of competence, and calm readiness. Any conversations between them and other officers appear to be work related or typical sports etc. - but they are aware and alert to their surroundings during those light conversations. They observe, they acknowledge visitors and staff, frequently opening doors past the security station, often addressing you by name, and they are sensitive to "issues"; HOWEVER, over the last 2-4 months I have noticed "new faces", and those officers are NOT acting in an alert/aware or observational mode. They appear to be more concerned with personal "focused" conversations, during which they are not actually observing or engaging staff/visitors as they enter the building. These folks rarely say hello, rarely look at staff/visitors coming/going -r what they are carrying, they appear annoyed that their personal conversations are being interrupted if you say hello to them, and they avoid eye contact. Again, these are the new faces - new to the building and possibly new to the work. More like the worst stereotypical "mall cop" image. I expect better in Federal buildings, especially with the escalation of work place violence, and domestic terrorist activity. I have supervised and trained police officers and custodial officers in my past life and these new "faces" are not engaged in the safety and security of the building and personnel. If their demeanor is an indication of their training and competence, I would feel safer if they were unarmed. Seriously. Again, these appear to be the most recent hires or possibly relocated from other locations or contracts.
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Lights are too bright in personal workspace
R_2q7spNVJvm0Haa3	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_2qCL45TSznLz7KI	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_2qCL45TSznLz7KI	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_2qCL45TSznLz7KI	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_2qEhd6ypYC0VEYm	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The DOT HQ building is very nice and well maintained both inside and out. My individual office is nice and for the most part comfortable. The temperature can vary at times making it very cold or very hot and while this is usually for a short period of time, it does make working uncomfortable. The one area of concern for me is the cleanliness of my individual office. I typically end up dusting my desk every 2 weeks as the dust builds and it appears that the rug is not vacuumed all that often. Other than that, the DOT HQ buildings are very nice.
R_2QikljYknDyXZxJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2QikljYknDyXZxJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2Qlkg76qziNlfol	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_2Qlkg76qziNlfol	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_2Qlkg76qziNlfol	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2Qlkg76qziNlfol	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2Qlkg76qziNlfol	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2qlzV404Du8i0vl	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2QnPncp39n66J4A	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Poorly installed privacy walls. I could bring my tools from home and do a much better job at installing the privacy fixtures used to connect the walls of the stalls.
R_2QnPncp39n66J4A	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Please address the bathroom privacy. The doors and the back part of the walls are poorly installed so they do not prevent someone from seeing you sitting on the toilet. Absolutely horrible handyman skills.
R_2QnPncp39n66J4A	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_2QoEyinhkjssNBO	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	air conditioning is never right. sometimes hot, sometimes cold.
R_2QoEyinhkjssNBO	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	We either need doors on our cubicles or offices w/doors. Too much distractions!
R_2QoEyinhkjssNBO	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking); Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2QoEyinhkjssNBO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2QoEyinhkjssNBO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2QoEyinhkjssNBO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2QoEyinhkjssNBO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2qpUwSDbfMJJ2TE</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Temperature control
<u>R_2qpUwSDbfMJJ2TE</u>	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Other
<u>R_2qpUwSDbfMJJ2TE</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Other
<u>R_2qpUwSDbfMJJ2TE</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2qpUwSDbfMJJ2TE</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2qpUwSDbfMJJ2TE	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2QsQDCFKBtzFy6G	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Building is too hot year round. Temp should be set at 68 both summer and winter
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Ventilation
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_2qt9373Q4o8m9n7	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2qwmKR58RwhxGXW	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	the faucets lend themselves to everyone flooding the sink area with water, need deeper sinks or something - the custodians are awesome but they can't keep up with the mess

TSS Survey	Agency	Bureau	Question	Comment
R_2qwmKR58RwhxGXW	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	not an issue for me
R_2qwmKR58RwhxGXW	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_2qwwyNpJMPHrGD8	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2qyi9m4pD3c6dKo	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2qz5TSPIFwxjpKV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_2qz5TSPIFwxjpKV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent; Building is too hot
R_2rAbINCUE6xezu	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	way to many freaking questions in this thing. I quit after 3 pages.
R_2rAbINCUE6xezu	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Other
R_2riM6V5QfnEmnKQ	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	carpet

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2riM6V5QfnEmnKQ</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_2riM6V5QfnEmnKQ</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2riM6V5QfnEmnKQ</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Condition of carpets
<u>R_2riM6V5QfnEmnKQ</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_2riM6V5QfnEmnKQ</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_2rUDd4Io7ayXOtV</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	lighting in office
<u>R_2rUDd4Io7ayXOtV</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	lighting turns off near 7:00 pm
<u>R_2rUDd4Io7ayXOtV</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	lights turn off too soon
<u>R_2rUDd4Io7ayXOtV</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Need lighting in personal space to stay on longer when working late.

TSS Survey	Agency	Bureau	Question	Comment
R_2rUDd4lo7ayXOtV	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Lighting in common hallways
R_2rUDd4lo7ayXOtV	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_2rUDd4lo7ayXOtV	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2rUDd4lo7ayXOtV	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2rUDd4lo7ayXOtV	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Sometiems when I need to go to the bathroom, I can't becasue they are cleaning them.
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Please do NOT remove the partitions. Leave it the way it is. we need some privacy. Most of the people do not like these partitions- we prefer private offices- like in the old building...but we will hate it more if you take away these partitions. LEAVE it the way it is.
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Secondhand smoke at entrances
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of carpets
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_2s0jMM3E0lowNGx	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2S1vdx58UNNkpbe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	lighting
R_2S1vdx58UNNkpbe	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It's hard to make business calls when you can hear other people conversations and they yours. No privacy and have to repeat yourself or speak loudly and that is disturbing to other employees. Everyone is mindful but still lacks privacy. Some folks have frequent visitors and discussions can deter my ability to work productively.
R_2S1vdx58UNNkpbe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2S1vdx58UNNkpbe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2S1vdx58UNNkpbe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2S1vdx58UNNkpbe</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_2S1vdx58UNNkpbe</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2S1vdx58UNNkpbe</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	holes in wall fabric, distraction from people walking by and being in line of periferral vision
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	The building is hot and the air is stagnant and stale in the morning. We start business at 6 AM
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Black soot that settles on everything
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	people walking by are loud
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
<u>R_2s7JnKHVMAjStd8</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_2S7Rpb9VEnA5nch</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2S7Rpb9VEnA5nch	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2s7TVOP3HLCmVkZ	Department of Transportation	General Counsel	How satisfied are you with your personal workspace?	It is always freezing in my area. I was told that the thermostat needs to be repositioned, but that red-tape is preventing that from occurring.
R_2s7TVOP3HLCmVkZ	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	Other than the issue with the air conditioning, I am satisfied.
R_2s7TVOP3HLCmVkZ	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too cold
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	poor design - towel dispenser behind entry door causes issues
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Too hot in winter, too cold in summer.
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Luckily I have a door as even with it closed I can hear loud conversations in hallways an in lounge.
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2sbczE1gVu7AcjR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	OPNE SPECE AND POOR VENTILATION - AIR CONDITIONER
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	ASSOCIATE EMPLOYEES
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	NONE AT THIS TIME
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Lighting in common hallways; Lighting in common stairwells
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2SiqATTAv1CutgW	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2SjZEL1tpbFpqad	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2Sq2DLWv8EnwDF7	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_2Sq2DLWv8EnwDF7	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2Srf5gMUOkD5wWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Doors don't close
R_2Srf5gMUOkD5wWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	loud cube
R_2Srf5gMUOkD5wWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2Srf5gMUOkD5wWN</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint
<u>R_2Srf5gMUOkD5wWN</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2Srf5gMUOkD5wWN</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2t5vQ2AYfn4McD9</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	bathrooms are always filthy, the pantries are never supplied with adequate soap or paper towels, noise levels are awful if you are in cube. Heard there is some talk of lower the partitions on the cubes. This would be disastrous as the noise levels are bad with higher cubes. The locker rooms in the gym are bad (shower stalls full of mildew and mildew on the shower curtains, consistently overflowing toilets).
<u>R_2t5vQ2AYfn4McD9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
<u>R_2t5vQ2AYfn4McD9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_2t5vQ2AYfn4McD9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_2t5vQ2AYfn4McD9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_2t8OK6w9gmuck8l</u>	Department of Transportation	Executive Secretariat	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior

TSS Survey	Agency	Bureau	Question	Comment
R_2t8OK6w9gmuck8l	Department of Transportation	Executive Secretariat	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_2t8OK6w9gmuck8l	Department of Transportation	Executive Secretariat	How satisfied are you with the temperature in your building?	Building is too hot
R_2tfHiXzvKBKvcqb	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Air is too dry. Get headaches often
R_2tG3u549upLXcYr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Other
R_2tG3u549upLXcYr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Other
R_2tG3u549upLXcYr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2tieKIScL3T394N	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	rarely thoroughly cleaned and not using as much disinfecting supplies. Smells like urine and toilets still have stains on it, etc
R_2tieKIScL3T394N	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	cubicles too short and so sound carries.
R_2tieKIScL3T394N	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Having worked at another agency, I've found security screening to be thorough but Opsec type of issues to be ignored. Guards don't seem vigilant and too focused on talking to each other, etc.
R_2tieKIScL3T394N	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2tieKIScL3T394N</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2tieKIScL3T394N</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2tl10UkRfurmdCl</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	No natural light
<u>R_2tl10UkRfurmdCl</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_2tljHSQuiWC7NTI</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_2TmG3UtiTJPCEIB</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	The women don't flush the toilets or wipe the seats. Need signs indicating they should.
<u>R_2TmG3UtiTJPCEIB</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I like the open workspace, although it can be a little noisy at times when people are talking or the televisions are turned on. The temperature is usually cold in the room, even in the winter months.
<u>R_2TmG3UtiTJPCEIB</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
<u>R_2TmG3UtiTJPCEIB</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2tnZnxtBc6kbABW	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Bathrooms are kept clean but periodically run out of toilet paper and soap.\Conference spaces are nice but there are not enough of them and they can be hard to book as a result.\The exterior ring of offices should have glass walls to bring more light into the interior cubicle areas.
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	inadequate number of restrooms
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	inadequate ventilation and temperature control
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Extremely poor air circulation and poor air quality
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_2Twc1VFgEnynh6w	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2TWW6vgDZ29ml4i	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces

TSS Survey	Agency	Bureau	Question	Comment
R_2Tzxq49bsHKttOn	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	lighting
R_2Tzxq49bsHKttOn	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The lighting in my office casts shadows and is not sufficient for reading. Noise from adjacent offices is too loud, disruptive, and distracts me from my work.
R_2Tzxq49bsHKttOn	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Odor
R_2Tzxq49bsHKttOn	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2Tzxq49bsHKttOn	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2UaQpN0kLgzzVTN	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Odor
R_2Uc1ua2fvAJGBh7	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall, it's been great! Thank you.
R_2urjtYG1qjoKEIY	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
R_2us7euJ3lDX2kFh	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_2us7euJ3lDX2kFh	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2uV73crRuHPjvIF	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Not enough storage space; privacy (noisy)
R_2uV73crRuHPjvIF	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Cubicles can be noisy due to adjacent foot-traffic and cubicles and offices where active conversations may be taking place.
R_2uV73crRuHPjvIF	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2uvwukXpzBjb6Hw	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2uyVcx8vrQ3uYQT	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_2v014gTsRRxXKW6	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_2v014gTsRRxXKW6	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_2v014gTsRRxXKW6	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2VdUIm3J8VPf6Pk	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Air quality

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2VdUIm3J8VPf6Pk</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Need to have noise barriers. Imoossible to concentrate when ither workers are having meetings in their cubicles or are on the phone.
<u>R_2VdUIm3J8VPf6Pk</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_2VdUIm3J8VPf6Pk</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming); Other
<u>R_2VdUIm3J8VPf6Pk</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2VdUIm3J8VPf6Pk</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_2VEmmTadh2RQwQ</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Law Enforcement Agencies should have different space configurations compared to regular government work spaces.
<u>R_2VEmmTadh2RQwQ</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Open workspace for a law enforcement agency is not productive and does not provide for adequate privacy when discussing matters that must remain private by law.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2VEmmTadh2RQwQ</u>	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	I work in the Office of Inspector General. We are a federal law enforcement agency. The Department of Transportation does not secure our space adequately; however, the Department's office of security, that does not conduct law enforcement, is highly secured. We should have similar security and controlled access just like every other federal law enforcement agency in the government. The workspaces we occupy are shared among many different types of employees. We cant discuss sensitive law enforcement information in our workspace, which makes it useless. We cant discuss grand jury investigations in our own workspace because non-law enforcement employees occupy the same workspace and can over hear our conversations. Federal Law Enforcement Agencies should have a separate office layout compared to general government office layouts. The problem is the Department follows GSA rules when it comes to office space and those rules dont allow for many deviations to accommodate the specific needs of a law enforcement agency. Leaders within the OIG are hesitant to properly equip the Office of Investigations with proper workspace because it is not in line with the one size fits all view that GSA takes. Compared to other law enforcement agencies, and even non-law enforcement security sections within the Department of Transportation, the OIG has the least amount of security.
<u>R_2VEmmTadh2RQwQ</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2VEmmTadh2RQwQ</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2Vf5CinL42njBQA</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2VIrmPaPouNkkKz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	It's a cubicle, not an office
<u>R_2VIrmPaPouNkkKz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Some areas are cold and others too warm
<u>R_2VIrmPaPouNkkKz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2VJQOSfC8SGJRfv</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent
<u>R_2VJQOSfC8SGJRfv</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2VJQOSfC8SGJRfv</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2VJQOSfC8SGJRfv</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Office is hot; conf rms freezing
<u>R_2VJQOSfC8SGJRfv</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Wish there were more natural light
<u>R_2VklbRMIti7NNTU</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Restroom plumbing is systematically faulty. Odor often coming out of the water is sewage like. The building design wastes so much space with the ridiculous inner courtyard. As a result, everyone has cubicle or offices. HVAC is often too cold, you have meeting spaces with two vents just blasting air. And, still cannot believe we lease this building instead of own it. What a waste of taxpayer dollars.
<u>R_2VklbRMIti7NNTU</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_2VklbRMIti7NNTU</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2VLb6ttfgtoMEFr</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The temperature in the single offices around the perimeter of our hall tend to be cold. There is a vent in the ceiling that blows cold air down on me while I work at my desk.

TSS Survey	Agency	Bureau	Question	Comment
R_2VLb6ttfgtoMEFr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the appearance of your building's common areas?	The water fountains have pressure and temprature issues
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with your personal workspace?	The construction of my workspace is very uncomfortable, wires everywhere, the lighting is not friendly to those with migraine issues.
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the temperature in your building?	I run hot by nature, I prefer cooler temps. The temps are fine considering we're on the 9th floor and heat rises. I don't think this is something that can be controlled.
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_2VmOfuXbBqwwGp	Department of Transportation	Executive Secretariat	How satisfied are you with the noise levels in your workspace?	Other

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2VPazgUS5BgFp4E</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Rest room sinks often are out of order. Water will not turn on. All toilet seats were recently replaced with the wrong size/type toilet seat. They do not fit the toilet. Towels are often on the floor of the rest room because of a badly designed towel dispenser. No shelf or other place to set belongings except on the wet sink area.
<u>R_2VPazgUS5BgFp4E</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Odors from floor drain
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too humid
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	dust and musty smell sometimes, affects allergies and people always sneezing
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	light covers fall off or hang down
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	difficult to hear phone conversations from office noise
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2VQ3ZUM7uNrn9K2</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2VQI6T6fFKxO4Ze</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_2VQI6T6fFKxO4Ze</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Other
<u>R_2VQI6T6fFKxO4Ze</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2VQI6T6fFKxO4Ze</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_2w1BsIHxUbqddUe</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	We used to have umbrellas outside at the picnic tables. Would like to see those come back. Maintenance staff rocks in our building- hard working bunch of people. Why do our kitchenettes ALWAYS run out of paper towels (so frustrating).
<u>R_2WDpn6Sj5Cy5c7m</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of facilities -- often closed for cleaning
<u>R_2WDpn6Sj5Cy5c7m</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	poorly ventilated
<u>R_2WDpn6Sj5Cy5c7m</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
<u>R_2WDpn6Sj5Cy5c7m</u>	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_2wi7q708igmxFqZ	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Lack of seating in West bldg
R_2wi7q708igmxFqZ	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The temperature is hot in the summer and cold in the winter in my office.
R_2wi7q708igmxFqZ	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2WJCj2WZI2dkJMZ	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The West building, 3rd floor Men's west restroom has a floor drain by the toilets that emits noxious vapors throughout the day. When in a stall it can become almost overpowering.
R_2WJCj2WZI2dkJMZ	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Odor
R_2WJCj2WZI2dkJMZ	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2wLEM6Z3o44KJWu	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	bathrooms lack privacy; too small and too quiet; need white noise and better ventilation.
R_2wLEM6Z3o44KJWu	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior

TSS Survey	Agency	Bureau	Question	Comment
R_2WMRJZ7ncRIA1zf	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The building air circulation needs to be treated. It seems that no fresh air is being circulated and its colder than normal.
R_2WMRJZ7ncRIA1zf	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_2WMRJZ7ncRIA1zf	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2WNgUwuLczQM0vz	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2wpnkNCWpmpAyqb	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too hot
R_2wQq4MJVxsokgBT	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2wU2wyhfm1I2Nfj	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The 5 mph speed limit in the parking garage is unrealistic. I can't even go that slow on my bike. That leads to people ignoring it rather than trying to adhere to it. A more realistic speed limit may have a better effect on slowing people down.
R_2wU2wyhfm1I2Nfj	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2WUAHs2XX6ddRbL	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Thanks for the opportunity to complete the survey.

TSS Survey	Agency	Bureau	Question	Comment
R_2wvRQhyh6O2OycV	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Cleanliness
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Air quality flow
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	None
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Lighting in common hallways; Lighting in common stairwells
R_2Wwll1yDmLc1v5w	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent
R_2xP001ChGCs4Clo	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Storage Space
R_2xP001ChGCs4Clo	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	From time to time, there is a rotting garbage-like smell in the building in the mornings. The frequency of the smell has subsided over the years, but it has not gone away completely.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2xP001ChGCs4Clo</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_2xP001ChGCs4Clo</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	None
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_2xPmgaMEIwHpQSo</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2XpozawU5kgDnRa</u>	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2XpozawU5kqDnRa</u>	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2XpwkgkEqtUehud</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
<u>R_2XpwkgkEqtUehud</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2xyFXue6WpaBcgh</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Security guards and cleaning staff are very friendly. Repairs seem to get done very quickly.
<u>R_2xYm7Qp5kS2ZuZS</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	stall doors that don't close properly
<u>R_2xYm7Qp5kS2ZuZS</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
<u>R_2xYm7Qp5kS2ZuZS</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2xYm7Qp5kS2ZuZS</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_2Y39mmDdaMuK3Fr</u>	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	The bathrooms need to be cleaned each and everyday instead of a quick wipe down. The floors are filthy with urine stains, the doors are not wiped down regularly, and the bathrooms are not fresh smelling. Sometimes the water runs from the faucet and at other times you can't get water out of any of them; it may be the pressure is low. The hand soap is harsh and causes rash and extreme dryness.

TSS Survey	Agency	Bureau	Question	Comment
R_2Y39mmDdaMuK3Fr	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_2y3FJC6cX6kRYuN	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Thank you
R_2y3FJC6cX6kRYuN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
R_2Y3yIVmssRijj2Q	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It was a YEAR ago that we complained about the "new refrigerator" in our lunch room (W43-120) because it freezes everything and cannot be adjusted. The old one worked fine and had a separate section for frozen food, which this one lacks. The lids to many of the overhead shelves will not stay open and come crashing down on your head or arm by surprise if you are not vigilant. This could easily fracture an arm or wrist, or neck, or result in a nasty bump on your head. Repeated complaints have gone unheeded.
R_2Y3yIVmssRijj2Q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_2Y3yIVmssRijj2Q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_2Y3yIVmssRijj2Q	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Other
R_2Y57eVncYLgpFEa	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The lack of privacy and ability to control the sound volume of your surroundings in "cubicle land" are significant negatives to this organization. In my opinion, productivity is lower in this setting. Since we are forced into this setting, we at least need small rooms where you can occasionally take a private phone call.

TSS Survey	Agency	Bureau	Question	Comment
R_2Y57eVncYLgpFEa	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_2Y57eVncYLgpFEa	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	temperature
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Ventilation
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Condition of paint
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Other
R_2Y6e0L7kj2RNejg	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces
R_2Y9Xu0TS8dTaoXC	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Poorly designed urinals, and paper towel dispensers
R_2Y9Xu0TS8dTaoXC	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_2Y9Xu0TS8dTa0XC	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2Y9Xu0TS8dTa0XC	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2YbKEeH5T3KDD8y	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
R_2YbKEeH5T3KDD8y	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Other
R_2YbKEeH5T3KDD8y	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_2YbKEeH5T3KDD8y	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2YbKEeH5T3KDD8y	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2yfJdU1vLzNzKgl	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_2yfJdU1vLzNzKgl	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2YfKRopjZaQJ2IE	Department of Transportation	Office of the Chief Information Officer	Q26. Please provide any additional comments concerning your overall satisfaction.	I have an enclosed workspace that most people can't see over when standing, yet if they walk by my row I'm fully open to their view. I've seen some other workstations that have privacy doors on them. I would love if we could get them too.
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_2YfRqWGRPCUK9qu	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_2Yg2XPgaCSEJRWE</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	This survey should be shortened. Too long. Discourages completion
<u>R_2Yg2XPgaCSEJRWE</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming); Other
<u>R_2Yg2XPgaCSEJRWE</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_2Yg2XPgaCSEJRWE</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_2YgDOUTb23U9v6A</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The transition to this building has been DISAPPOINTING!!!
<u>R_2YgDOUTb23U9v6A</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_2YgDOUTb23U9v6A</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_2YgDOUTb23U9v6A</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_2YgPJtA5tb67mxX7</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	RPD kitchen disposal not working. Water is either too hot or too cold in the kitchen faucet (may have been corrected recently, not sure). Not enough restroom or need more urinals in the restrooms. They are also too far apart. Water pressure in these fancy sensor faucets is very low. Does not want to even turn on sometimes. The one that works well near my work area (one with long neck at the end) has very hot water. PLEASE REPLACE THESE AWFUL FANCY FAUCETS.

TSS Survey	Agency	Bureau	Question	Comment
R_2YgPjA5tb67mxX7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_2YgPjA5tb67mxX7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_2YgPjA5tb67mxX7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	not enough water pressure when the faucet is on
R_2YgPjA5tb67mxX7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	takes too long to cool down in the morning
R_2YLJlAMtuO90Q46	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	need a window
R_2YLJlAMtuO90Q46	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2YlYxiLa2OLWnei	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_2YlYxiLa2OLWnei	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_2Ynv5AZINn5W9WT	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2Ynv5AZINn5W9WT	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2YPMq3QDuBVeF7q	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Noise, lack of privacy
R_2YPMq3QDuBVeF7q	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise as people walk past
R_2YPMq3QDuBVeF7q	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Most of us have cubicles, it's hard to work, hear, concentrate with the noise that there is. Also, our refrigerator/freezers were recently replaced with fridge only units, which is very inconvenient. We are always out of hand soap and towels in our pantry area.
R_2YPMq3QDuBVeF7q	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2yrpzysrUVbawgP	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building I work in is not owned by the federal government. But the contractors that maintain it and the cleaning crews do a relatively good job and should be commended. The only real negative thing to report is that when appliances in the kitchen areas go bad, replacement may take an extremely long time. Not sure whether this is a responsibility of DOT or the building owner.
R_2yrpzysrUVbawgP	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_2yrpzysrUVbawgP	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_2YufTnwt4D5G0ZD	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Lighting in common hallways; Lighting in common stairwells; Plumbing issues (e.g., restrooms, water fountains leaking)
R_2YufTnwt4D5G0ZD	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_2YufTnwt4D5G0ZD	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2YXplz3sKR8xenx	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The common areas outside the building are nice. However, I don't care for dogs and dog owners let their pets get too close to employees while employees are at lunch. (Example I was outside smoking and a dog appeared and was extremely close to my face as if it were my pet) I wish Security and Building management would do something about the dogs in the area!
R_2YXplz3sKR8xenx	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_2YXplz3sKR8xenx	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2Yybxuh7ntsZpab	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	faucets leak on countertop
R_2Yybxuh7ntsZpab	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	hot, and fans forbidden
R_2Yybxuh7ntsZpab	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Faucet sensitivity to movement, i.e. to start the water to run, is poor. It takes a lot of hand-waving under the faucet to get water to run. The faucets are also poorly positioned, so that water always ends up on the counter. It's extremely uncomfortable to have to step away from the countertop and lean over farther to use the sinks in order to keep the clothes I'm wearing dry.
R_2Yybxuh7ntsZpab	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_2Yybxuh7ntsZpab	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Can get slammed trying to get paper towels.
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	color choices, noisy and impersonal
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2z6DqKBUBICH0hq	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2zGV0cBnO6cfow	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	space too limited
R_2zGV0cBnO6cfow	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	cubicles allow in too much noise from hallways, kitchen

TSS Survey	Agency	Bureau	Question	Comment
R_2zGV0cBnO6cfofw	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	old DOT location was better & more convenient for access to transportation
R_2zGV0cBnO6cfofw	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms
R_2ZHWnKn0jZDIW8	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	GSA, it is often that paper towel dispensers in the pantries are empty, and electronic bathroom faucets and soap dispensers and handicap door openers are inoperable, please find ways to fix this. These conditions lead to unhygienic and inaccessible conditions.
R_2ZHWnKn0jZDIW8	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_2ZHWnKn0jZDIW8	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2ZK2JJdmdbYfAqm	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	size of cubicle space
R_2ZK2JJdmdbYfAqm	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	I would prefer a workstation with a screen or door to provide some type of privacy. It is sometimes VERY difficult to get work done due to the seemingly "open door" policy co-workers take advantage of because I don't have a door.
R_2ZK7swwXZyN6nzy	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	No Door or Partition
R_2ZK7swwXZyN6nzy	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_2ZK7swwXZyN6nzy	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2ZK7swwXZyN6nzy	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2zNsTgn920Rf3bs	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	conference rooms too cold
R_2zNsTgn920Rf3bs	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
R_2zNsTgn920Rf3bs	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
R_2zNsTgn920Rf3bs	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2ZNxy7qFiusFKID	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_2zOaz91YOew9yGM	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2zOv8Dk0FQCOjzi	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	No cell reception in building with common carrier.
R_2zOv8Dk0FQCOjzi	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Some of the guards are unnecessarily rude. Some of the guards are just unfriendly. We all work in the same place, maybe they should try and be nice.

TSS Survey	Agency	Bureau	Question	Comment
R_2zOv8Dk0FQCOjzi	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_2zr4Vh5aMrxImI9	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_2zr4Vh5aMrxImI9	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_2zr4Vh5aMrxImI9	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_2zr4Vh5aMrxImI9	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_2zr4Vh5aMrxImI9	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_2zvDMDM3u2Bpt0Q	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Standard cubicles are spacious and better than average.
R_2zvDMDM3u2Bpt0Q	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_2zvDMDM3u2Bpt0Q	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_2zVkoYSFfRmPvHu	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms

TSS Survey	Agency	Bureau	Question	Comment
R_2zVkoYSFfRmPvHu	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2zVkoYSFfRmPvHu	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Condition of the overhead cabinets functionality
R_2ZZV2mNqWbvpT2e	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_2ZZV2mNqWbvpT2e	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_300r9Yf7kCc7i25	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Lighting and lack of doors
R_300r9Yf7kCc7i25	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The lack of doors at personal workstations is highly problematic and often distracting for myself and many of my colleagues. Many of us prefer to have a quieter workspace when writing memoranda or conducting reviews, while others need to call many people on their individual phones and can talk quite loudly, heavily disrupting workplace productivity. The presence of doors would greatly aid work productivity by allowing those who need a quieter individual workspace to shut out ambient noise, while those who need to talk on the phone can close their doors when doing so and not distract the rest of us from our necessary work. This would not, however, detract from workplace collaboration, as we could leave doors open at times when we welcome collaboration with colleagues, while closing them when we needed to concentrate more or have one-on-one meetings. Neither, too, would this detract from supervisor meetings with staff, as one could easily knock before entering, allowing for better and smoother workflow from staff.
R_300r9Yf7kCc7i25	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping; Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Ventilation
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_300r9Yf7kCc7i25</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3034FNF7mm38eXI</u>	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Really unclear about the recycling program for the building and what can/can't be accepted.
<u>R_3034FNF7mm38eXI</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3034FNF7mm38eXI</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_3034FNF7mm38eXI	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3034FNF7mm38eXI	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	little ability to affect temp in rooms/floors
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	not enough natural sunlight
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Office cubicles are awful places to get professional, sensitive work done. Employees try very hard to stay quiet as much as possible which poisons the sociability and professionalism of the organization. Need more private offices. Feel like a machine in the small open cubicle
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	sinks are poorly designed, water puddles around
R_3075vyXycw6GMue	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	small, open cubicle-very unprofessional, no privacy
R_30eMMsZAr4q79Zg	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Other

TSS Survey	Agency	Bureau	Question	Comment
R_30eMMsZAr4q79Zg	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_30eMMsZAr4q79Zg	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_30hQV6BeRI0gmDN	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	window offices are too cold in winter and too hot in summer
R_30hQV6BeRI0gmDN	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Years of construction noise
R_30hQV6BeRI0gmDN	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_30oWganqcHEozWy.	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	noise from nearby people
R_30oWganqcHEozWy.	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The garage in our building has a "grease interceptor" room that leaks grease quite frequently. The grease spills onto the garage floor and builds up over time, leading to a small stream of slippery, visually disgusting grease. It is not only unsightly but dangerous because people need to cross its path to go to the elevators and their cars. It is very slippery and it is easy to lose your footing.
R_30oWganqcHEozWy.	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_30uDbP1Ps0hA9tc	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	best location

TSS Survey	Agency	Bureau	Question	Comment
<u>R_31dtYWMfV2C9dHG</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	in my area the space is too cold.
<u>R_31dtYWMfV2C9dHG</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_31vJP4F5oK6VfVL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	location
<u>R_31vJP4F5oK6VfVL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent; Building is too hot
<u>R_31vJP4F5oK6VfVL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_31vJP4F5oK6VfVL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_31vJP4F5oK6VfVL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_31YGgvYeqZw0LHM</u>	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	Limited parking.
<u>R_31YGgvYeqZw0LHM</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping

TSS Survey	Agency	Bureau	Question	Comment
R_31YGgvYeqZw0LHM	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Lighting in common hallways; Lighting in common stairwells; Pest control management
R_31YGgvYeqZw0LHM	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_31YGgvYeqZw0LHM	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_31YGgvYeqZw0LHM	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the air quality in your building?	Ventilation
R_32LO0KfJmSyDQV9	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the air quality in your building?	Ventilation
R_32PI3pbqs13vPxU	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	rude, immature co-workers
R_32PI3pbqs13vPxU	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_32RtdiJRWQ1rIPv	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are picnic tables on the walkway directly across from smoking areas! I enjoy sitting at the table to eat but can't because smoke is always around. I recommend ashtrays and tables remain on one of the building sides (East or West building) and remove smoking areas on the other side so smokers and non smokers are accommodated. I recommend putting up non-smoking signs on the side where ashtrays are removed as well. This would greatly enhance the ability to enjoy the outdoors, eat lunch at the tables and not have to endure smoke.
R_336Zde3rQh32Zof	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Vents blow on my face.

TSS Survey	Agency	Bureau	Question	Comment
R_336Zde3rQh32Zof	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_336Zde3rQh32Zof	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_336Zde3rQh32Zof	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_336Zde3rQh32Zof	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_337RFvI9zJiCesC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Meeting rooms too cold
R_337RFvI9zJiCesC	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Noise in working areas is typically very noisy - we need small meeting rooms throughout the floor. This would ease pressure on regular conference rooms being difficult to book. Meeting rooms often extremely cold. Bathrooms typically clean but always water on counters due to placement of faucets. TVs in Security and Parking Office tuned to Fox is inappropriate. Security and Cleaning staffs are always dutiful and pleasant.
R_337RFvI9zJiCesC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_337RFvI9zJiCesC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_338gmUJa7BOdeTz	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am very satisfied with my personal workspace and I would not like my work station to change. I really appreciate the privacy which helps me focus on the work to complete my tasks and the mission without distractions.

TSS Survey	Agency	Bureau	Question	Comment
R_33D0Wk1SG4p7N6u	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall, I would say, I do work in a very good work environment.
R_33D0Wk1SG4p7N6u	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_33D0Wk1SG4p7N6u	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Other; Ventilation
R_33D0Wk1SG4p7N6u	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_33EHdZAaOF6qQHh	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Construction in building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
R_33EHdZAaOF6qQHh	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_33EHdZAaOF6qQHh	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of paint
R_33EHdZAaOF6qQHh	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_33jTCSrCC6lPHm1	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	working in a cubicle detracts from my ability to do my job

TSS Survey	Agency	Bureau	Question	Comment
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	ugly and noisy
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	ugly and noisy
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Ventilation
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Condition of carpets; Condition of paint
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace; Lights are too bright in building's common areas; Lights are too bright in personal workspace
<u>R_33jTCSrCC6lPHm1</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_37WBpNU2iywdJrX	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Offices are never vacuumed. Last week, I had to ask the vacuumer to do my office, and that was the first time it had been vacuumed in months. Also, we used to have lovely multi-color carpets that coordinated with the interior's color scheme. Now we have dull industrial grey. The fixtures in each bathroom vary dramatically. The bathroom I use has outdated faucets, and no place to hang things, while other bathrooms do. Sodexo used to run a coffee kiosk in the West building atrium. It was supposed to be open until 1:00 pm, but frequently closed hours before that. The Sodexo employee said Sodexo would pull her away whenever business was slow, and two weeks ago the kiosk disappeared without explanation. The temperatures from office to office vary dramatically. Mine is hot, while neighboring offices are cold. I do not trust our security people, because they seem to change daily. The pantry refrigerators used to have ice makers, now they don't, and I hope their replacements can make ice. The signage should also be improved on each floor, the sections are not clearly defined and color coding would help. Also, the Secretary's elevator should have a sign indicating that it's exclusively for that office. And finally, I understand that vendors have to cater to their customers, but there are NO healthy options in any of the vending machines.
R_37WBpNU2iywdJrX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_37WBpNU2iywdJrX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_37WBpNU2iywdJrX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_37WBpNU2iywdJrX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3CI2ltfaeSs2Roe	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Too Small
R_3CI2ltfaeSs2Roe	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Parking is a serious issue. Especially when it's managed by a private company that increases the rates, restricts the number of available spaces and seems to make it as difficult as possible to get a parking space on Nationals Game Days.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3CI2ltfaeSs2Roe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_3CI2ltfaeSs2Roe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_3CI2ltfaeSs2Roe</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_3CJXF2CK1juf9Gu</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I DO NOT want to go to an open workspace with no partitions. I work in an enclosed multi-person office and get distracted by my fellow coworkers. I can imagine having a transition to a general area with an open workspace with no partitions. That would be a legitimate NIGHTMARE and would cause the immediate submission of job applications. The level of distractions would increase drastically with the noise, smells, and consistent movement taking my attention. \\\However, I do understand management might like to try something new. I recommend if an open workspace with no partitions was implemented, federal workers have the option on 4-5 day a week telework. This would allay the concerns and fears of many rather than result in a poor employee retention rate and quick departure of experienced employees.
<u>R_3CJXF2CK1juf9Gu</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3CK3nMuNAquw8tC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes
<u>R_3CK3nMuNAquw8tC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3CVCIWj02SsHd14</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In pantry: Paper towels are not replenished often enough. Hot water is often not available. I did the survey for these two reasons.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3D2Ar7FIVwaXciX</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Fixtures and finishes
<u>R_3D2Ar7FIVwaXciX</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_3dGM0oa5dPdAb8v</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Why is there only one ice machine serving multiple floors? Sometimes it runs out of ice. The faucet in the men's room is frequently out of service for extended periods of time.
<u>R_3dGM0oa5dPdAb8v</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3dHcOh5VsMeM7Ui</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Need deodorizer in urinals, they really stink
<u>R_3dHcOh5VsMeM7Ui</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall I am satisfied with my workplace. The biggest complaint is that the urinals really stink and could use some sort of deodorizer. I am a little concerned about the quality of the security staff, while armed, some seem not to be very well trained.
<u>R_3Djcm9E9xmZSLQd</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3dJJDjZwwbz0hY2</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	the bathrooms are very outdated compared to the rest of the building. they are outdated to the point that they seem dirty. I cring whenever I have to use the bathrooms inthe building.
<u>R_3dJJDjZwwbz0hY2</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	It feel a bit warm in the office in the summertime and there doesn't seem to be much air circulating. It feels stuffy.

TSS Survey	Agency	Bureau	Question	Comment
R_3dJJDjZwwbz0hY2	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	The gym (facility itself) is also very outdated, does not seem to have adequate ventilation and does not appear to be clean. As far as equipment is concerned, treadmills have thick dust inside the fans and adequate supplies that will allow members to clean the equipment is not available. there is one spray bottle and paper towels for the entire gym; make me think that equipment is not being cleaned and assume that they gym is dirty overall.
R_3dJJDjZwwbz0hY2	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Odor; Ventilation
R_3dJJDjZwwbz0hY2	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation
R_3dJJDjZwwbz0hY2	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Flimsy cubicles
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	humidity, temperature
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from atrium during events
R_3DTw0ziC4jzEbaF	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	While the areas that people from outside DOT visit are well-designed and maintained, the areas where we work on a day-to-day basis are not.
R_3dWh3Tq6JXqM9Wj	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	No heat in the winter time
R_3dWh3Tq6JXqM9Wj	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Very Poor Air quality
R_3e3Nb6q4zJxRY7O	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3e4DOMFv5mgIhUI	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The building is generally good condition. However, the bathroom sink layout seems designed to get water all over the place and the faucets frequently malfunction. We suffer from a shortage of available meeting space and would benefit from better access to the Departmental Conference Center space, and some IT management that promotes a 5 minute gap between meeting start / end in conference rooms and live update screens outside the rooms showing realtime availability from Outlook. I have no recent experience but in years past, federally owned vehicles had to endure the same double stack parking as everyone else in the parking garage which seems incompatible with their mission- related purpose.
R_3e9NnBGF8EoEmoS	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold; Temperatures are inconsistent
R_3e9NnBGF8EoEmoS	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor
R_3e9RR9x198v3SIX	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Toilet flushers installed within the past year do not work well as the ones that were taken out. The two-stage flushing does not work - flush is too short. Also, toilet seats either do not fit the fixtures properly or were not centered properly during installation
R_3EEcbET1kXhnHDB	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3EEcbET1kXhnHDB	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Timeliness of repairs
R_3EEcbET1kXhnHDB	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Lack of timeliness for reported maintenance issues

TSS Survey	Agency	Bureau	Question	Comment
R_3EEcbET1kXhnHDB	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Water/ice machines were recently installed on every other floor. It would be nice to have machines available on every floor. An additional issue is that the water from these machines is often warm. \\\ have found cleaning services to be on their game but maintenance staff has been troublesome. I have had occasion to report several maintenance issues and in many cases the issues were never resolved or the response took months. Bathroom stalls have been broken for years. Building services will sometimes take up to a week to replace paper towels in the kitchen area. There has been a squealing noise coming from the vent above my cube for a year that has never been addressed.
R_3EEcbET1kXhnHDB	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	conference roms are cold
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3ELUjQxGD8BaltN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace; Other

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3ELUjQxGD8BaltN</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the amount of light in your workspace?	Zone lighting is ineffective
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	Q26. Please provide any additional comments concerning your overall satisfaction.	I am surrounded by contractors and frequently cannot conduct professional business as a federal employee because of their proximity.
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Ventilation
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with your personal workspace?	Other
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
<u>R_3ELvnc87BU9fH7W</u>	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_3ELvnc87BU9fH7W	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3EnXKf09o7dS59s	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3eslOHlyDvL3Zop	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_3eslOHlyDvL3Zop	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3etpL4gKC5o1MqW	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_3Eu8yaYax5gSfd6	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	Building and, particularly my office, is frequently too hot in the summer or when significant sunlight is coming through. Needs more air conditioning, please.
R_3Eu8yaYax5gSfd6	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Building is too hot
R_3EWhdDGtFBu3fM3	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The only part of the building that is not clean is the gym. The air quality is terrible, the mats are filthy and it feels dirty. The rest of the building is very well taken care of.
R_3EWhdDGtFBu3fM3	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3EyYtweJEBtLUMQ</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3EyYtweJEBtLUMQ</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3fBr8ixXgmVGsm3</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The elevators are the worst part of the building. They stop on every single floor. How can there be so many elevators and yet they are so inefficient?
<u>R_3fBr8ixXgmVGsm3</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3fBr8ixXgmVGsm3</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_3fBr8ixXgmVGsm3</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
<u>R_3fivg5B5lopklCw</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	level of soundproofing is insufficient for a private office
<u>R_3fivg5B5lopklCw</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3FP4faRXv9PNWeD</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_3FP4faRXv9PNWeD	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3FP4faRXv9PNWeD	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_3FP4faRXv9PNWeD	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3fwQlgxOO54ApAL	Department of Transportation	General Counsel	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_3fwQlgxOO54ApAL	Department of Transportation	General Counsel	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
R_3fwQlgxOO54ApAL	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_3fwQlgxOO54ApAL	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Building is too hot
R_3fwQlgxOO54ApAL	Department of Transportation	General Counsel	How satisfied are you with the air quality in your building?	Ventilation
R_3fZD1ih40KBH28r	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	cubicle layout
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	dustiness/lack of fresh air
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	noise from copy machine etc
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There is a inflexibility in accommodating non traditional seating arrangements. The process for adjusting cubicle configurations is extremely difficult.
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3g25MuFdR6WuEo2</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3G3NBIXapv3ofT6</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	capacity
<u>R_3G3NBIXapv3ofT6</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	cant make noise either

TSS Survey	Agency	Bureau	Question	Comment
R_3G3NBIXapv3ofT6	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Pretty satisfied overall. Beautiful building and surrounding grounds. Exterior is top notch. My main gripe would be with cafeteria food, which is below average in quality especially for the price. Hot bar food is many times cold. Some of the special order cooks take a long time to serve customers. Fruit is many times sour and spoiled tasting. However, cashiers are generally friendly and try to keep the lines moving. Seating area is usually not maintained clean, even in the mornings, when you expect it to have been cleaned overnight. Crumbs are visible on almost every table.\Need more refrigerator capacity in the break rooms, especially since the cafeteria food is not that good. One microwave per break room, but many people heat their lunch for 6-8 minutes. So in half hour, very few people can have a hot lunch brought from home.\Bathrooms can also be messy. They don't have enough capacity either. Many times the stalls are full on several floors all at the same time. The cleaner generally does a good job but his work doesn't last long.\Shredder bins are very often full so you have to wait to shred paper until someone comes to empty it. Copiers are better than they used to be, they used to be very bad. Their is also a lack of stand-up desk options. The ones that are provided don't work in many work spaces because they need a lot of room. Overhead bins get in the way and the desks are not wide enough to support the base of the stand-up desks provided.\Conference rooms are very difficult to book. There are long waits; and its possible to get bumped.\Office phones are outdated. They should be able to send audio file to your email. That is current practice in the private sector.
R_3G3NBIXapv3ofT6	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor
R_3G3NBIXapv3ofT6	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3G7LKJOV5zxtVRX	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	too small for the amount of work
R_3G7LKJOV5zxtVRX	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	allergents in the air
R_3G7LKJOV5zxtVRX	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3G7LKJOV5zxtVRX</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3G7LKJOV5zxtVRX</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_3G7LKJOV5zxtVRX</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3G7LKJOV5zxtVRX</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_3G7LKJOV5zxtVRX</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3G9RuHCmlcndVVI</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Horribly lit
<u>R_3G9RuHCmlcndVVI</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Lighting in common hallways
<u>R_3G9RuHCmlcndVVI</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_3G9RuHCmlcndVVI</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_3G9RuHCmlcndVVI	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_3G9RuHCmlcndVVI	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_3G9RuHCmlcndVVI	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3gbxqZhURO36nZL	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Restroom cleaning staff is fantastic, it's the other employees who are pigs. Not sure what can be done about. Additionally same with kitchen. Is there any way to make sure we consistently have soap and paper towels in the kitchen?
R_3gbxqZhURO36nZL	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_3GD30uyk1ajEMSR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	too noisy, distraction from co-workers.
R_3GD30uyk1ajEMSR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	need more fresh air
R_3GD30uyk1ajEMSR	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Sometimes when there are events in the West Building Atrium, the noise level can be quite high and imposing. The arrangement of the cubicles are such that I can look across and see my co-workers entire space - should have been offset. Noise from co-workers can be quite annoying while the offender continues with his/her behavior. No consideration.
R_3GD30uyk1ajEMSR	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3GD30uyk1ajEMSR</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Lack of seating in West Atrium
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	No natural light, harsh/artificial light, unattractive cubicle color scheme
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Other
<u>R_3Ge1sxRbo2uUGMY</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_3gLZgciB7x1S789</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I'm satisfied with the conditions of the building
<u>R_3gNt27slQvRxlh2</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Getting machinery or equipment fixed in common area has been an ongoing issue. Myself and others have tried but no success. For example the malfunctioning fridge in the pantry near the W45-cube area.

TSS Survey	Agency	Bureau	Question	Comment
R_3gRQcc0qhV67HSd	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_3gRQcc0qhV67HSd	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3h3yyzndKeb1p1E	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Combination refrigerator/freezers were removed and replace with refrigerators with no freezers. This makes it difficult to bring frozen meals from home for lunch (or dinner, if I will need to stay late), as bacteria can grow on them if they are partially defrosted. Please provide freezers, even if only in one kitchen per floor.
R_3h4iRXIZBP3dNhg	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Heat gain due to opening to atrium makes upper floors hot.
R_3h4iRXIZBP3dNhg	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_3hDr8XijAJbXKNC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Lawyers should have Offices - violates ethical duties not to
R_3hDr8XijAJbXKNC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Overcold in summer, overhot in winter
R_3hDr8XijAJbXKNC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from people walking through hallways - no doors on work space means no ability to have quiet workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3hDr8XijAJbXKNC</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	1. Lawyers should have doors, even if only the partial wall fake offices. It violates our ethical duties to not have private and secure work stations and also creates risks to the agency/department as confidential and privileged conversations and documents are not able to be appropriately secured.\2. Child care facility should be on-site. I won't be using DOT childcare because the location is so inconvenient.\3. Breast-feeding rooms are ENTIRELY INADEQUATE. More space is needed, along with the ability to schedule time (and then adjust time if work schedule requires flexibility, which means more space is needed to accommodate this). Shared refrigeration without any kind of security is not acceptable. And the "privacy partitions" in the existing spaces are inadequate for actual privacy. The location and set-up also hinders the ability to accomplish work while pumping in these facilities which disadvantages pumping mothers.
<u>R_3hDr8XijAJbXKNC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_3hDr8XijAJbXKNC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_3HG17u6lQuHuHOZ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	thin wall between offices
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Plumbing (leaking after flush) in the restrooms is a big problem. Kitchen plumbing is also poor and require adjustment..
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Kitchen area
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Plumbing in both kitchen and restrooms
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	IT devices got knocked down on the floor while cleaning were not put back
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	uneven temperature
<u>R_3hhCKTSIvJuxCNn</u>	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Took a long time to get the broken light replaced
<u>R_3hhwMGEgN0ZOlai</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_3Hj0k8afShMr95Y</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The USDOT building still looks new, the interiors are usually neat and clean, the grounds are appealing with seasonal landscaping, overall very nice place. It could use more meeting space and a daycare on-site.
<u>R_3Hj0k8afShMr95Y</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke on walkways along building
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Entering the building as a pedestrian without being exposed to secondhand smoke is nearly impossible. Steps should be taken to have smoking areas behind the building, not along M street where metro riders walk to get to the building. The health of people who drive is apparently more important to building management than the health of transit riders. Also, the building is very noisy. One thing that could be done to reduce noise is to stop hiring groundskeepers that blow dust around the sidewalk all morning with leaf blowers. It is extremely noisy and goes on for hours. It is also wasteful and pollutes the air. Just let the dust stay until it rains.
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3Hkmtjd0TvPUzjA	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3hmfimGmfe84DsZ	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	I would like an office that is at least partially enclosed. I don't like that I don't have an option to shut the door when I am working on a time sensitive or very important project.
R_3holECWzCiBRDmJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cubicles are loud; temperature is cold

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3holECWzCiBRDmJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_3holECWzCiBRDmJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3holECWzCiBRDmJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3huVGuvWfulGYOe</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I think the locker rooms in the gym need deeper cleaning and perhaps more frequent cleaning. The showers seem borderline moldy and there is a lot of hair around. Also the water pressure in some of the showers is so weak as to render the shower nearly useless.
<u>R_3huVGuvWfulGYOe</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3huVGuvWfulGYOe</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_3huVGuvWfulGYOe</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_3Hzs4AWUS8IDoDL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Surrounding noise
<u>R_3Hzs4AWUS8IDoDL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from cafeteria; noise from me distracting neighbors

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3Hzs4AWUS8IDoDL</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Cubicles suck the life out of people: you're like books stacked in a library.\Those of us with louder voices that carry disturb others even though we don't intend to.
<u>R_3Hzs4AWUS8IDoDL</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Ventilation and Temperature (too hot)
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Dirty bathroom complaint is due to disgusting user behavior, not the cleaning staff.
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_3iD9gatOWOPMVFd</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3iD9gatOWOPMVFd	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3inab6sghrjjLp5	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3inab6sghrjjLp5	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_3iO34vc2MrAyC3L	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	I hate working in a cubicle and can't stand my co-workers. Other than that, everything is great!
R_3iO34vc2MrAyC3L	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3iPWEePhNB6tYmJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_3iPWEePhNB6tYmJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_3iQEhSUIelxegFi	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Other
R_3Is9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_3Is9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_3ls9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3ls9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume
R_3ls9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Area is too cold in the winter months. Too congested with too many people located on one floor
R_3ls9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Too much cold air in the winter months. Heavy air is constantly blowing in my work space
R_3ls9ITqAzHcGF7H	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	How many people are allow to occupy space on each floor in this building?
R_3iUayppLUC2AcGD	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Other
R_3iUayppLUC2AcGD	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_3iUayppLUC2AcGD	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3iybn9xgBGrL0mP	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	bathrooms need to be maintained more often sometimes. There are often no paper towels in the "pantry"/ break room.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3lZdWb4kHTngNrJ</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I do not want to work in an open workspace. The partitions give a little privacy and it consumes some of the noise. Working in a open workspace, I believe I will hear other employees conversations more than I do so now.
<u>R_3j0YoY8pp8pi8qU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	cold in winter hot in summer
<u>R_3j0YoY8pp8pi8qU</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Sometimes bathroom water coming from sink is cold in winter?\Please check under sink in kitchens. Mildew was under kitchen on 5th floor. I guess maybe from and overflow. Thanks
<u>R_3j0YoY8pp8pi8qU</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
<u>R_3JaNBuuG8WsER0u</u>	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with your personal workspace?	Housekeeping
<u>R_3JaNBuuG8WsER0u</u>	Department of Transportation	Office of Intelligence, Emergency Response and Security	Q26. Please provide any additional comments concerning your overall satisfaction.	Housekeeping will keep the bathrooms closed several times a day, for extended periods, while they are supposedly "cleaning" them. Its very frustrating!!
<u>R_3JaNBuuG8WsER0u</u>	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
<u>R_3JaNBuuG8WsER0u</u>	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3JaNBuuG8WsER0u</u>	Department of Transportation	Office of Intelligence, Emergency Response and Security	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_3jTlspVMBlpEbj2	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The refrigerators in my area, second deck, 1200 New Jersey avenue stink at times because individuals do not take the time to prevent spillage and clean up after themselves.
R_3JxPWN90cBGYL1o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Lacks a door
R_3JxPWN90cBGYL1o	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	-There's not enough bike parking, there's too much wasted space that could be used for bike parking\ -All those working with PII & CBI need private work space\ -Cleaning crews need to work after normal business hours. Nearly every day I can't use the restr
R_3JxPWN90cBGYL1o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_3JxPWN90cBGYL1o	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3jYHcleGZ8jkVpK	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Other
R_3jYHcleGZ8jkVpK	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3k1ejNoQvzTrbDF	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor
R_3k1ejNoQvzTrbDF	Department of Transportation	Office of the Chief Information Officer	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_3k87zP5FvIwKAaV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Water fountain not running
R_3k87zP5FvIwKAaV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_3kbTSnJ9TMufWX6	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Poor use of space in building layout. I am scared about the maze like fire escape.
R_3kbTSnJ9TMufWX6	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_3kbTSnJ9TMufWX6	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3kcAh4FGdJZe0o8	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The kitchenettes need to be cleaned and kept clean. There is mold growing on the backsplashes.
R_3kcAh4FGdJZe0o8	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_3kcAh4FGdJZe0o8	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3KCw8HwCJ5QuLOI	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3KDdT2NnSXU7okY</u>	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I'm in daily cleaning area and I don't think the area is dusted/cleaned as well as it could be. However, if you request specific cleaning in your area, bldg. management/cleaners are very responsive - but I shouldn't have to ask, it should be a routine cleaning.
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	more storage space is needed in area
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_3kFdTLpYYbaMvQs</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3khoDFC7WUsDVd3</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3kifATlx7V2QG5E</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_3kiFATlx7V2QG5E	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3kM5Ac5NpFPxqn5	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	no natural light
R_3KNKaY9gM4GdRPY	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	the automatic doors are TOO often inoperable - both those from/to the parking garage and those for entering/exiting the building.
R_3KNKaY9gM4GdRPY	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Odor
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	ventilation/air flow/HVAC
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	air flow and temperatures vary greatly by location in the building and by season. In some places air flow is insufficient and in others there is too much air flow. Temperatures can be too hot in one location and too cold in another on the same day. Bathrooms are often unclean. Faucet functionality is inconsistent.
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes

TSS Survey	Agency	Bureau	Question	Comment
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3ktPQ4vGwqPZ65L	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3KUbWljYPqEAN5L	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cell/Wifi Access
R_3KUbWljYPqEAN5L	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Most likely, it isn't the building staff that do a poor job cleaning the bathrooms, as it is the grown men and women (adults) who cannot use a restroom appropriately or considerately towards their coworkers. How the hell does a grown man still piss on the toilette seat?
R_3KUbWljYPqEAN5L	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Available space
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Ventilation blows right on me. Was redirected but did not help.
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation suystem needs cleaning
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Open floor plan is rediculoously non-conducive to getting things done

TSS Survey	Agency	Bureau	Question	Comment
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Generally things do not get fixed or repaired in a timely manner, nor correctly the first time. Bathroom and kitchen equipment is failing and not being repaired. Gym showers (for the men) are poorly ventilated and are mildewed as well as have some kind of sewer flies this time of the year.
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Ventilation
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3KUZZ9vO6Em0ejC	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3kvswFuHPLS6Znw	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Too many unnecessary closet and less flexibility of personal space
R_3kvswFuHPLS6Znw	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	cough at office but not at home or other places
R_3kvswFuHPLS6Znw	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My main issue is 1) unused spaces and furniture; 2) no privacy; 3) lack of meeting room. My personal working space is big but not design for different tasks. I have too many unused closets, wide desks and no privacy. My neighbor can hear my teleconference call yet, people from call complained me to speak louder. Also, my team has tough time reserving a group meeting room or small private room. In my previous work place, they have smaller cubic space yet more flexible work design including cubic door (for noise reduce and privacy); L shape desk and one tall closet. Also, they have small telephone room where people can have private phone call or meeting.
R_3kvswFuHPLS6Znw	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3KW8fa36FeMYByh	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3KwOPN340rrjTJb	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3KxCGUfeHHpukKp	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cramped, noisy, dark
R_3KxCGUfeHHpukKp	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3KxCGUfeHHpukKp	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3L1g4airYdhpNEa	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Bathrooms need to be properly ventilated.
R_3L1g4airYdhpNEa	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	My office has leaked from the outside 4 times since I have been in it. The latest still has not been fixed.
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My outside windows are leaking through the seals and need to be fixed. Building maintenance was notified a month and a half ago and they only put in sponges to absorb the leak.
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_3L4ILN8E53SafMJ	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3L8dti82qb8Pihh	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	been getting headaches

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3L8dti82qb8Pihn</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I have a severe hearing loss (use 2 hearing aids that amplify what hearing I have left). I have been positioned so only have workers on one side of me. I still hear everyone and I know they hear me. At least I don't have the visual distraction since there are partitions that close me off and allow me to focus. A workspace that brings these partitions down lower (while providing a more open feel) will be disastrous for me in terms of productivity. I have heard from others from different agencies that hate the classic newsroom open style workspace. With aging population and lots of adults from babyboomer generation and likely younger all probably having slight to moderate hearing loss... I implore you, if you make changes of any kind, do it with hearing in mind. Morale is low everywhere and being impacting by excess noise and visual cues is hard on the strained workforce.
<u>R_3L8dti82qb8Pihn</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3LaRwcfUloM7XDt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Some parts of the building is too hot or too cold. Building maintenance refuses to adjust the cold temperatures
<u>R_3LaRwcfUloM7XDt</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	There seems to be an issue with getting some one to vacuum the carpet, or dust. I have seen dust, crumbs, on the carpet for weeks, which indicates no one is vacuuming. This is not good for allergy sufferers.
<u>R_3LaRwcfUloM7XDt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
<u>R_3LaRwcfUloM7XDt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
<u>R_3lrhi2Di1XYUW2M</u>	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	During the summer, it is FREEZING in the building!! People are wrapped up in blankets and have to go outside to thaw out!!
<u>R_3lrhi2Di1XYUW2M</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_3lrhi2Di1XYUW2M	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor
R_3lrhi2Di1XYUW2M	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Contractors are too loud!
R_3ISsKILVVkO14d3	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_3ISsKILVVkO14d3	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3ISsKILVVkO14d3	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3ISsKILVVkO14d3	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3lYbC9UiyVIM6BW	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Odor
R_3lYbC9UiyVIM6BW	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace; Lights are too bright in building's common areas; Lights are too bright in personal workspace
R_3m1AGI3uxVkit2f	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3M5mc9nOzcQ8VdP	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_3M5mc9nOzcQ8VdP	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3m7UZSCSL507UuO	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Sit next to copier and break room

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3m81mIDFZEJodj8</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Odor; Ventilation
<u>R_3MDKOF3SSVb2GcC</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3mes95bS761UQFE</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Quality - Allergens
<u>R_3mes95bS761UQFE</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
<u>R_3mf6elr57RPCExl</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor
<u>R_3mf6elr57RPCExl</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3mgd0f7bs9NBUYM</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	No paper towels in the pantry!
<u>R_3mgd0f7bs9NBUYM</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	I'm far away from a window. :(
<u>R_3mgd0f7bs9NBUYM</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	I'm next to the kitchen. :(

TSS Survey	Agency	Bureau	Question	Comment
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	We don't have freezers, only refrigerators! It is very inconvenient (and frankly rather bizarre).
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_3mgd0f7bs9NBUYM	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3MgJggg7xN8hEP3	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3MhDHuCkC40QG5O	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Meeting space needs to be addressed!!!
R_3Mnkixu7WLKsMuD	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Condition of carpets

TSS Survey	Agency	Bureau	Question	Comment
R_3MT3CWHn2hp2DC2	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	bathrooms get perfunctorily cleaned. could be done better. Touch points like door handles, elevator buttons need to get cleaned. And not with a rag that was just used to clean the bathroom
R_3MT3CWHn2hp2DC2	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3MtEmPluf6pdDAp	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation ducts need to be cleaned. Every day my eyes water at work when the heat/ac comes on and blows dust, etc. while sitting at my desk.
R_3MtEmPluf6pdDAp	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_3MtEmPluf6pdDAp	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3n7dbABq3exfey5	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	noise level
R_3n7dbABq3exfey5	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
R_3n7dbABq3exfey5	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3nCOW4Wd1eHeXae	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3nCOW4Wd1eHeXae	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_3nCOW4Wd1eHeXae	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_3nCOW4Wd1eHeXae	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3nfgG5SAmspVOnF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Smokers are allowed to smoke close to the building and are not directed to only smoke in designated smoking areas. I have to walk near smokers to enter and exit building sometimes. Please make smokers use designated areas and not allow them to smoke next to the building where non-smokers have to walk to get into the building.
R_3nin3Msjozw6Z68	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3nin3Msjozw6Z68	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3NJmuplwdKvo66n	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	The janitor is lazy and leaves my waste basket and recycling bin near the entrance to my cubicle instead of putting them back in the place where he found them
R_3NJmuplwdKvo66n	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	noise from hallway and kitchen area and copier area
R_3nkl2xyq12RZD0m	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	my personal space too hot all the time
R_3nkl2xyq12RZD0m	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	lights make it hot in my office

TSS Survey	Agency	Bureau	Question	Comment
R_3nkl2xyq12RZD0m	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3nkl2xyq12RZD0m	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	no cover/awnings
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	uncomfortable/impractical seating and working areas
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	furniture
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	I don't know what the actual air quality is
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_3nwsSxYkPTLX5yA	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)

TSS Survey	Agency	Bureau	Question	Comment
R_3NX5yQ33Cry334I	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3NX5yQ33Cry334I	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Rodents
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Smell and lack of temperature controls
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Maintenance staff takes forever to clean and does not coordinate properly.
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	They always move my trash cans all over the place. There is always dust and I have a dust allergy so I constantly cough. It is way too hot. Turn on the AC!!!!
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	TOO HOT!!!!!! I am on the 8th and it is the worst!!!
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	I have dust allergies and I constantly cough!!!
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Lgihts are offensively bright!!!

TSS Survey	Agency	Bureau	Question	Comment
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	I can hear everything. The cube walls are too cheap!
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Security harasses people at times for badges but not others and they also profile people unfairly. It is highly frustrating as I have worked here 8 years! The dust is terrible. And the temperature is too high on my floor. I always sweat and I workout so I am in shape. It is highly annoying and frustrating.
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping; Secondhand smoke at entrances
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of carpets; Condition of paint
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too hot
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in building's common areas; Lights are too bright in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3NXnkw8SQbtUmjN	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3NyNcrZQ3k5ktlQ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Vent over my cubicle
R_3NyNcrZQ3k5ktlQ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_3NyNcrZQ3k5ktlQ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3NyNcrZQ3k5ktlQ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3O1GJjb2jEuQ2P2	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Very small space
R_3O1GJjb2jEuQ2P2	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Need larger cubicles
R_3O1GJjb2jEuQ2P2	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3O1GJjb2jEuQ2P2	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3oBlcvg9M7VPcFG	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Open workstation does not conform to GSA standards

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3oBlcvg9M7VPcFG</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	As a GS-14 with 20 years of service at my agency, I have previously occupied fully enclosed offices & 'offices' with doors, and previously in semi, fully partitioned, and shared work spaces. It is disgraceful that I am now forced to sit in an open workstation-- while lower-graded and less tenured employees and contractors are provided better office space. \\To be clear, my current desktop measures less than 46" X 23" - and I literally must move my keyboard to simply write on a flat surface. Contractor employees seated within 50 feet of our team have larger workstations.\\The history of this situation is well documented. In June 2015, our current Associate Administrator for Administration and our former Administrator, decided to spend several million dollars on an ill-conceived renovation of prime floor space- in defiance and violation of GSA standards. It was formerly the Administrator's suite of the Saint Lawrence Seaway Development Corporation. Despite a series of pro-forma consultations, and notwithstanding the vehement objections of career employees in my work unit, witnessed by a representative of our Office of Civil Rights, these senior management officials proceeded with the project. The project was completed in November 2016, and resulted in a space configured to accommodate two GS-15 political appointees, and ostensibly 14 career employees. 6 of the 14 workstations are occupied. While the former Obama Administration Administrator's stated desire was to expand the work unit, given known and anticipated budgetary constraints, there was never any reasonable expectation that so many career positions would be filled. Most of the agency workforce is aghast at witnessing this state of affairs, while the individual responsible refuses to accept any responsibility for her decision. Worst of all, there is no money available to modify the space. \\We don't even have a coat rack, but have been assured one has been ordered, presumably at great expense from a predatory vendor/contract company with veto power over changes to the space. And while this very expensive modular furniture provides sit/stand capability at each workstation, the desk does not rise high enough or lower enough to satisfy my reasonable accommodation needs. \\Worst of all, the work space is completely ill-suited to our job function. It has degraded morale and productivity. There is insufficient storage. I invite GSA and your OIG to visit our suite on 3W of 1200 New Jersey Ave., SE to see for yourselves this bona fide case of fraud, waste and abuse.
<u>R_3oBlcvg9M7VPcFG</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_3oBlcvg9M7VPcFG</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Stuffy

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3oBMjPZ8SVUHJBd</u>	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Small
<u>R_3oFu3xMD7KwFGvU</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The cleaning crew does do a good job, but the womens restroom is often disgusting. By 10 am only 2 stalls are usable, and they run out of toilet paper quickly.
<u>R_3oFu3xMD7KwFGvU</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms

TSS Survey	Agency	Bureau	Question	Comment
R_3oFu3xMD7KwFGvU	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3oHk8nvWtvHppZQ	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_3Ok0WpXF2T5SqCF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Condition of chairs and cabinets
R_3Ok0WpXF2T5SqCF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I have asked for my cabinet locks and dampers/hinges to be fixed for over a year now and they still have not been fixed. I no longer use the majority of them since they fall on me randomly when I try to use them. Nearly 50% of my cabinets do not operate properly or safely, at this point if I will not the ability to use them then they should be removed from my space. Thanks for listening.
R_3Ok0WpXF2T5SqCF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor
R_3OSon744qvqeTzH	Department of Transportation	Assistant Secretary for Transportation Policy	How satisfied are you with the appearance of the restrooms?	Odor; Ventilation
R_3OSon744qvqeTzH	Department of Transportation	Assistant Secretary for Transportation Policy	How satisfied are you with the temperature in your building?	Building is too cold
R_3OSon744qvqeTzH	Department of Transportation	Assistant Secretary for Transportation Policy	How satisfied are you with the air quality in your building?	Ventilation
R_3oTN5ubdII04wdq	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	cycling station/security

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	extreme temp settings
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	temp setting
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Extremely high temperatures outside do not warn extreme lower temperature settings inside. Space heaters and wool capes are commonly used to combat internal temperature settings during the Spring and Summer seasons.
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Inadequate signage
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Ventilation
<u>R_3oTN5ubdlIO4wdq</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3oTuj8k0jcsbRJP</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	HVAC volume

TSS Survey	Agency	Bureau	Question	Comment
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Lighting in Garage
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Temperature; light on computer screen
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Due to computer screen location, lighting is too bright for computer screen, but OK for rest of office
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Garage lighting goes out at 7 pm. If I work past 7 pm, I am often retrieving my vehicle in the dark. I understand the need for conservation, but installing motion sensors in the garage could help with the security of those working late. Also, it takes forever to get things repaired. I reported a light out in the garage for months before anyone replaced a bulb. Staff have reported problems with overhead cabinets in their workspace, which have yet to be repaired. Finally, the rest rooms are a disaster!
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Plumbing issues (e.g., restrooms, water fountains leaking)
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3OWw1tgJjei8tuV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3oZSMRMXz5jWRGO</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	impossible to get a conference room in west building when booked 1 month ahead, but there were many empty rooms on that day!
<u>R_3oZSMRMXz5jWRGO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
<u>R_3oZSMRMXz5jWRGO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_3oZSMRMXz5jWRGO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_3oZSMRMXz5jWRGO</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cubicle itself is poorly put together. panels loose and doors that slam unless held open.
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_3P5zXswy95QjTJN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3P6tHgsnE07iS8n</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_3P6tHgsnE07iS8n</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3P79Q2rG1FPebKU</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ac heating control
<u>R_3P79Q2rG1FPebKU</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
<u>R_3P7iUuyGnWMfs9W</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3P7iUuyGnWMfs9W</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3pa98U6rHybnMzG</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	no privacy; many visitors
<u>R_3pa98U6rHybnMzG</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3paN1476LISgZuZ	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3panSDXYiTtL3Oe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_3panSDXYiTtL3Oe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_3panSDXYiTtL3Oe	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3PdJljnfQZrK2cP	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Space is too hot
R_3PdJljnfQZrK2cP	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_3PdJljnfQZrK2cP	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3PdJljnfQZrK2cP	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	standard
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	standard

TSS Survey	Agency	Bureau	Question	Comment
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	standard
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	standard
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	standard
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	For a more efficient ease of use during the lunch hour, the common area "kitchen" should have at least two (2) small microwaves instead of the current one (1) big microwave. Additionally, I would suggest the elimination/removal of all vending machines in the "kitchen area", so additional tables/seats be made available for those preferring to eat their lunches outside their cubicles (work space).
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	functional yet inadequate
R_3PgHc6sIIApD6mV	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	standard
R_3PGMTZch62Vn8Eh	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Noise of cubes
R_3PGMTZch62Vn8Eh	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces

TSS Survey	Agency	Bureau	Question	Comment
R_3pgV96nHQ8Rnobj	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	While this has been discussed many times, the issue of not having stair access to the first floor is still a concern.\\The location of the paper towels in the smaller ladies restroom on the 3rd flr of the West Bldg is very impractical. Proximity in the area of the door opening is an awful design layout. People are always bumping into each other and it creates a bottleneck when the space is fully occupied. \\Overall, the DOT HQ bldg. is an aesthetically pleasing building in the Yards community and is well maintained both internally and externally.
R_3pgV96nHQ8Rnobj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor
R_3PHxJHktSgFxBHZ	Department of Transportation	Assistant Secretary for Research and Technology	Q26. Please provide any additional comments concerning your overall satisfaction.	The overhead lights are very bright. I would prefer softer lighting. Other than that this building is a beautiful place to work :)
R_3PHxJHktSgFxBHZ	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_3PixfFbC768flyC	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3PiyW70J6QU3lrm	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	building is a little hot
R_3PiyW70J6QU3lrm	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am very satisfied.
R_3PMjuVQHY60znK2	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Need white noise added. High level of noise due to no sound muting device such as white noise boxes.
R_3PMjuVQHY60znK2	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It would be helpful to have designated spaces where employees can make brief personal calls (such as 2-3 enclosed telephone closets per building. This would help in cases where there is need to call a doctor's office with sensitive information or other brief calls not appropriate to make in workspace or hallways. This applies to majority of employees as most have cubicles where calls can be heard by large number of colleagues. These spaces would not need to have a telephone as employees could use their personal cell phones. These also would not need to be 100% enclosed and could be '1st come, 1st served' with time limitation on calls. This is the one thing that could greatly increase productivity (as eliminates lost work time due to current need to walk outside). Conference rooms are not option as are generally 100% booked. Thank you for your consideration and the opportunity to take this survey and to share this idea.
R_3PMjuVQHY60znK2	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Ventilation
R_3PMjuVQHY60znK2	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_3pmqtJ1iGqCOJ4w	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Ventilation
R_3pmqtJ1iGqCOJ4w	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3PublayHypK9hVN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	The constructed walls that divide offices are paper thin apparently. Meaning it was cheaply constructed.
R_3PublayHypK9hVN	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	JBG, the building owners, interfered with our office space by removing holiday decorations this year without advance notice. Damage was done to the decorations and to the office space during the removal. In the future, JBG should avoid this kind of heavy handed, intrusive behavior into our office space. Although this type of action has not occurred in any previous year since DOT has been located at the property, it was important for JBG to take these overbearing steps this year apparently. Ironically, although the explained reason for removal was to protect the property, the slipshod, hurried and uncaring way in which things were removed resulted in more damage to the property than if the agency had received advance notice and been allowed to remove the decorations in its own.
R_3PublayHypK9hVN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3q7LfrQy8Fgx3H3	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_3q7LfrQy8Fgx3H3	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3q8V35rMockIBzC	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3qEVBmbtbNsJ3t	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	Not enough conference room space; hard to get use of the big conference center; always booked. Yet, you cannot book far enough in advance. No guest wifi to use in common space.
R_3qEVBmbtbNsJ3t	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_3qEVBmbtbNsJ3t	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_3qEVBmbtbNsJ3t	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3QJpmBw9AdTjMHL	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	terrible flushing system, get back to old school flushing
R_3QJpmBw9AdTjMHL	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	PRIVACY SCREENS

TSS Survey	Agency	Bureau	Question	Comment
R_3QJpmBw9AdTjMHL	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_3QJpmBw9AdTjMHL	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3QJpmBw9AdTjMHL	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3qktUsIVqh9vgBO	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3qktUsIVqh9vgBO	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation
R_3qmLMORnTsNacRZ	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I feel like the gym isn't very useful...a daycare would be more practical.
R_3QmmM3h24oTtxdv	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I wished there were a refrigerator with a freezer in the break rooms. Without a freezer, I am unable to maintain my frozen foods that I bring in for lunch.
R_3qNCIwS10CvJki5	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3qOM7RNNAhtPtj	Department of Transportation	General Counsel	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_3qOOU9CqahPp8VO	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Transportation Walk is not being maintained - e.g., section in front of flagpoles replaced with bare concrete, and other sections need repainting
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Carpeting stains not immediately cleaned; kitchenettes/pantries constantly running out of handsoap and paper towels, toilet malfunctions not addressed
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Water jets in toilet in E528 have not cleaned the rear of the toilet in months, and a soap dispenser has not been working for months, despite notifications to management. But daily cleanings are efficient.
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Main Lighting goes off at 7 pm, along with my office lighting - why can't the two be unlinked?
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	"Somewhat satisfied" ratings can be misleading - you should ask, "What more do we need to do to rate 'Extremely satisfied?'" For example, security inside the building is satisfactory, but perimeter (exterior) security needs to be more present and more visible, especially in the evenings. And while keeping smokers away from building entrances has been satisfactory, why can't you provide them with a covered shelter behind the building, for rainy or snowy days? And although I have raised plumbing issues with building management via various channels (toilet in E528 doesn't rinse the bowl properly), they appear unable to address the problem or to tell me what is preventing them from addressing the problem.
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_3qPWm54sjeY1d83	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_3qR11Ez4vkNCop7	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3qszTEAHBQpM5DH	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	West Building Coffee and Sandwich station was permanently removed, requiring challenged individuals to commute over to the East building cafeteria. Please reinstate this. Thanks.
R_3qszTEAHBQpM5DH	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3qTKZXbmUshgR30	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Secondhand smoke at entrances
R_3qTKZXbmUshgR30	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3qwEnzyIDNcUJDT	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	We need more parking spaces. difficult to park in the building.
R_3qwK9jGXrbwth8Q	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Very dissatisfied with the sink surfaces in most of the bathrooms. they are generally tilted forward and flat, so that water on the sink top pools on the front edge. When washing hands my ties get soaked if I don't take extra precautions. Sinks need to be resurfaced to prevent pooling. Thanks for asking.
R_3qZLRsRa9vWQHqs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Accessibiltiy

TSS Survey	Agency	Bureau	Question	Comment
R_3qZLRsRa9vWQHqs	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The bathrooms need marking on the accessible stalls. Since they are currently unmarked, perfectly able people feel they can use them. I am disabled and I often come into the bathroom and find BOTH stalls occupied by perfectly abled people. perhaps big blue handicap signs on the stall doors will help other respect our needs. other GSA buildings I've working in have those signs ont he stall doors, but this one does not.\I use a mobility scoter. The elevator doors are too fast to close. I often get caught by them closing on my scooter. Twice I have been injured by these doors!
R_3qZLRsRa9vWQHqs	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_3R3ZDIwNHip8qc6	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It would have been nice if the Administrator's and Deputy Administrator's suites were connected instead of having two separate offices.
R_3R3ZDIwNHip8qc6	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3R8cblflu3nh0Vq	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like to access my blind cords without having to stand on my desk
R_3R8virdGhYLswsX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	wish there was more natural light. I have a natural sunlamp to suplement my workspace, all lights are never let burned out, good about maint.
R_3R8virdGhYLswsX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	I listen to music because I am in a loud area. Sometimes the cleaning smells irritate me, and other work people's fragrances.
R_3R8virdGhYLswsX	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3R8virdGhYLswsX</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3R9453IK0FoeQ3b</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	appreciate that the building is LEED certified, with a green roof, etc.
<u>R_3RaO1ID04LNV0gl</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Air seems stagnant
<u>R_3RaO1ID04LNV0gl</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My office is too hot. I've tired to have the issue addressed for two year. - Nothing has happened.
<u>R_3RaO1ID04LNV0gl</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Ventilation
<u>R_3RaO1ID04LNV0gl</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_3RgdSuCesvnFSWU</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Please provide covered external bike parking. Security should allow visitors to pick up any confiscated material when they exit building - a visitor lost her small travel scissors which have been TSA acceptable on all flights...or align building security w/ TSA; as an employee I did not know to warn my visitor. The hum of the vent in my office continues for the 5th year in a row.
<u>R_3RIrb54cc5YrZwC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Furniture is Old and breaking down.
<u>R_3RIrb54cc5YrZwC</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_3RIrb54cc5YrZwC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3RIrb54cc5YrZwC	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_3rrLvslLMttaDf	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_3rrLvslLMttaDf	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_3rT00zpHwbxn39K	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	need a place for coats outside of the stall
R_3rT00zpHwbxn39K	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	design of office
R_3rT00zpHwbxn39K	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_3rT00zpHwbxn39K	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_3sAOv5yE9pBf7Fo	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Conference Room
R_3sAOv5yE9pBf7Fo	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
R_3sAOv5yE9pBf7Fo	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	LACK OF SEATING
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	BROKEN SOAP DISPENSER AND FAUCET
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	ALLERGENS
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Lack of atrium seating in West bldg. Faucet and soft dispenser does not always work. Fresh air are blown in with allergens. Noisy work area. Rules are not followed for plants, items on top of cabinets, plants, people do not turn off lights when leaving for the day, etc.
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_3scas4GpVXfKmyx	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3scCeNcY4kTvaJ3</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Windowless
<u>R_3scCeNcY4kTvaJ3</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_3scCeNcY4kTvaJ3</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_3sdHWqLWbmtmc0c</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	building is too hot in the summer
<u>R_3sdHWqLWbmtmc0c</u>	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_3se8c9tir495TfH</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Would not know if there were air quality issues
<u>R_3se8c9tir495TfH</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I would like a water fountain with more water pressure and designed to fill bottles on my floor!
<u>R_3se8c9tir495TfH</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_3svnPCL3dCDIVsQ</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I think the given choices are limited. I would prefer "Satisfied" than "Somewhat Satisfied." Thank you.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_3svnPCL3dCDIVsQ</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
<u>R_3sys5r1FlalEqdk</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Over the last 10 years, Mgmt has been responsive in addressing issues I have report in my workspace and common areas/restrooms.
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Ventilation
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_41uRrrTp7HeIV4I</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_4JD85o1TxvyNMWd</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I am very pleased with my workspace and the building over all. Can we please have the ability to adjust the thermostats, especially in the conference rooms (there can be limits put on how low and high the thermostat can go)? Some rooms get really warm with the sun beating down in them and we don't want participants falling asleep! Other than that, thank you!

TSS Survey	Agency	Bureau	Question	Comment
R_4N4NXnpB30ShLuV	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the temperature in your building?	Building is too hot
R_4N4NXnpB30ShLuV	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_555rgdhCRQkcENP	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The security personnel and the workers that maintain the cleanliness of the building are awesome. They take pride in their job and are extremely professional and friendly. they should be commended.
R_5d7jxnFjcjU6Ehz	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_5d7jxnFjcjU6Ehz	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_5mCxvlkuQZLq62Z	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
R_5mCxvlkuQZLq62Z	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_5myO3orgVjWLKeJ	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Other
R_5myO3orgVjWLKeJ	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_5toXTZK5r4vXPDX	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	My main complaint is with the elevators. I do not know why it seems that only 2 or 3 elevators run at a time, when there are 6 available. As a result, during busy times wait times are longer and elevators are crowded. The problem is exacerbated for me since I work on the 9th floor. It would be extremely helpful if they operated all available elevators at all times. I realized there may be a cost associated with this, but there is also a cost associated with having workers waiting for elevators.
R_5toXTZK5r4vXPDX	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_5z4nhWrdrbJQAQp	Department of Transportation	Office of Civil Rights	Q26. Please provide any additional comments concerning your overall satisfaction.	It seems when the restrooms were designed the developer or architect did not take into account the number of urinals and toilet stalls needed per the number of employees that would occupy the building. Also, the entrance to the restroom is the size of a door entrance with doors on each side that has resulted in near collision among employees. During the last fire drill, there was a backup in the stairwell of more than 5 minutes which I believe would be catastrophic in a real life scenario. There are corridors that are too narrow and you can not see who is coming around the corner which has also lead to near or actual collision of employees moving from point A to point B. \\\ suggest that mirrors be placed in locations subject to collisions due to obscured and lack of sight of incoming foot traffic.
R_6PR7pIhLYoI18sN	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I'm wondering why there are no hand sanitizers on the 9th floor West building and the ones at the West building entrance are always empty.
R_6QlxqYVmWnvDqHD	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	None
R_6rJYZ98mjbN4IMd	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are not enough snack services. It makes no sense to have both the cafeteria and the snack shop close at 3:30pm when many people work until 6pm.
R_6WOsl6h8yY9SYPD	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	lack of place to put coats/bags

TSS Survey	Agency	Bureau	Question	Comment
R_6WOsl6h8yY9SYDP	Department of Transportation	General Counsel	How satisfied are you with the amount of light in your workspace?	lack of access to window
R_6WOsl6h8yY9SYDP	Department of Transportation	General Counsel	Q26. Please provide any additional comments concerning your overall satisfaction.	This should be a Federally owned building instead of being leased
R_6WOsl6h8yY9SYDP	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_6WOsl6h8yY9SYDP	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_79w5SMjS7MX00Rb	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It would be better to have sliding doors on the partitions.
R_79w5SMjS7MX00Rb	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_7UNN5MULIUq1cAh	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Smaller than other cubes and I don't have keys for all of my cabinets. Keyboard tray is worn.
R_7UNN5MULIUq1cAh	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise in adjacent kitchen
R_7UNN5MULIUq1cAh	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_7UNN5MULIUq1cAh	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_808Dg5R0Sq2OItD	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_87gp3zrkJYOvYmB	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_89dWCrrF6j8Sbfj	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_8deRyd3haUkfnG1	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Need more meeting space
R_8deRyd3haUkfnG1	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_8hJkT9CLi64u9sl	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_8hJkT9CLi64u9sl	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_8nUJKrezVI0Ufrb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_8nUJKrezVI0Ufrb	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_8nUJKrezVI0Ufrb</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_9M6ex8zXmh1xtVD</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_9mFbfmukQkiHAYZ</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	I wish my coworker would stop coughing and stay home.
<u>R_9mFbfmukQkiHAYZ</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
<u>R_9mFbfmukQkiHAYZ</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_9NsvuBVdJUwYFfH</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	should have cubicles with guest chair and space for guest chair for all employees that use cubicles not just some of them.
<u>R_9TAGZWVPOxkrnr</u>	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Women's restroom doors not even. Workstations not regularly vacuumed. Many ceiling tiles look damaged. Non-carpeted floors are slippery. Not much help from building management when air vents blow directly on employees which results in increased sneezing and allergies.
<u>R_9TAGZWVPOxkrnr</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_9TAGZWVPOxkrnr</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_9TzkleyJTUlp3mF</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	This is a great place to work and represents the true spirit of the greatness of our nation. When I came here, from Detroit 10 yrs. ago, I could not imagine the honor it is serve the people of the United States of America.
<u>R_9XEhNeztzywpgZj</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_9XEhNeztzywpgZj</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_9XEhNeztzywpgZj</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_9XEhNeztzywpgZj</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor
<u>R_9XEhNeztzywpgZj</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
<u>R_9XGcHRxw0OIhZXr</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Routine/random personnel checks should be conducted while entering the building on everyone. This only happens with individuals who do not have a DOT PIV. In today's state of terrorism/incidents/security, I am surprised that this is not happening.
<u>R_9XGcHRxw0OIhZXr</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	overhead bins do not stay open (Hydraulic)

TSS Survey	Agency	Bureau	Question	Comment
R_9XmBoG8FWhb1xCh	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Kitchen areas (microwave, refrigerator and dishwasher) contain inadequate appliances/cleaning supplies to maintain their usefulness. We are unable to supplement with personal appliances, but maintenance of existing appliances are not done on a regular basis, if at all.
R_9XmBoG8FWhb1xCh	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_9XmBoG8FWhb1xCh	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_9XmBoG8FWhb1xCh	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	1st sink on right constantly backs up and leaves dark, gritty residue; commodes not kept clean; filth left on floor even after being mopped; location across from conference room and mirror placement in restroom can compromise privacy when the handicap switch is activated and door is held open; inferior paper towels tear apart while retrieving from dispenser so you end up using 2 instead of 1.
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Hydraulics on cabinet doors malfunction and present safety hazard; cubicle environment is noisy, distracting, and does not offer professional appeal; offices lack sufficient sound barriers.
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Lights underneath cabinets can make temperature in cubicle uncomfortable and hinders reading from computer monitor.
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from down the hall also.
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_a4CphDeMTEyB12p	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_A6DkCBVp3zJc0Jr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The workstations are not adequate. It is far too noisy and you are not able to adjust lighting or temperature to your preference. These work stations harm productivity.
R_A6DkCBVp3zJc0Jr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in building's common areas; Lights are too bright in personal workspace
R_A6DkCBVp3zJc0Jr	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_A6fDgb9mpmgto5z	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_a8GaLSgNZhvSn4t	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	4th floor bathroom is pretty dirty at all times. This restroom needs regular attention.
R_a8GaLSgNZhvSn4t	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	No natural light.
R_a8GaLSgNZhvSn4t	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The young lady that cleans the bathroom on the 4th floor is doing a much better job. Unfortunately the 4th floor is heavily trafficked compared to other floors. Because of this heavy traffic it is really important that someone check the restrooms multiple times per day. Seriously. Two checks won't keep it clean. While I understand that many of my coworkers may not have the best cleaning habits or bathroom behavior, the assistance of the building cleaning staff is appreciated.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_a8GaLSgNZhvSn4t</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
<u>R_a8GaLSgNZhvSn4t</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Ventilation
<u>R_a8GaLSgNZhvSn4t</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_a9Gz7zv9kMfeSuR</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	With respect to security, we are able to come and go with backpacks and briefcases that are not inspected by security. Disgruntled employees or those with mental issues could pose a threat to others. I'm wondering why this isn't a security consideration.
<u>R_a9Gz7zv9kMfeSuR</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_a9UdCoCpl1BcivT</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	placement of hand dryers are a workmen's comp claim waiting to happen.
<u>R_a9UdCoCpl1BcivT</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	need to be able to open the windows and let fresh air in.
<u>R_a9UdCoCpl1BcivT</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_a9UdCoCpl1BcivT</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_a9UdCoCp11BcivT	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_AA43uILtzmPUDIt	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like to select a stand up station vs regular.
R_AAKuqEChOFCV3fH	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I like my workspace except for the temperature sometimes. Also, some employees are not mindful of how much their voices carry. I have asthma and would like limits put into place regarding spraying air freshener.
R_AAKuqEChOFCV3fH	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_AaLB6p2R6nPMCsd	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Interfers with respiratory
R_AaLB6p2R6nPMCsd	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Some of the bathroom doors do not properly shut in the Ladies room on the 6th floor WEST near the middle of the two buildings.
R_AaLB6p2R6nPMCsd	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_AaLB6p2R6nPMCsd	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Other
R_AhCwChxZXYXFq37	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_AhCwChxZXYXFq37	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_AHEyUPkxPgyDeRr	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	uncomfortable chair and desk
R_AHEyUPkxPgyDeRr	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_AHEyUPkxPgyDeRr	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_AHEyUPkxPgyDeRr	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_AicQr0dhCBJNhux	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_AjGliJ1zTaL7ZYt	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	n/a
R_AKXpDoxzApzJKPn	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Lack of natural light
R_AKXpDoxzApzJKPn	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_AKXpDoxzApzJKPn	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Noisy environment; limited space
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	none
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	No fresh air
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Our agency is said to be considering (for some unfathomable reason) lowering/halving the partitions that provide the limited privacy that we do have in our cubicles. The noise and lack of privacy are already counterproductive and bad for morale and to shorten the partitions would not reduce the space footprint, boost productivity or be justified for other practical reason.
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_AmOZ4lrQ5bYe5Bn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_ANzuSuS1EdP7i0N	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Would like to have the small coffee shop in the West building re-opened.
R_AoKcYutDBNtzzYn	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_aWNHvTsdow2KNqh	Department of Transportation	General Counsel	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_aWNHvTsdow2KNqh	Department of Transportation	General Counsel	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_b2VBzaDaQshjKQ9	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	In the warmer months, needs to be cooler and in the winter, the temperature is set to too warm. Save some money and bring it down a few degrees.
R_b2VBzaDaQshjKQ9	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_b2VBzaDaQshjKQ9	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_b2VBzaDaQshjKQ9	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_b7ON8eJ7h7zNpi9	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Size, Noise level
R_b7ON8eJ7h7zNpi9	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Temperature
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Air freshener use

TSS Survey	Agency	Bureau	Question	Comment
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	I have had problems with people spraying air fresheners and using fragrant lotions which has caused me to have asthma attacks and severe breathing difficulties. It has take almost 2 years to get this resolved. At first I was told there was no building policy concerning the matter and nothing could be done. I suffered for about a year and a half until I couldn't take it anymore. I told management that they needed to do something about it or move me. Management refused to move me. They wanted to try to talk to the people spraying fragrances. Over several months of reiterating to people that their actions were effecting the health of others, people stopped spraying. A clear policy needs to be established and communicated to building residents.\\My other concern relates to temperature. The building is just too cold. I was cited as having a personal heater and asked to remove the devise. However, I get so cold that my fingers become numb and I cannot type. It doesn't matter how many layers I wear. My core could be warm, but my fingers freeze. During the summer months, I go outside to "thaw out." It is horrible!! It is almost impossible to function without the space heater.\\There appears to be a problem with the use of personal heaters in the building. I know that I am not the only person with this concern. If there is a multitude of reports of personal heater usage, that should signal the building's management that there is a problem with the temperature and the building should be warmer. In general, I am okay to function at 74 degrees and above. It is a problem for me when the temperature is in the 68-72 range, which is often.
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
R_bBYAM00YK3ay0Uh	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold

TSS Survey	Agency	Bureau	Question	Comment
<u>R_bBYAM00YK3ay0Uh</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_bBYAM00YK3ay0Uh</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Other
<u>R_bBYAM00YK3ay0Uh</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_BDt6mZRIBBcYleZ</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The parking garage is poorly managed and costs too much for daily parking. The people who work in the garage aren't trained well and are hard to find. There aren't enough spaces for everyone to park in the garage. As a result, when a situation comes up where I need to drive to work, I have to park in a private paid lot in the area.
<u>R_BDt6mZRIBBcYleZ</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_BDt6mZRIBBcYleZ</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_BG1kqv8s5sHvOkV</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Not enough common area
<u>R_BG1kqv8s5sHvOkV</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Equipment issues - cabinets broken with no response from management

TSS Survey	Agency	Bureau	Question	Comment
R_BG1kqv8s5sHvOkV	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Elevators too hot constantly. Elevators are jerky when stopping. Building set too hot.\\Agency should explore remote work more aggressively as it appears the building itself is a massive cost to the government and we seem to have less and less people in our DC HQ building as time passes. Dozens of empty cubicles and offices, but no common areas is very frustrating for those who want to meet to discuss projects. Move away from permanent office buildings and expand remote work capabilities.\\Location of the building is convenient to very few employees. If the building was back at L'Enfant Plaza or elsewhere in a more central location, this would be beneficial.
R_BG1kqv8s5sHvOkV	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_BG1kqv8s5sHvOkV	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_BG1kqv8s5sHvOkV	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_bjgzryd4n0mfEkN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_bjgzryd4n0mfEkN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_BJOCzMnyU5c9wRz	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Ventilation
R_BJOCzMnyU5c9wRz	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_BJOCzMnyU5c9wRz	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces

TSS Survey	Agency	Bureau	Question	Comment
R_BK8YFqwd8nY6M5H	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Great building. Thanks.
R_bl72MjbrHbGdnR7	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_BLDhhRG35ont7Nf	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Better soundproofing needed.
R_BLDhhRG35ont7Nf	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Pantry sink faucet is usually problematic, with handles stripped or faucet leaking. Multiple calls have been made, and presumably met with attempts to repair, but without long term success. Bathroom faucet placement is terrible, causing entire counter tops to become saturated with water.
R_BLDhhRG35ont7Nf	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_BLDhhRG35ont7Nf	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_BLDhhRG35ont7Nf	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_bmFW5jZst3l7wid	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	The parking situation is what really need work in this building.
R_bmFW5jZst3l7wid	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_bmFW5jZst3l7wid	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Ventilation
R_bO3hbGD0vrP3N4t	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_bO3hbGD0vrP3N4t	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_BP8caCqz3KIU7O9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_BPqZ3tDFhuMRr6p	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_brwV8XfKYHQZSdf	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Don't remove/lower workstation partitions. It's hard enough to get anything done already.
R_bsGZdbWPmCJtLLb	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_bxF21mS1PwbWk9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	standing desk issues
R_bxF21mS1PwbWk9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	lack of airflow
R_bxF21mS1PwbWk9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_bxvF21mS1PwbWk9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_bxvF21mS1PwbWk9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_BYtoE5JH2cmj2x3	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Ventilation
R_BYtoE5JH2cmj2x3	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_BYtoE5JH2cmj2x3	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_BYtoE5JH2cmj2x3	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_C1rPRn8VRjxQyB3	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
R_C1rPRn8VRjxQyB3	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_C1rPRn8VRjxQyB3	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_C4elq4gLbD9D3r3	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Structure of the restroom in the smaller area restroom, the entrance can hurt someone trying to clean there hands at the paper towel dispenser.

TSS Survey	Agency	Bureau	Question	Comment
R_cHJ1Bsh8XMTy3lf	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_cHJ1Bsh8XMTy3lf	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Privacy
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	privacy, noise
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	people walking past
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	1) Need more bathroom stalls. As well, need to close the large gap between the stall walls and the highly reflective tiled back wall because it reflects an image of the person in the neighboring stall. Even though I always avoid looking at the reflective wall, I will leave if I cannot get a stall with empty neighboring stalls and it is extremely uncomfortable when someone enters a neighboring stall and you wonder if they are looking at you on the toilet. I feel like I need to walk to another bathroom or return to my desk until later more than half of the time due to over crowding. 2) The noise from neighboring cubicals is unbearable and impacts my productivity. 3) I see the same hairballs on the stairwell floors for what typically seems like weeks or at least days. 4) The doors at the street level of the M & 4th stairwell are broken in that they only close if you stop to physically push them shut. (this is the only security concern I have) 5) I wish for lobby level stairwell access...so sick of waiting for elevators to access lower floors or only being able to exit to the street.
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_clpxSIWO1xbPveV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_clpxSIWO1xbPveV</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Area too warm in the summer
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Very nice facility, especially compared to most govt. facilities. Biggest issue is summer - the building either cools too slowly or too late from what I am guessing are overnight energy efficiencies. Love being efficient, but dislike sweating in even light/casual attire.
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Construction in building's common areas
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_cMhwK7N6kzrtG5b</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_cUdPkI8I5znQvO9</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Copy machine use with noise
<u>R_cUdPkI8I5znQvO9</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The bathroom supply issue is a problem. The noise level is always an issue.

TSS Survey	Agency	Bureau	Question	Comment
R_cUdPkI8I5znQvO9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Odor
R_cUdPkI8I5znQvO9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_cUdPkI8I5znQvO9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_cUdPkI8I5znQvO9	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_cumJqO8izZHgOhr	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Little natural light.
R_cumJqO8izZHgOhr	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_cZIsjmaCHRox0E9	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_D0syncyWbzh3hvP	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I would be extremely dissatisfied with my work space if the partitions are cut in half or taken away.
R_D0syncyWbzh3hvP	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_D0syncyWbzh3hvP	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_D7cH0DAJYIKMoab</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	lack of natural light in my personal workspace
<u>R_D7cH0DAJYIKMoab</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Layout of East and West buildings creates confusion: lack of specific landmarks and monotonous layout makes it difficult to know where one is. Building architecture inside reminds me of a prison. Not allowing the stairways to access first floor is a distinct flaw- cannot use stairs to get to first floor, requiring elevator use. Not enough restroom space for employees.
<u>R_D8A4fNUGHVVBXyx</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	No way to know air quality in the building!
<u>R_D8A4fNUGHVVBXyx</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Very pleases with building and location. Rest room users who are dirty and inconsiderate cannot be managed, unfortunately.
<u>R_D8FURveaCO7aNOh</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_daFrkGk52wcVnsR</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Pee on toilet seats
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Other

TSS Survey	Agency	Bureau	Question	Comment
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Other
<u>R_DC5JfXVTL0ZhYk1</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Other
<u>R_dd4Ry5Kngmzp0jf</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Furniture --cubicles not good for quiet work environment
<u>R_dd4Ry5Kngmzp0jf</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas
<u>R_dd4Ry5Kngmzp0jf</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_dd4Ry5Kngmzp0jf</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_De0Ytb85n1vmNhf	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	They really need to clean the carpet in the hall way.
R_De0Ytb85n1vmNhf	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_De0Ytb85n1vmNhf	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_De0Ytb85n1vmNhf	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_De0Ytb85n1vmNhf	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_DiNk5j7o7Qe4ctr	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_diOrRZwJtAnCgeJ	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from events in the atrium
R_diOrRZwJtAnCgeJ	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_DjG4JMVKEsWdCJr	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor
R_DjG4JMVKEsWdCJr	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_dmqsXXDqLqDJxiJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	staff members were having respiratory problems
R_dmqsXXDqLqDJxiJ	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The care taken in regard to bathrooms has decreased over the past few years.
R_dmqsXXDqLqDJxiJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_dmqsXXDqLqDJxiJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_dmqsXXDqLqDJxiJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_DNXXYb6meWL5Ajb	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Stop wasting tax dollars on unsustainable landscaping. \Replace drinking fountains with ones that allow for filling water bottles.
R_DNXXYb6meWL5Ajb	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
R_DNXXYb6meWL5Ajb	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_DNXXYb6meWL5Ajb	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_DqMpU6xb6Im0QHT	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Lighting in garage -very dark in the evening
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Some sinks regularly don't work
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Noise
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Our conference room is very cold
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Parking garage is very dark in evening; Lights go out too soon - some of us are still there working at 7pm
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Sounds from neighboring office comes in easily through air vetn; hard ot have a private conversation in my office
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There are not enough meeting rooms
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Other

TSS Survey	Agency	Bureau	Question	Comment
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_DvZXoQLsO4BTjih	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_e3UohptyNhZAU6J	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Can't see the sun
R_e4FrrpwxtgxvfWN	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Employees were surprised when they had to box up their cabinets to allow the carpet people to jack up the spaces to install carpets underneath. They were very surprised to learn this will happen every eight years. Employees have to leave signs to vacuum the spaces. When the agency switched to PIV cards, the company that employed the cleaning people made their employees pay for the cards. A former employee gave money to one of the cleaners so she could keep her job. This happened when the PIVs were first issued.\\Upon entering the first gate to park in the garage, a security officer was sleeping in the booth. The guard at the garage entrance was notified and he was distressed at learning about it.\\The cafeteria food remains a lot to desire. It seems the prices per pound increase with less customers. I often don't know what the food is unless a sign is posted. When outside restaurants would bring food, it was a nice variation. The cafeteria staff have to clean tables in the sitting areas The cleaning staff would probably do a better job.\\There should be a Special Events Telework option. When the Nats Stadium has 1:05 or 4:05 games, it is very disruptive for all the federal employees concerning Traffic, Parking, and commuting.\\The parking garage floors are not being cleaned. There are one day parking passes littering some spaces. Small cars are parking in van spaces.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_e4FrrpwxTgxvfWN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_e4FrrpwxTgxvfWN</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_e55GakTv7uUBol3</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	employees conversing in hallway
<u>R_e55GakTv7uUBol3</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My observation is that contractors are placed in multi-person workstations. I believe this is a safety hazard.
<u>R_e55GakTv7uUBol3</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_e55GakTv7uUBol3</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_e55GakTv7uUBol3</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_ebsSXUx1kMAoCQx</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	I have a way to adjust my personal lighting
<u>R_ebsSXUx1kMAoCQx</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Certain sections of othre personal workspaces are extremely rowdy and inconsiderate of others around who are on conference calls.

TSS Survey	Agency	Bureau	Question	Comment
R_ebsSXUx1kMAoCQx	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	With the cubicle style settings, it would be beneficial to have an area where individuals can go and make/conduct personal phone calls. I hate having to run downstairs and make appointments or discuss personal matters outside (many times it's raining, too noisy because of the traffic or it could be snowing). Since not everyone is allowed to have their own and cellphone reception within the building is not always feasible, it would be great to be able to go into a space to make a quick personal phone call.
R_ebsSXUx1kMAoCQx	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_ebsSXUx1kMAoCQx	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor
R_ebsSXUx1kMAoCQx	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_eKCPvlc0GYjHWeJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Atrium Meetimgs
R_eKCPvlc0GYjHWeJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_ekRg7hnqODOHpLz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_ekRg7hnqODOHpLz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_eM0Fgix0h73hUId	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_eM0Fgix0h73hUId	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_eRowQFpRZ4gISaJ	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Building does not adequately provide employee work space. Electrical problems have caused inconvenience for weeks now, with no explanation or apology.
R_eRowQFpRZ4gISaJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_eUSamUEDoyKneQp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_eUSamUEDoyKneQp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Lighting in common hallways; Lighting in common stairwells
R_eUSamUEDoyKneQp	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_exKVTypr8pTsfD	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	One side is opened to the atrium and being on the top floor, heat is awful
R_exKVTypr8pTsfD	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	From the atrium where events are held constantly
R_exKVTypr8pTsfD	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The kitchen is not adequate for over 2 dozen people usage. Microwave breaks constantly.

TSS Survey	Agency	Bureau	Question	Comment
R_exKVTvpr8pTsfD	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_exKVTvpr8pTsfD	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
R_ezzmOLRJpFkRbzj	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of carpets
R_ezzmOLRJpFkRbzj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_ezzmOLRJpFkRbzj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_NWPmWYydZ8PQJCp	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_O7ggTrvHUuaEynn	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall, I am satisfied with our facilities, and I feel lucky to work in one of the newer federal buildings. I do wish that more oxygen/better air was pumped into our work space. I regularly have to go outside because I need better air to keep going. I also wish there was a way to keep the temperature more consistent. Even if it is cold, I'd rather know what to expect and plan accordingly.
R_O7ggTrvHUuaEynn	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_O7ggTrvHUuaEynn	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_O8LRgmILHBxn65b	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_O8LRgmlLHBxn65b	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_OBykk7M9tnLiGuB	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Overall cleanliness of kitchen and bathrooms is good but we have had to make multiple calls to fix hot water at faucet in the kitchen. It seems never to be working for long. Bathrooms are good but sinks and soap dispensers sometimes don't work.
R_OHZf7OPJ1TRtdo5	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I have placed requests for broken overhead cabinets at least 7 months ago and they have never been repaired. I can't use the cabinets due to the cabinet hits me in the head every time it is opened and the quickly closes. Also, I've requested the computer tray under my desk to be removed about 4 months ago and that hasn't been done either. In addition, my floor is extremely cold regardless of the temperature outside.
R_OHZf7OPJ1TRtdo5	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_OHZf7OPJ1TRtdo5	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_OJUrBXz0b607ysV	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In my work area there are three workstations. Too much interruptions and hard to concentrate when the other perosn(s) on the phone; etc. Therefore, it is hard to block time to work on sensetive projects, since I do not have an office. I find being a lot more productive when teleworking.
R_OJUrBXz0b607ysV	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_Opg31lxQOTwwy0F	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_Opg31lxQOTwwy0F	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_Opg31lxQOTwwy0F	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_Opg31lxQOTwwy0F	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The surrounding noises can keep me distracted the work space areas needs a white noise machine in the building. Employees over spraying cologne and or placing febreeze air effects in their work spaces and the ventilation system not dissipating it quickly. My cubicle is next to the pantry and when food is burnt the smile makes it way to work station error.
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping; Secondhand smoke at entrances
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of your building's common areas?	Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_Ox6pRDwfh9HbikV	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_OxMcITj4rWTSVWx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from people talking in the hallways
R_OxMcITj4rWTSVWx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The level of noise is extreme, most of the times makes it very hard to concentrate when working. People can be heard few cubes away, not just next door.
R_OxMcITj4rWTSVWx	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_oYJQhy0VgFRbVcJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Insulation of office
R_oYJQhy0VgFRbVcJ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Walls do not reach ceiling. Place feels cheap
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Building feels cheap.
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior

TSS Survey	Agency	Bureau	Question	Comment
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas; Inadequate signage; Plumbing issues (e.g., restrooms, water fountains leaking)
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_oYW6Zjc8ezwTY41	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_pAboUYW4EWe8fvP	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	My concern with this building is that the front lobby is large and too open. Visitors should have to do a pre-screen and go through metal detectors before entering the lobby. Also the stairwells during non-emergencies should not have the gates locked during business hours. If security have an incident and cannot unlock those gates at bottom of stairwells, people will not be able to escape the building.
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Design of common areas. Break room is frequently out of paper towels. Most hand sanitizer dispensers have been empty for years.
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Half the automatic faucets don't work
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Lack of privacy, noise
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	noise from common areas

TSS Survey	Agency	Bureau	Question	Comment
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I miss having an office where I can close the door to block out noise while focusing on a project or making a telephone call. The partitions in my workstation provide visual privacy and, therefore, guard against distraction, and they help somewhat with noise. I am fortunate to have a workstation at a window, which makes a huge difference in my satisfaction with my office environment. I once worked in an open office environment in a newish building and hated it - it was like something out of Kafka. The more visual and aural privacy, the better.
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes
R_pAgast024UyahWN	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_pgvbAl6T0FKJIAh	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	type of Furniture Available
R_pgvbAl6T0FKJIAh	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_pgZol7tvdTQTXgt	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_PRNWIKIPfs0cKWJ	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_PRNWIKIPfs0cKWJ	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_PRNWIKIPfs0cKWJ	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_PRrkES7FyxjJUI	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The design/placement of the faucets/basins is very poor resulting in puddles of water around.
R_PRrkES7FyxjJUI	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Building is too cold
R_PRrkES7FyxjJUI	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_PRrkES7FyxjJUI	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Inadequate lighting bad design
R_PRrkES7FyxjJUI	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	During the demolition of the building next door there was serious pollution that no one addressed - asbestos from the building was in the air,
R_psDfTYegUEnyoHD	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Upon entering the West Atrium via the ramp, notice there is a consistent issue with trash accumulation from the Starbucks retail establishment.
R_psDfTYegUEnyoHD	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
R_psDfTYegUEnyoHD	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_pSn1sj8QzUyBxJL	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_PXTLmcmLFf6wGPf	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_PZ2rj6CjDUcRvmF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Condition of paint
R_PZ2rj6CjDUcRvmF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_PZ2rj6CjDUcRvmF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_PZ2rj6CjDUcRvmF	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
R_PzAb4p74Zped1ld	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes
R_PzAb4p74Zped1ld	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_PzAb4p74Zped1ld	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_PzAb4p74Zped1ld	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_PzAb4p74Zped1ld	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_Q3Ai6LFuGnyUR21</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	lights, ceiling, size
<u>R_Q3Ai6LFuGnyUR21</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There could be more non-smoking outside common areas and more comfortable inside common area seating.
<u>R_Q3Ai6LFuGnyUR21</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_Q3Ai6LFuGnyUR21</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The quality of hand soap is horrible, and causes skin issues.
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_Qcb2JnyH33iEvgR</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_qCTWDXALmkozxVn</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	small and no privacy
<u>R_qCTWDXALmkozxVn</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from common area
<u>R_qCTWDXALmkozxVn</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_qCTWDXALmkozxVn</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_qCTWDXALmkozxVn</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_QcuAZC7RcS9FDzP</u>	Department of Transportation	Office of Civil Rights	Q26. Please provide any additional comments concerning your overall satisfaction.	I wish the building had a day care inside.
<u>R_QcuAZC7RcS9FDzP</u>	Department of Transportation	Office of Civil Rights	How satisfied are you with the air quality in your building?	Odor

TSS Survey	Agency	Bureau	Question	Comment
R_QcuAZC7RcS9FDzP	Department of Transportation	Office of Civil Rights	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_qEJT3SwgZVPNf9v	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There seems to be a movement to reduce our work area and remove our cubicles. This would kill productivity. As it is now, there are no private conversations in the office as every one can hear everything. This creates an environment where no one speaks and this ends collaborative projects. No cubicles makes that worse.
R_qEJT3SwgZVPNf9v	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_qEJT3SwgZVPNf9v	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_qEocmNDVAvHUuyd	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_QgFe22Rwk7iRNkt	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I think the temperature could be decreased a little for greater comfort, productivity and to conserve energy.
R_QgZEasn37Oygzh7	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Furniture provided.
R_QgZEasn37Oygzh7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	The building is freezing cold! This has been a consistent comments from co-workers for years!!
R_QgZEasn37Oygzh7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_QgZEasn37Oygzh7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_QgZEasn37Oygzh7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_qJlGyYk6md7hU2J	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_Qn4vo5m87GzM38B	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_qOWoofeEfJZkkl9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Office walls are too thin/non-sound proof
R_qOWoofeEfJZkkl9	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_qWrJ8QkmJr0C0Yp	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor
R_qWrJ8QkmJr0C0Yp	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_qyieJJNYmnQKWVH	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Survey didn't ask about parking. The parking system in the building is awful. You have to buy advanced tickets but if you get sick you cant get a refund. And they have very limited hours to buy the tickets so sometimes you don't make it during office hours because of meeting etc to get tickets in advance. They need a better system
R_qyieJJNYmnQKWVH	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
<u>R_qyieJJNYmnQKWVH</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_qyXASIMph92pXe9</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Privacy
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Ventilation
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_r2utMbNRZto6RoZ</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_r7MoMwuGcxU9YSR</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor
<u>R_r7MoMwuGcxU9YSR</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_R7WK3dJfHny0sGR	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Cold, Very Noisy, Dark, Orange, uncomfortable seating, broken cupboards
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	No verhead "ceiling" light - most cubes have them
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from Atrium during events
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	We were told when we moved into this building that we would get "sliding" doors (translucent sliders) for our cubes (a la NASA). Then they changed their minds, even though that would cut down on noise (think they didn't want to spend the \$\$) and afford a modicum of privacy when having to focus on specific work such as an extended telephone conversation or small meeting. We were told that the "doors" would disrupt the airflow - even though there is at least 4 feet between ceiling and cube tops (and the air vent above my desk is connected to absolutely nothing anyway). This section of the building was built with "California" ceilings - even though we're not in California - that is where all the heat goes - so airflow is crappy anyway. And between cube-to-cube noise, atrium noise and traffic flow patterns, it is not a work positive environment. Doesn't help that no one seems to want to deal with the local "cube singer" who disrupts everyone.
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_REUL5SHSDLUGjZL	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor

TSS Survey	Agency	Bureau	Question	Comment
<u>R_REUL5SHSDLUGjZL</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_RFHaZEbQXaTr1tL</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	pantry sinks have mold/mildew; lack of paper towels, soap and hand sanitizer in pantries; restrooms disgusting; fitness center showers have mold/mildew; fitness center locker room needs exhaust; entire fitness center is too hot
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	need more frequent cleanings because unfortunately the patrons leave it a mess
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	improper temp - too hot in summer and too cold in winter; too noisy even though I am in an office - thin walls
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	too hot in summer and too cold in winter; fitness center needs to be cooler and the locker rooms need some exhaust to rid them of steam
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	noise from adjacent offices and outside; air temp; fitness center temp and showers; floors don't get vacuumed properly; bathrooms and pantries are unclean and unsanitary - pantries lack supplies, we have had repeated floods with the sink. not enough meeting rooms - this is a huge problem. why did you remove the freezers from the pantries?
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_rkirAzLO38vizvz</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_rkirAzLO38vizvz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_rkirAzLO38vizvz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_rkirAzLO38vizvz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_rkirAzLO38vizvz	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_Rlu5Gx0Hj5Hmj9T	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	more natural light
R_Rlu5Gx0Hj5Hmj9T	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_RmgeFk9mcRs8vwR	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_Rr9AKIOyLKFVsl3	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Other
R_Rr9AKIOyLKFVsl3	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Other
R_Rr9AKIOyLKFVsl3	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
<u>R_ReC6f764Qtn7Q5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_ReC6f764Qtn7Q5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_ReC6f764Qtn7Q5</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
<u>R_RUA773WjhC4mMkF</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_RUA773WjhC4mMkF</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
<u>R_RUA773WjhC4mMkF</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_RUA773WjhC4mMkF</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_RUKtuY4lwefgUJb</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_RUKtuY4lwefgUJb</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation
<u>R_RUKtuY4lwefgUJb</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_RVu5BfY0ojv1WZr	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Secondhand smoke at entrances
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Construction in building's common areas; Inadequate signage; Lighting in common hallways; Lighting in common stairwells; Pest control management; Plumbing issues (e.g., restrooms, water fountains leaking)
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor
R_RwyNkWCp9vbgnbX	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_SDCbPrezgPjqPgB	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Lights Flicker, don't work

TSS Survey	Agency	Bureau	Question	Comment
R_SDCbPrezgPjqPgB	Department of Transportation	Maritime Administration	How satisfied are you with the amount of light in your workspace?	Lights in personal space flicker
R_SDCbPrezgPjqPgB	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_sHV9kUya4PIS7iF	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Pipe/Fluid Noise
R_sHV9kUya4PIS7iF	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Need water fountain fixtures that can dispense water into bottles and other containers. At present, water is often spilled onto the floor as a result of personnel filling bottles from the water fountain drinking faucet, which is not designed for bottles.
R_sHV9kUya4PIS7iF	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_sHV9kUya4PIS7iF	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Odor
R_sHV9kUya4PIS7iF	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent personal workspace
R_sNnpymama4LX5D	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_sqhRR8R52naqxsl	Department of Transportation	Office of Public Affairs	How satisfied are you with your personal workspace?	Noisy
R_sqhRR8R52naqxsl	Department of Transportation	Office of Public Affairs	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_sSzfygLFxWO80ZH	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Odor; Ventilation
R_sSzfygLFxWO80ZH	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_sSzfygLFxWO80ZH	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_ST8P6ibuEO97ss1	Department of Transportation	Federal Transit Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
R_ST8P6ibuEO97ss1	Department of Transportation	Federal Transit Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_ST8P6ibuEO97ss1	Department of Transportation	Federal Transit Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_ST8P6ibuEO97ss1	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_T5EfchiXYJhVN9T	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	poor sidewalk mainenance, trash
R_T5EfchiXYJhVN9T	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Lighting in common hallways; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes; Odor; Ventilation
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
<u>R_T5EfchiXYJhVN9T</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_T6hYRx0UXetjXBT</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_T6hYRx0UXetjXBT</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_T6kXXdol3dVubwB</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am a relatively new Federal employee (hired in early Sept) and I have no issues, concerns or problems with the staff maintaining, protecting the building and environments

TSS Survey	Agency	Bureau	Question	Comment
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Other
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Other
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor
R_T7TnwBT0JgEgy3v	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_Tdqi7IU0MLW20nf	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Would prefer privacy doors in the cubicles..
R_tEvAAAt3dHEeygd	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I wish my agency hadn't removed most of the contractors' working spaces and forced them to work elsewhere. This results in more telephone calls, which aren't as effective as in-person communications.
R_tLf17lwzTiQRgTD	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Prefer natural lighting, but I have an interior cubicle.

TSS Survey	Agency	Bureau	Question	Comment
R_tLf17lwzTiQRgTD	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_TmWbCEKQpGbjoo9	Department of Transportation	Assistant Secretary for Aviation and International Affairs	Q26. Please provide any additional comments concerning your overall satisfaction.	soap and paper towels are often missing from kitchen areas, yet never missing from toilet areas.
R_TmWbCEKQpGbjoo9	Department of Transportation	Assistant Secretary for Aviation and International Affairs	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_TmWbCEKQpGbjoo9	Department of Transportation	Assistant Secretary for Aviation and International Affairs	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with your personal workspace?	bad lighting and no noise reduction materials in an open space design, very loud and distracting.
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	dim lighting in some areas and fluorescent in workspace is horrible on the eyes.
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	cube spaces do not have good sound proofing, very distracting.
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I believe the lighting could be improved, there have to be better options than fluorescents. I go home daily with tired eyes. The common spaces (break rooms) are so under lit that they depress me, I rarely enter them unless I have to and it would never occur to me to eat in them they are so dark.
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent

TSS Survey	Agency	Bureau	Question	Comment
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_Tpl6BYC0pQacY9P	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_tRqsj1dltGI0vJv	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	ventilating air circulation
R_tRqsj1dltGI0vJv	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_tRqsj1dltGI0vJv	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Condition of paint
R_tRqsj1dltGI0vJv	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent
R_tRqsj1dltGI0vJv	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_Tt0wfdnLKhTGmJj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	It's a cubicle without a window in view
R_Tt0wfdnLKhTGmJj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Not clear why I would need to state factors for a neutral response
R_Tt0wfdnLKhTGmJj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Light is mostly florescent

TSS Survey	Agency	Bureau	Question	Comment
<u>R_Tt0wfdnLKhTGmJj</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	While cubicles are far from ideal, at least we have partitions. An "open" seating arrangement would be too distracting.
<u>R_Tt0wfdnLKhTGmJj</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_TvCkxNChVy3BRAZ</u>	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	The break rooms run out of paper towels frequently and it can sometimes take days to be refilled.
<u>R_U9fkSd1J3goKwHn</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
<u>R_UAvVxbx3sX1CznP</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	condition of walkways
<u>R_UAvVxbx3sX1CznP</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
<u>R_UAvVxbx3sX1CznP</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_UAvVxbx3sX1CznP</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_UAvVxbx3sX1CznP	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_UAvVxbx3sX1CznP	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_UAvVxbx3sX1CznP	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
R_UAvVxbx3sX1CznP	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_ue5NVUmsaJqTYU9	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the amount of light in your workspace?	Lights are too bright in personal workspace
R_ue5NVUmsaJqTYU9	Department of Transportation	Assistant Secretary for Research and Technology	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace
R_UeHUpU0cri9FpxD	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_UFQHK1SOJqZ1u4p	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The restroom fixtures are the most disappointing. Many faucets don't function properly and many toilets don't flush completely. The faucets are automatic and it appears the battery is dead or the sensor has malfunctioned in many of them. Most of the toilets on my floor either flush incompletely or spray water onto the floor. These seem to be correctable issues.
R_UFQHK1SOJqZ1u4p	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
R_UFQHK1SOJqZ1u4p	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot

TSS Survey	Agency	Bureau	Question	Comment
R_UFQHK1SOJqZ1u4p	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_UFQHK1SOJqZ1u4p	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_UFUOfuKkvgZdAeR	Department of Transportation	Assistant Secretary for Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_ujZnfO3HmzU70CR	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Ventilation
R_ujZnfO3HmzU70CR	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_umFzRlnZWjo8jcZ	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_UQ08pW7dhZz0ozD	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	My Cube is at the end of a row closet to Atrium and noise travels from atrium events, personal conversations along atrium windows near elevator, and i am next to a conference room that when the meeting breaks up people stand outside and chat. People walk by all the time and it is distracting.
R_UQ08pW7dhZz0ozD	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Noise travels when people play the radio/music. People stop outside my cube and have conversations with each other since I'm at the end of a row. Bathroom seats need to be cleaned. Some sinks don't work, runs out of soap. can't control the water temperature. Sometimes I need only cold to clean a spot on my clothes.
R_UQ08pW7dhZz0ozD	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Need to have painting and repair touch-ups, kitchen sink area a mess. Needs repairs. Facilities management not always responsive to requests.
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Condition of paint; Plumbing issues (e.g., restrooms, water fountains leaking)
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Fixtures and finishes; Other
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_urkB8vd466WV3jj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_uvHTeEEKLFXUYQV	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Mold, mildew, dander, pollen, stale musty air

TSS Survey	Agency	Bureau	Question	Comment
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Like working in a cave
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It can't get any worse. Like working in a concentration camp. Environment lousy, dirty restrooms, latches broken, no toilet paper, cleaning people leaving doors unlocked, lights on, who the hell is in charge? Person responsible for this train wreck needs to be fired. Just come around any morning at 9AM when everybody is trying to use restroom, no toilet paper...what the hell would it cost to add more paper dispensers, oh, how about a schedule on doors indicating when they will be cleaned,at exactly the right time, frustrating to rush all over the building to use a commode. Just a form of gulag intimidation. You wanna go "potty?" Ha!Ha! Go Suffer....
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of your building's common areas?	Inadequate signage
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking); Ventilation
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_uvHTeEEkLFXUYQV</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_uwSPFqOdq5xUk9z</u>	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The individual personal partition screens should still be an option when holding private discussions with colleagues and required to be placed away when not. Instead we are not allowed to have them at all when other modes still have them.
<u>R_uwSPFqOdq5xUk9z</u>	Department of Transportation	Federal Transit Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_UxOpRQ34dBcgCEF</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	have to walk across the bathroom to get to papertowels which are located in the swing of the door
<u>R_UxOpRQ34dBcgCEF</u>	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The fixtures on the bathroom sinks result in water on the counter. Papertowels are far away from sinks and in the swing of the door. These are easy fixes.
<u>R_UxOpRQ34dBcgCEF</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_UxOpRQ34dBcgCEF</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_uy86HLOIIWipLfr</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from hallway/elevator

TSS Survey	Agency	Bureau	Question	Comment
R_uy86HLOlIWipLfr	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	As far as the restrooms go, they are clean after they've been cleaned, but some of them get horrendous throughout the day. It's discouraging that federal professional employees can leave such a mess behind themselves. I just want to clarify it's other employees I am disappointed with, and sometimes the frequency of restocking restrooms, but I have not had any actual trouble with those who clean the restrooms
R_uy86HLOlIWipLfr	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_uyKhlg7zQg3ykXn	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It would be wonderful to be able to use stairs to get to the first floor. Lack of stairs inhibits exercise. Make it easy to do the right thing - WALK.
R_uzb0yvW3XUcGe9X	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_vCEhanRB6lzTukF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	I sneeze a lot at work - this could be caused by the building or a co-worker.
R_vCEhanRB6lzTukF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
R_vCEhanRB6lzTukF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_vCEhanRB6lzTukF	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_vffbIkRNvRoRdzH	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The bathrooms aren't always as clean as they should be and the pantry paper towels and soap dispenser go days without being refilled.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_voUmZds2NqKSks9</u>	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
<u>R_voUmZds2NqKSks9</u>	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Condition of paint; Lighting in common hallways; Pest control management
<u>R_voUmZds2NqKSks9</u>	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets; Condition of paint
<u>R_voUmZds2NqKSks9</u>	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Odor; Ventilation
<u>R_voUmZds2NqKSks9</u>	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
<u>R_VQG0gHDIpsJlugh</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_vSwBtKjBhjhubrr</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Cubicle environment makes it difficult to focus due to noise
<u>R_vSwBtKjBhjhubrr</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from people walking on our floor, i.e., loud conversations
<u>R_vSwBtKjBhjhubrr</u>	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)

TSS Survey	Agency	Bureau	Question	Comment
R_vSwBtKjBhjhubrr	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_vvjSZc7MLSi6uZz	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_vvjSZc7MLSi6uZz	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the air quality in your building?	Odor
R_vvjSZc7MLSi6uZz	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Work area configuration and ventilation
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	In my work area air flow is excessive and cause my body to ache and give me headaches
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the amount of light in your workspace?	I sit near someone with visual issue and they removed the overhead light for her accommodation and didn't consider how this would impact me.
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	folks talk on phones and voice echos, folks come outside conference rooms and stand hallways continuing conversations, folks congregate and talk near restrooms all are hugh distractions that impact productivity.
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It's hard to concentrate due to folks voice tone and conversations, There need to be some protocol or reminders posted that this is a work environment and your conversations could impact someone's productivity.

TSS Survey	Agency	Bureau	Question	Comment
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of your building's common areas?	Cleanliness of building's common areas; Lighting in common hallways
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Ventilation
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_w1y1XlthsxMgRzz	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_W2nK9KewDMgwjlL	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The trash bags in individual offices are not always replaced. Sometimes, I've noticed that the trash is emptied without changing the bag for days, if not weeks.
R_W2nK9KewDMgwjlL	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_W3eDaWrxChGlpcJ	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Temp is fine.
R_W3eDaWrxChGlpcJ	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	its fine.

TSS Survey	Agency	Bureau	Question	Comment
R_W3eDaWrxChGlpcJ	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Parking around the building is a nightmare. The parking in the building is even worse. We have to pay to park in the building and then daily parkers have to pay extra to come to work the day before if there is an event IN THE AREA!!! That by itself is a disgrace that you are fleecing the staff for just coming to work. Based on the parking situation, many are considering leaving the Department.
R_WDa9NbNyfiQCYjT	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Two Things: 1) Smokers, why do we allow smoking around the building? We have a beautiful space around the building but they have been taken over by smokers. 2) We need better facilities for bicycles in the garage. A repair station with air would be nice. An area where bikes and their riders don't need to dodge parked cars would be nice.
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Construction in building's common areas
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.)
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Other
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_Wfl2YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_Wf12YUxc9pGSeBj	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_WiCHnoMAmh7ykCd	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_Wkda7PHymmLO4pj	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping; Secondhand smoke at entrances
R_Wkda7PHymmLO4pj	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming); Condition of carpets
R_wLTAQNW84mKt1FD	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_wLTAQNW84mKt1FD	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
R_wLTAQNW84mKt1FD	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_wOfp5NkzDDOBKkt	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms
R_wOfp5NkzDDOBKkt	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too hot
R_wOfp5NkzDDOBKkt	Department of Transportation	Office of the Secretary	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
<u>R_wOfp5NkzDDOBKKt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_wOfp5NkzDDOBKKt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
<u>R_wOfp5NkzDDOBKKt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with your personal workspace?	Too Noisy to focus
<u>R_wOfp5NkzDDOBKKt</u>	Department of Transportation	Office of the Secretary	How satisfied are you with the noise levels in your workspace?	the open work space is counterproductive
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of your building's common areas?	Lighting in common hallways
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Ventilation
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the air quality in your building?	Odor
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas; Inadequate lighting in personal workspace
<u>R_WqfAHCwZeWNCC0p</u>	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	HVAC volume; Noise from adjacent office spaces; Noise from adjacent personal workspace

TSS Survey	Agency	Bureau	Question	Comment
R_WvQMqkI4qAEXQ7D	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	can we have our old toilet seats back? the new ones are too small and crooked.
R_wXyRmxyA7HY0WKB	Department of Transportation	Federal Highway Administration	How satisfied are you with your personal workspace?	Other
R_wXyRmxyA7HY0WKB	Department of Transportation	Federal Highway Administration	How satisfied are you with the air quality in your building?	Ventilation
R_wXyRmxyA7HY0WKB	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Other
R_wZ8OxQZ9PHOjfvH	Department of Transportation	Office of the Secretary	How satisfied are you with the temperature in your building?	Building is too cold
R_xcmlYhn7vvaapSF	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
R_xcmlYhn7vvaapSF	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_xGHecdsjXaGuUEh	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	It is all good.
R_XhXz7AlMpcb36N3	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Building design was value engineered reducing the quantity of bathroom capacity above the ground floor, therefore bathrooms are over used and require renovation. Building owner is not addressing this issue expeditiously. Elevator door action (opening and closing) is slow and this results in substantial time loss for the department.

TSS Survey	Agency	Bureau	Question	Comment
<u>R_XhXz7AIMpcb36N3</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_Xhz7ijZWLxDPZ7P</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Entry to Bathroom is Problematic
<u>R_Xhz7ijZWLxDPZ7P</u>	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
<u>R_XjGL38X78ld3cv7</u>	Department of Transportation	Maritime Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	it smells like a dogs bathroom, walking from Tingey Ave. to the front door.
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	No privacy and you must lock everything up, if you want it.
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	I can smell everything from the pantry (food and burnt popcorn)
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from people walking by and from other areas
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
<u>R_xnZr9SrKQFf31PX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in personal workspace
<u>R_XR1hU6KVZzqBNzX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Small space
<u>R_XR1hU6KVZzqBNzX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
<u>R_XR1hU6KVZzqBNzX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_XR1hU6KVZzqBNzX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot
<u>R_XR1hU6KVZzqBNzX</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
<u>R_XsUqHchELc5pCgh</u>	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I was moved from a dedicated "closed" office to a cubicle space last December with the expectation that it would be "temporary." PHMSA Administrative Office will not share an end-state plan for the office and workspace moves. It fosters a frustrating situation of uncertainty in work space assignment.

TSS Survey	Agency	Bureau	Question	Comment
R_XvVnpOgvBIOocF	Department of Transportation	Federal Railroad Administration	How satisfied are you with your personal workspace?	Office not well ventilated; gets hot if door is shut
R_XvVnpOgvBIOocF	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I have a windowless office that gets very hot with the door shut. I don't think my office has both intake and outtake vents. I don't feel comfortable closing my door for long periods of time.
R_XvVnpOgvBIOocF	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes
R_XvVnpOgvBIOocF	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_XY4P1qFM4f3lu0N	Department of Transportation	Office of the Secretary	How satisfied are you with the amount of light in your workspace?	If you work late the lights turn off and can't be turn back on
R_XY4P1qFM4f3lu0N	Department of Transportation	Office of the Secretary	Q26. Please provide any additional comments concerning your overall satisfaction.	Parking at this location can be very difficult due to the fact that DOT does not own the building or the parking services contract thus limiting the flexibility to make improvements.
R_XY4P1qFM4f3lu0N	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_yJEbvjweYd9tQyZ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	mold
R_yJEbvjweYd9tQyZ	Department of Transportation	Federal Motor Carrier Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The air quality is horrible in my office, I constantly congested.

TSS Survey	Agency	Bureau	Question	Comment
R_yJEbvjweYd9tQyZ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_yJEbvjweYd9tQyZ	Department of Transportation	Federal Motor Carrier Safety Administration	How satisfied are you with your personal workspace?	Air quality
R_YPp8JuyMmhRcMhz	Department of Transportation	Federal Transit Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	In the DOT HQs building, you have to use the elevators. It would be ideal if the stairs connected to the ground level. It takes a long time to ride up and down in the elevators day in and day out; I'd rather take the stairs for many reasons - efficiency being #1.
R_yQHooSVFiDZOQJX	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	As an overall, I am satisfied with the conditions of the building but not with my personal workspace. There is no privacy or security in my department where we detail with a number of confidential information. Contractors and visitors are always walking throughout our department unannounced or escorted.
R_yQHooSVFiDZOQJX	Department of Transportation	Federal Highway Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Fixtures and finishes; Odor; Ventilation
R_yQHooSVFiDZOQJX	Department of Transportation	Federal Highway Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_YRicDqTmE4SjHTb	Department of Transportation	Department of Transportation	How satisfied are you with the temperature in your building?	Building is too cold
R_YRicDqTmE4SjHTb	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_yrtYfNTZBsdlH	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	my office is too cold in the winter

TSS Survey	Agency	Bureau	Question	Comment
<u>R_ysGqJiZXmVoiK7n</u>	Department of Transportation	Federal Highway Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I have no additional comments.
<u>R_ysGqJiZXmVoiK7n</u>	Department of Transportation	Federal Highway Administration	How satisfied are you with the temperature in your building?	Building is too cold
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	There is always a lot of water on the sink beacuse the facet are not correctly stationed.
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Too noisy, you can hear everyones conversations around you.
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	I
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	There is no privacy when having conversation at my cubicle. \At times it can be distraction due to the noisiness. \Would prefer an enclosed work station. Totally against having the short partitions when seated people can see you. I'm sure that would be much noisier and a greater distraction.
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Odor; Plumbing issues (e.g., toilets, sinks leaking)
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Building is too hot; Temperatures are inconsistent; Building is too cold
<u>R_yVKwLf4vNOYDhkJ</u>	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_yVKwLf4vNOYDhkJ	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)
R_yx6BhHKVGaMipfr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Noise
R_yx6BhHKVGaMipfr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_yx6BhHKVGaMipfr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the amount of light in your workspace?	Inadequate lighting in building's common areas
R_yx6BhHKVGaMipfr	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent personal workspace
R_Z1TTJVv4FYOfK0N	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Aesthetics; Cleanliness of restrooms; Ventilation
R_Z2mMBS9X0ZIBpVn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	air-born cleaning products are trapped in building, affecting allergies
R_Z2mMBS9X0ZIBpVn	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	I used to work in a very loud newspaper newsroom, so noise levels here do not bother me
R_Z2mMBS9X0ZIBpVn	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	I am concerned only with the possibility that the closed environment is breeding a sick building. As soon as I enter the building, my sinuses clog, and my eyes become red and itchy. I know ... you're thinking that I'm just sick of work :-) but it is really a case of my body reacting to something air-borne. And it is worse the day(s) following any chemical carpet cleaning activity. \Also, while the hype for the DOT building always mention the high leve/quality of "natural light" and how important that is to worker satisfaction and productivity, ZERO amount of that natural light penetrates much past any of the cubicles -- or managers offices -- that line the windows or interior atrium.

TSS Survey	Agency	Bureau	Question	Comment
R_Z2xFbMFmHC2Hnd7	Department of Transportation	Office of the Secretary	How satisfied are you with the appearance of the restrooms?	Plumbing issues (e.g., toilets, sinks leaking)
R_z3aqn7XKfuHye1X	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Some of the security procedures are ridiculous - like turning off PIV cards if you've been away for several weeks. Harder to get into DOT then it is to get into the Capitol as a guest!
R_z6HspY2zLQgLSdb	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	Appearance of building exterior; Appearance of landscaping
R_z6HspY2zLQgLSdb	Department of Transportation	Federal Railroad Administration	How satisfied are you with the appearance of the restrooms?	Cleanliness of restrooms; Fixtures and finishes
R_z6HspY2zLQgLSdb	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too cold
R_z6HspY2zLQgLSdb	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation
R_z6HspY2zLQgLSdb	Department of Transportation	Federal Railroad Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_z9fYm2QnuM2JBRL	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the appearance of the restrooms?	Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms; Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_z9fYm2QnuM2JBRL	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with your personal workspace?	Cleanliness of carpets; Cleanliness of personal workspace (e.g. vacuuming)

TSS Survey	Agency	Bureau	Question	Comment
R_z9fYm2QnuM2JBRL	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent; Building is too cold
R_z9fYm2QnuM2JBRL	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the air quality in your building?	Ventilation
R_z9fYm2QnuM2JBRL	Department of Transportation	National Highway Traffic Safety Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the exterior of your building and grounds?	The whole architecture of the building
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Refer to this article (it explains that buildings are designed to meet the temp needs of male employees, not female employees): http://a.msn.com/05/en-us/BBuCpVD?ocid=se
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the amount of light in your workspace?	I understand to conserve energy, the lights shut off at a certain hour but some of us tend to work longer hours and it's an annoyance to not have sufficient light around my work station when I am trying to wrap up work
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	The temperature where I sit is freezing and gets colder as we approach closing time. It is an issue affecting the previous Fed government buildings where I worked and my female colleagues were in agreement about the building temperature being too cold. \The following article provides a scientific explanation of why female employees are subjected to such cold temperatures in offices and how cold temperatures in offices REDUCE worker productivity: http://a.msn.com/05/en-us/BBuCpVD?ocid=se
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the temperature in your building?	Building is too hot
R_zdlI5qhOSIZ8Rt7	Department of Transportation	Federal Railroad Administration	How satisfied are you with the air quality in your building?	Ventilation

TSS Survey	Agency	Bureau	Question	Comment
R_zdmexl0fWerRpjb	Department of Transportation	Department of Transportation	Q26. Please provide any additional comments concerning your overall satisfaction.	I wish employees could get access to the building WiFi system. We used to be able to get it, but it was cut off WITH NO EXPLANATION.
R_zdmexl0fWerRpjb	Department of Transportation	Department of Transportation	How satisfied are you with the appearance of the restrooms?	Aesthetics; Availability of supplies (e.g., toilet paper, paper towels, soap, etc.); Cleanliness of restrooms
R_zdmexl0fWerRpjb	Department of Transportation	Department of Transportation	How satisfied are you with your personal workspace?	Cleanliness of carpets
R_zdmexl0fWerRpjb	Department of Transportation	Department of Transportation	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces
R_zebUMYxWDYNEpk5	Department of Transportation	Federal Transit Administration	How satisfied are you with the air quality in your building?	Ventilation
R_ZIDjLhnlaJSSdoZ	Department of Transportation	National Highway Traffic Safety Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	the carpets in some common areas have some stains. Not being picky but addressing some spills more rapidly could be cost effective in the long run.
R_ZmzOBXBVnb56Vih	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	My office is drafty in the winter. Had to wear a light jacket on top of my suit coat on most days to stay warm.
R_ZmzOBXBVnb56Vih	Department of Transportation	Pipeline and Hazardous Materials Safety Administration	How satisfied are you with the temperature in your building?	Temperatures are inconsistent
R_zT5gBNvOTBAb9Wp	Department of Transportation	Assistant Secretary for Transportation Policy	How satisfied are you with the exterior of your building and grounds?	Appearance of landscaping; Secondhand smoke at entrances

TSS Survey	Agency	Bureau	Question	Comment
R_zT5gBNvOTBAb9Wp	Department of Transportation	Assistant Secretary for Transportation Policy	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	Q26. Please provide any additional comments concerning your overall satisfaction.	Paper towels in the kitchen would be nice. Replacement rolls are not very quick to appear. Don't know who to contact to get items fixed. Kitchen sink leaks every few months and makes a puddle on the floor. Hot water from the sink is also not working on a regular basis.
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with the exterior of your building and grounds?	Secondhand smoke at entrances
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of your building's common areas?	Plumbing issues (e.g., restrooms, water fountains leaking)
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with the appearance of the restrooms?	Fixtures and finishes; Plumbing issues (e.g., toilets, sinks leaking)
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with your personal workspace?	Cleanliness of personal workspace (e.g. vacuuming)
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with the air quality in your building?	Ventilation
R_zVcYLVXsvGV2etj	Department of Transportation	Maritime Administration	How satisfied are you with the noise levels in your workspace?	Noise from adjacent office spaces; Noise from adjacent personal workspace; Noise from building exterior (e.g., construction, trains, traffic, airplanes)